Subject: Re: Solution of Nonlinear System of Equations (BROYDEN etc.) Posted by Craig Markwardt on Sun, 25 Aug 2002 13:34:14 GMT

View Forum Message <> Reply to Message

air_ilin@yahoo.com (Johnny Lin) writes:

```
> Hi all,
> I've this system of nonlinear equations that I want to solve
> iteratively and was planning on using BROYDEN to do it. What I'm
> wondering is how do I implement the function in BROYDEN so that I can
> change parameters on the fly. For instance, in the example in the
> help file, one of the equations is:
>
    3x - COS(yz) - 1/2 = 0
>
>
> They then hard-wire the constants (3, 1/2, etc.) into BROYFUNC. But
> let's say I want to be able to change the 3x to ax where "a" is a
> constant I specify and change as the program runs. Is there a way to
> do this in a way the BROYDEN call will understand? I couldn't find
```

Hi Johnny--

One "solution" would be to use a common block to pass relevant parameters to your function. We all know that is a pretty bad solution, since it entails all of the ugliness associated with common blocks. The RSI-supplied numerical routines are pretty bad all around, when it comes to user-level flexibility.

> the source code for BROYDEN to see if this is possible.

One thing that people might not realize is that the MPFIT family of functions can also be used to solve systems of non-linear equations. Normally MPFIT is used to minimize the summed squared residuals in a curve fitting application. However it can also be used to minimize the error in a non-linear equation solution.

Here is an example using MPFITEXPR, but you could also use MPFIT directly. All you need to do is return the vector of non-linear function values. Here is an example based on the BROYDEN documentation. I have set X and Y to zero because the expression, EXPR, computes the residuals directly.

```
; Vector of non-linear functions to minimize
expr = [3.0 * P[0] - COS(P[1]*P[2]) - 0.5, +$
    ' P[0]^2 - 81.0*(P[1] + 0.1)^2 + SIN(P[2]) + 1.06, '+$
    'EXP(-P[0]*P[1]) + 20.0 * P[2] + (10.0*!DPI - 3.0)/3.0]'
p0 = [-1.,1,2]
p = mpfitexpr(expr, 0, 0, 1, p0)
```

Now you may say to yourself, but Craig didn't answer my question! You wanted to know how to change the hard-coded values.

Possibility number 1 is simply to re-write the expression when you need to. This is much easier than trying to recompile an IDL function.

Possibility number 2 is to use FUNCTARGS to pass information to the expression. I have recently enhanced MPFITEXPR to allow this more usefully, and it is documented. Essentially, during execution of the expression, FUNCTARGS appears as a structure called PRIVATE which you can access in any way you wish.

Good luck! Craig	
•	craigmnet@cow.physics.wisc.edu Remove "net" for better response

Subject: Re: Solution of Nonlinear System of Equations (BROYDEN etc.) Posted by Craig Markwardt on Sun, 25 Aug 2002 14:00:25 GMT View Forum Message <> Reply to Message

Here I am, replying to my own post. As David can attest, this is a sure sign of madness.

Craig Markwardt <craigmnet@cow.physics.wisc.edu> writes:

...

- > Here is an example using MPFITEXPR, but you could also use MPFIT
- > directly. All you need to do is return the vector of non-linear
- > function values. Here is an example based on the BROYDEN
- > documentation. I have set X and Y to zero because the expression,
- > EXPR, computes the residuals directly.

. . .

I wanted to add that if you define your function BROYFUNC, as it is defined in the BROYDEN documentation, then you can use MPFIT directly with no additional changes. The benefit is that you can also use the nice FUNCTARGS features of MPFIT to pass named values to your function.

Craig

--

Craig B. Markwardt, Ph.D. EMAIL: craigmnet@cow.physics.wisc.edu Astrophysics, IDL, Finance, Derivatives | Remove "net" for better response

Subject: Re: Solution of Nonlinear System of Equations (BROYDEN etc.) Posted by air ilin on Mon, 26 Aug 2002 21:04:46 GMT View Forum Message <> Reply to Message

hi Craig,

thanks much for your help! the FUNCTARGS features sounds like what i need!

best. -Johnny

Craig Markwardt <craigmnet@cow.physics.wisc.edu> wrote in message news:<onelcn82di.fsf@cow.physics.wisc.edu>...

- > [...]
- >

>

- > I wanted to add that if you define your function BROYFUNC, as it is
- > defined in the BROYDEN documentation, then you can use MPFIT directly
- > with no additional changes. The benefit is that you can also use the
- > nice FUNCTARGS features of MPFIT to pass named values to your function.
- > Craig