
Subject: Re: Image fusion algorithm...

Posted by [Dick Jackson](#) on Mon, 21 Oct 2002 16:46:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Gonzalo Rojas" <rojas_gonzalo_news@hotmail.com> wrote in message
news:3db40db3\$1_2@nova.entelchile.net...

> Hi:

>

> Do you know what algorithm uses the image blend functionality of IDL

> 5.5?...

If you're asking about the Object Graphics class IDLgrImage and its
blending function options, you'll find it in Online Help under
"IDLgrImage: class Init method", "Blend_Function" keyword. There are
several algorithms available.

For a coherent explanation of this issue and much else, see Ronn Kling's
excellent new book "Power Graphics with IDL".

<http://www.kilvarock.com/books/powergraphics.htm>

Cheers,

--

-Dick

Dick Jackson / dick@d-jackson.com
D-Jackson Software Consulting / <http://www.d-jackson.com>
Calgary, Alberta, Canada / +1-403-242-7398 / Fax: 241-7392

Subject: Re: Image fusion algorithm...

Posted by [Gonzalo Rojas](#) on Wed, 23 Oct 2002 01:16:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Dick Jackson" <dick@d-jackson.com> wrote in
news:1cWs9.546844\$v53.23181338@news3.calgary.shaw.ca:

> "Gonzalo Rojas" <rojas_gonzalo_news@hotmail.com> wrote in message

> news:3db40db3\$1_2@nova.entelchile.net...

>> Hi:

>>

>> Do you know what algorithm uses the image blend functionality of IDL

>> 5.5?...

>

> If you're asking about the Object Graphics class IDLgrImage and its
> blending function options, you'll find it in Online Help under
> "IDLgrImage: class Init method", "Blend_Function" keyword. There are
> several algorithms available.

>

> For a coherent explanation of this issue and much else, see Ronn Kling's
> excellent new book "Power Graphics with IDL".
> <http://www.kilvarock.com/books/powergraphics.htm>
>
> Cheers,
> --
> -Dick
>
> Dick Jackson / dick@d-jackson.com
> D-Jackson Software Consulting / <http://www.d-jackson.com>
> Calgary, Alberta, Canada / +1-403-242-7398 / Fax: 241-7392
>
>

Hi Dick:

Yes... I am asking about the blending function of Object Graphics class
IDLgrImage...

I read the online help, but I need to know details such as: how the
algorithm does the blending between two true color images ?... Could the
algorithm do such blending ?...

Best regards, and thanks in advance...

Gonzalo Rojas

Subject: Re: Image fusion algorithm...

Posted by [Karl Schultz](#) on Wed, 23 Oct 2002 16:33:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Gonzalo Rojas" <rojas_gonzalo_news@hotmail.com> wrote in message
news:3db5f86e\$1_2@nova.entelchile.net...

> "Dick Jackson" <dick@d-jackson.com> wrote in
> news:1cWs9.546844\$v53.23181338@news3.calgary.shaw.ca:

>
>> "Gonzalo Rojas" <rojas_gonzalo_news@hotmail.com> wrote in message
>> news:3db40db3\$1_2@nova.entelchile.net...

>>> Hi:

>>>

>>> Do you know what algorithm uses the image blend functionality of IDL

>>> 5.5?...

>>

>> If you're asking about the Object Graphics class IDLgrImage and its

>> blending function options, you'll find it in Online Help under

>> "IDLgrImage: class Init method", "Blend_Function" keyword. There are

```

>> several algorithms available.
>>
>> For a coherent explanation of this issue and much else, see Ronn Kling's
>> excellent new book "Power Graphics with IDL".
>> http://www.kilvarock.com/books/powergraphics.htm
>>
>> Cheers,
>> --
>> -Dick
>>
>> Dick Jackson          /      dick@d-jackson.com
>> D-Jackson Software Consulting /      http://www.d-jackson.com
>> Calgary, Alberta, Canada   / +1-403-242-7398 / Fax: 241-7392
>>
>>
>
> Hi Dick:
>
> Yes... I am asking about the blending function of Object Graphics class
> IDLgrImage...
>
> I read the online help, but I need to know details such as: how the
> algorithm does the blending between two true color images ?... Could the
> algorithm do such blending ?...

```

It really doesn't blend between two images. The image in question (the source) is blended with what is already on the screen (the destination). So, if you wanted to blend two images, you'd draw one to the screen with no blending and then draw the other image with your blend factor (alpha).

Is your question about color components? Each component is blended independently according to the discussion in the docs for `BLEND_FUNCTION`.

For example, a common choice for the blend function is (3,4) which produces traditional "alpha blending". This gives:

$$C(\text{dest})' = (\text{ImageAlpha} * C(\text{image})) + ((1 - \text{ImageAlpha}) * C(\text{dest}))$$

This equation is applied to *each* of the R, G, and B components independently. "C" in the above equation means one of the color components. The docs call "C" a pixel, but it really means each color component or channel of the pixel.

Note that you can't do blending in indexed mode.

As far as the actual implementation goes, IDL doesn't actually do the blending. It tells OpenGL to perform the blending in the requested manner and then IDL tells OpenGL to write the image to the screen. OpenGL then

modifies the pixels on the screen according to the specified blend function, the input (image) pixels and what's already on the screen.

I still may not understand your question, but I hope that these explanations help.

Karl
