
Subject: Re: Error compiling procedure already compiled
Posted by [psisquared01](#) on Wed, 05 Mar 2003 04:00:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

I found the solution to why IDLWAVE errored when I'd compile something already compiled. I had the following in my .emacs file.

```
;; Start autoloading routine info after 2 idle seconds  
(setq idlwave-init-rinfo-when-idle-after 2)
```

I'm not sure when I put it there, or even what it does but commenting it out allowed me to compile and recompile code with IDLWAVE. If anyone knows what this does or even why I'm getting this error, I'd love to find out. Thanks.

Rob

psisquared <psisquared01@netscape.net> wrote:

```
> I'm trying to learn IDLWAVE whenever I get time, which isn't much. I'm  
> also still very new emacs, so I get lost pretty easily. When I save and .  
> run a file that's already been compiled, my 2 pane emacs window splits  
> into a 3 pane window with the following error in the 3rd pane. Is this  
> normal? It doesn't seem to happen the first time I save and .run, only  
> on subsequent attempts. The idl buffer window shows the command executed  
> normally, but I'd like to know what's going on here. Thanks in advance  
> for you tips,  
> Rob  
>  
> (No changes need to be saved) Routine Info warning: No match for END  
> line in >>> RESTORE, '/tmp/idltemp1385yt2' & idlwave_routine_info  
> %  
> RESTORE: Procedure IDLWAVE_ROUTINE_INFO can't be restored while active.  
> %  
> RESTORE: Procedure IDLWAVE_PRINT_INFO_ENTRY can't be restored while  
> active. >>>BEGIN OF IDLWAVE ROUTINE INFO ("<@>" IS THE SEPARATOR)  
> %  
> ROUTINE_INFO: String expression required in this context: NAME.  
> %  
> Execution halted at: IDLWAVE_PRINT_INFO_ENTRY  
> %  
> IDLWAVE_ROUTINE_INFO  
> % IDLWAVE_PRINT_INFO_ENTRY  
> %  
> IDLWAVE_ROUTINE_INFO  
> % $MAIN$  
> IDL>  
> <<<
```

Subject: Re: Error compiling procedure already compiled
Posted by [psisquared01](#) on Wed, 05 Mar 2003 04:14:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

Okay, so I jumped the gun. Apparently whenever the routine info is updated I can no longer compile without receiving the error. The line about routine info in my .emacs just caused IDLWAVE to perform the update more frequently, so that's why I thought it was fixed...routine info just hadn't been updated yet. Below is another copy of the error message. As you can see, after routine info is updated, a temp file is written, and following compiling and .run'ing I receive the Routine Info warning. Any suggestions what I can do to fix this?

Scanning all buffers...

Routine info updated: buffer(3) compiled(0) catalog(591)
system(1324)

Querying the shell

Wrote /tmp/idltemp19963iX

Finishing initialization in idle time...done

Routine info updated: buffer(3) compiled(0) catalog(591)
system(1324)

(No changes need to be saved)

Routine Info warning: No match for END line in

>>>

RESTORE, '/tmp/idltemp1996CFV' & idlwave_routine_info

% RESTORE: Procedure IDLWAVE_ROUTINE_INFO can't be restored while active.

% RESTORE: Procedure IDLWAVE_PRINT_INFO_ENTRY can't be restored while active.

>>> BEGIN OF IDLWAVE ROUTINE INFO ("<@>" IS THE SEPARATOR)

% ROUTINE_INFO: String expression required in this context: NAME.

% Execution halted at: IDLWAVE_PRINT_INFO_ENTRY

% IDLWAVE_ROUTINE_INFO

% IDLWAVE_PRINT_INFO_ENTRY

% IDLWAVE_ROUTINE_INFO

% \$MAIN\$

IDL>

<<<

Rob <psisquared01@netscape.net> wrote:

> I found the solution to why IDLWAVE errored when I'd compile something
> already compiled. I had the following in my .emacs file.

>

> ;; Start autoloading routine info after 2 idle seconds

> (setq idlwave-init-rinfo-when-idle-after 2)

>

> I'm not sure when I put it there, or even what it does but commenting it

> out allowed me to compile and recompile code with IDLWAVE. If anyone
> knows what this does or even why I'm getting this error, I'd love to
> find out. Thanks.

>

> Rob

>

> psisquared <psisquared01@netscape.net> wrote:

>

>> I'm trying to learn IDLWAVE whenever I get time, which isn't much. I'm
>> also still very new emacs, so I get lost pretty easily. When I save and .
>> run a file that's already been compiled, my 2 pane emacs window splits
>> into a 3 pane window with the following error in the 3rd pane. Is this
>> normal? It doesn't seem to happen the first time I save and .run, only
>> on subsequent attempts. The idl buffer window shows the command executed
>> normally, but I'd like to know what's going on here. Thanks in advance
>> for you tips,
>> Rob

>>

>> (No changes need to be saved) Routine Info warning: No match for END
>> line in >>> RESTORE, '/tmp/idltemp1385yt2' & idlwave_routine_info
>> %
>> RESTORE: Procedure IDLWAVE_ROUTINE_INFO can't be restored while active.
>> %
>> RESTORE: Procedure IDLWAVE_PRINT_INFO_ENTRY can't be restored while
>> active. >>>BEGIN OF IDLWAVE ROUTINE INFO ("<@>" IS THE SEPARATOR)
>> %
>> ROUTINE_INFO: String expression required in this context: NAME.
>> %
>> Execution halted at: IDLWAVE_PRINT_INFO_ENTRY
>> %
>> IDLWAVE_ROUTINE_INFO
>> % IDLWAVE_PRINT_INFO_ENTRY
>> %
>> IDLWAVE_ROUTINE_INFO
>> % \$MAIN\$
>> IDL>
>> <<<

Subject: Re: Error compiling procedure already compiled
Posted by [JD Smith](#) on Wed, 05 Mar 2003 16:49:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Tue, 04 Mar 2003 21:14:58 -0700, Rob wrote:

> Okay, so I jumped the gun. Apparently whenever the routine info is
> updated I can no longer compile without receiving the error. The line
> about routine info in my .emacs just caused IDLWAVE to perform the

```

> updated more frequently, so that's why I thought it was fixed...routine
> info just hadn't been updated yet. Below is another copy of the error
> message. As you can see, after routine info is updated, a temp file is
> written, and following compiling and .run'ing I recieve the Routine Info
> warning. Any suggestions what I can do to fix this?
>
> Scanning all buffers...
> Routine info updated: buffer(3) compiled(0) catalog(591) system(1324)
> Querying the shell
> Wrote /tmp/idltemp19963iX
> Finishing initialization in idle time...done Routine info updated:
> buffer(3) compiled(0) catalog(591) system(1324) (No changes need to be
> saved)
> Routine Info warning: No match for END line in
>>>>
> RESTORE, '/tmp/idltemp1996CFV' & idlwave_routine_info % RESTORE:
> Procedure IDLWAVE_ROUTINE_INFO can't be restored while active. %
> RESTORE: Procedure IDLWAVE_PRINT_INFO_ENTRY can't be restored while
> active.
>>>> BEGIN OF IDLWAVE ROUTINE INFO ("<@>" IS THE SEPARATOR)
> % ROUTINE_INFO: String expression required in this context: NAME. %
> Execution halted at: IDLWAVE_PRINT_INFO_ENTRY % IDLWAVE_ROUTINE_INFO %
>             IDLWAVE_PRINT_INFO_ENTRY %
>             IDLWAVE_ROUTINE_INFO %             $MAIN$
> IDL>
> <<<
>

```

This is a sign that IDLWAVE is getting out of sync with the IDL process. It's looking for a terminated block of output to parse, in this case to learn about all the routines IDL knows about. I can think of a few possibilities:

1. A read/write lag with comint, the mode which interacts with the IDL shell. Newer versions of IDLWAVE deal with this a bit better.
2. Something specific to your environment in the output of your routine_info is confusing IDLWAVE. Seems unlikely, but possible.
3. You've changed your "IDL> " prompt to something else without telling IDLWAVE about it (e.g. if you're using ENVI).

Can you tell me what version of Emacs, IDL, and IDLWAVE (see *Messages*) you are using? And, if you can get it to repeat and have a recent IDLWAVE, check the menu box Debug->Show Commands->Everything, generate the error, and mail me the dump of info you find in the shell buffer.

Subject: Re: Error compiling procedure already compiled
Posted by [psisquared01](#) on Thu, 06 Mar 2003 02:34:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

JD Smith <jdsmith@as.arizona.edu> wrote:

```
> On Tue, 04 Mar 2003 21:14:58 -0700, Rob wrote:
>
>> Okay, so I jumped the gun. Apparently whenever the routine info is
>> updated I can no longer compile without receiving the error. The line
>> about routine info in my .emacs just caused IDLWAVE to perform the
>> update more frequently, so that's why I thought it was fixed...routine
>> info just hadn't been updated yet. Below is another copy of the error
>> message. As you can see, after routine info is updated, a temp file is
>> written, and following compiling and .run'ing I receive the Routine Info
>> warning. Any suggestions what I can do to fix this?
>>
>> Scanning all buffers...
>> Routine info updated: buffer(3) compiled(0) catalog(591) system(1324)
>> Querying the shell
>> Wrote /tmp/idltemp19963iX
>> Finishing initialization in idle time...done Routine info updated:
>> buffer(3) compiled(0) catalog(591) system(1324) (No changes need to be
>> saved)
>> Routine Info warning: No match for END line in
>>>> >
>> RESTORE, '/tmp/idltemp1996CFV' & idlwave_routine_info % RESTORE:
>> Procedure IDLWAVE_ROUTINE_INFO can't be restored while active. %
>> RESTORE: Procedure IDLWAVE_PRINT_INFO_ENTRY can't be restored while
>> active.
>>>> >BEGIN OF IDLWAVE ROUTINE INFO ("<@>" IS THE SEPARATOR)
>> % ROUTINE_INFO: String expression required in this context: NAME. %
>> Execution halted at: IDLWAVE_PRINT_INFO_ENTRY % IDLWAVE_ROUTINE_INFO %
>>          IDLWAVE_PRINT_INFO_ENTRY %
>>          IDLWAVE_ROUTINE_INFO %          $MAIN$
>> IDL>
>> <<<
>>
>
> This is a sign that IDLWAVE is getting out of sync with the IDL
> process. It's looking for a terminated block of output to parse, in
> this case to learn about all the routines IDL knows about. I can
> think of a few possibilities:
>
> 1. A read/write lag with comint, the mode which interacts with the IDL
```

> shell. Newer versions of IDLWAVE deal with this a bit better.
 >
 > 2. Something specific to your environment in the output of your
 > routine_info is confusing IDLWAVE. Seems unlikely, but possible.
 >
 > 3. You've changed your "IDL> " prompt to something else without
 > telling IDLWAVE about it (e.g. if you're using ENVI).
 >
 > Can you tell me what version of Emacs, IDL, and IDLWAVE (see
 > *Messages*) you are using? And, if you can get it to repeat and have
 > a recent IDLWAVE, check the menu box Debug->Show Commands->Everything,
 > generate the error, and mail me the dump of info you find in the shell
 > buffer.
 >
 > JD

Thanks for the tips, JD. Before I started I installed IDLWAVE 4.1.6 from
www.idlwave.org.

In response to 1. above, is 4.1.6 the the latest version? I've seen
 reference to a version 4.6, but I didn't see anything later than 4.1.6
 on the website. Also, strangely, I don't see a Debug->Show
 Commands->Everything option in my Debug menu???

In response to 3, I haven't changed my IDL prompt, don't even know how
 yet...and I'm not using ENVI.

I'm using IDL 5.6 on OS X with the Aqua version of Emacs 21.3.50.6 and
 am using Apples latest beta X11 version 0.2.1(Xfree86 4.2.1). Below is
 my .emacs and .tcshrc. If you can think of anything to try I'd really
 appreciate it!

```
.Emacs file:
(setq load-path (cons "~/elisp/info" load-path))
(setq load-path (cons "~/elisp/site-lisp" load-path))
(if (equal default-directory "/") (setq default-directory "~/"))
;; Use the option key for META
(setq mac-command-key-is-meta nil)
(autoload 'idlwave-mode "idlwave" "IDLWAVE Mode" t)
(autoload 'idlwave-shell "idlw-shell" "IDLWAVE Shell" t)
(setq auto-mode-alist (cons '("\\.pro\\\\" . idlwave-mode)
auto-mode-alist))
;(setq idlwave-help-directory "/usr/share/emacs/site-lisp")
;(setq idlwave-help-directory "/usr/etc")
(setq idlwave-help-directory "~/elisp/etc")
;; Turn on syntax highlighting for IDL MODE. If not using
;; Global Font-Lock, turn this on
(add-hook 'idlwave-mode-hook 'turn-on-font-lock)
```

```

(add-hook 'idlwave-mode-hook
  '(lambda ()
    (define-key idlwave-mode-map
      [(control meta z)] 'idlwave-complete)
    ))
;; Change the indentation preferences
(setq idlwave-main-block-indent 2 ; default 0
      idlwave-block-indent 3 ; default 4
      idlwave-end-offset -3) ; default -4
;; Start autoloading routine info after 2 idle seconds
(setq idlwave-init-rinfo-when-idle-after 2)
;; Pad some operators with spaces
(setq idlwave-do-actions t
      idlwave-surround-by-blank t)
;; Automatically start the shell when needed
(setq idlwave-shell-automatic-start t)
;; Bind debugging commands with CONTROL and SHIFT modifiers
(setq idlwave-shell-debug-modifiers '(control shift))
;; Bind idlwave-complete to ESC TAB, which also works for Meta-Tab when
;; Meta is set to Option
; (add-hook 'idlwave-mode-hook
;   (lambda ()
;     (define-key idlwave-mode-map "\M-\C-i" 'idlwave-complete)))
;; Bind idlwave-complete to meta-tab
(add-hook 'idlwave-mode-hook
  (lambda ()
    (define-key idlwave-mode-map "\M-\t" 'idlwave-complete)))
;; For some reason the version of emacs 21.3.50 has the 2nd and 3rd
;; buttons reversed. The following corrects this.
(setq mac-wheel-button-is-mouse-2 t)
;; Reserved words are auto converted to upper case
(setq idlwave-reserved-word-upcase t)
;; First for the source buffer
(add-hook 'idlwave-mode-hook
  (lambda ()
    (local-set-key [f5] 'idlwave-shell-break-here)
    (local-set-key [f6] 'idlwave-shell-clear-current-bp)
    (local-set-key [f7] 'idlwave-shell-cont)
    (local-set-key [f8] 'idlwave-shell-clear-all-bp)))
;; Then for the shell buffer
(add-hook 'idlwave-shell-mode-hook
  (lambda ()
    (local-set-key [f5] 'idlwave-shell-break-here)
    (local-set-key [f6] 'idlwave-shell-clear-current-bp)
    (local-set-key [f7] 'idlwave-shell-cont)
    (local-set-key [f8] 'idlwave-shell-clear-all-bp)))

```

.tcshrc File:


```

source /sw/bin/init.csh
if ( ! $?DISPLAY ) then
  setenv DISPLAY :0.0
endif
source /Applications/idl_5.6/bin/idl_setup
setenv EKV_PATH /Users/rcohen/Work/EKV_STUFF
setenv IDL_DLM_PATH
"<IDL_DEFAULT>:/Users/rcohen/Work/EKV_STUFF/bin:/Applications/idl_5.6/bin/bin.darwin.ppc"
setenv NMLLIB /Users/rcohen/Work/EKV_STUFF/NML
setenv IDL_PATH
"<IDL_DEFAULT>:/Users/rcohen/Work/EKV_STUFF/idl_lib51:/Users/rcohen/Work/EKV_STUFF/X3HDL5/Production51"
setenv IDL_STARTUP /Users/rcohen/Work/EKV_STUFF/idl_lib51/usrinit.pro
if ($?PATH) then
  setenv PATH
  "${PATH}:/Users/rcohen/Work/EKV_STUFF:/Applications/idl_5.6/bin/bin.darwin.ppc"
else
  setenv PATH
  "/Users/rcohen/Work/EKV_STUFF:/Applications/idl_5.6/bin/bin.darwin.ppc"
endif

```

Subject: Re: Error compiling procedure already compiled

Posted by [JD Smith](#) on Thu, 06 Mar 2003 17:29:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Wed, 05 Mar 2003 19:34:01 -0700, Rob wrote:

> JD Smith <jdsmith@as.arizona.edu> wrote:

>

>> On Tue, 04 Mar 2003 21:14:58 -0700, Rob wrote:

>>

>>> Okay, so I jumped the gun. Apparently whenever the routine info is
>>> updated I can no longer compile without receiving the error. The line
>>> about routine info in my .emacs just caused IDLWAVE to perform the
>>> update more frequently, so that's why I thought it was
>>> fixed...routine info just hadn't been updated yet. Below is another
>>> copy of the error message. As you can see, after routine info is
>>> updated, a temp file is written, and following compiling and .run'ing
>>> I receive the Routine Info warning. Any suggestions what I can do to
>>> fix this?

>>>

>>> Scanning all buffers...

>>> Routine info updated: buffer(3) compiled(0) catalog(591)

>>> system(1324) Querying the shell


```

>>> Wrote /tmp/idltemp19963iX
>>> Finishing initialization in idle time...done Routine info updated:
>>> buffer(3) compiled(0) catalog(591) system(1324) (No changes need to
>>> be saved)
>>> Routine Info warning: No match for END line in
>>>> >>
>>> RESTORE, '/tmp/idltemp1996CFV' & idlwave_routine_info % RESTORE:
>>> Procedure IDLWAVE_ROUTINE_INFO can't be restored while active. %
>>> RESTORE: Procedure IDLWAVE_PRINT_INFO_ENTRY can't be restored while
>>> active.
>>>> >>BEGIN OF IDLWAVE ROUTINE INFO ("<@>" IS THE SEPARATOR)
>>> % ROUTINE_INFO: String expression required in this context: NAME. %
>>> Execution halted at: IDLWAVE_PRINT_INFO_ENTRY % IDLWAVE_ROUTINE_INFO
>>> %
>>>          IDLWAVE_PRINT_INFO_ENTRY %
>>>          IDLWAVE_ROUTINE_INFO %          $MAIN$
>>> IDL>
>>> <<<
>>>
>>>
>> This is a sign that IDLWAVE is getting out of sync with the IDL
>> process. It's looking for a terminated block of output to parse, in
>> this case to learn about all the routines IDL knows about. I can think
>> of a few possibilities:
>>
>> 1. A read/write lag with comint, the mode which interacts with the IDL
>> shell. Newer versions of IDLWAVE deal with this a bit better.
>>
>> 2. Something specific to your environment in the output of your
>> routine_info is confusing IDLWAVE. Seems unlikely, but possible.
>>
>> 3. You've changed your "IDL> " prompt to something else without
>> telling IDLWAVE about it (e.g. if you're using ENVI).
>>
>> Can you tell me what version of Emacs, IDL, and IDLWAVE (see
>> *Messages*) you are using? And, if you can get it to repeat and have a
>> recent IDLWAVE, check the menu box Debug->Show Commands->Everything,
>> generate the error, and mail me the dump of info you find in the shell
>> buffer.
>>
>> JD
>
> Thanks for the tips, JD. Before I started I installed IDLWAVE 4.1.6 from
> www.idlwave.org.
>
> In response to 1. above, is 4.1.6 the the latest version? I've seen
> reference to a version 4.6, but I didn't see anything later than 4.1.6
> on the website. Also, strangely, I don't see a Debug->Show

```

> Commands->Everything option in my Debug menu???

It's actually 4.16 (>4.6). I only use a single decimal. Make sure that's what's actually running by checking the *Messages* log. If you didn't do the install correctly, it may be defaulting to the bundled version. You need to have the shell running for Everything to show, otherwise, you'll just see "Start Shell" or some such. Start it and see. If not, you're probably defaulting to the old version (4.7?).

> In response to 3, I haven't changed my IDL prompt, don't even know how
> yet...and I'm not using ENVI.
>
> I'm using IDL 5.6 on OS X with the Aqua version of Emacs 21.3.50.6 and
> am using Apples latest beta X11 version 0.2.1(Xfree86 4.2.1). Below is
> my .emacs and .tcshrc. If you can think of anything to try I'd really
> appreciate it!

The next release of IDLWAVE will be fully qualified for OSX. Many have gotten it working in the meantime, and I've never heard of an error like this, but I've yet to test it myself. The error output showing "Everything" will be definitive.

> .Emacs file:

No setting here should cause these problems.

JD

Subject: Re: Error compiling procedure already compiled
Posted by [psisquared01](#) on Sat, 08 Mar 2003 01:16:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

JD Smith <jdsmith@as.arizona.edu> wrote:

> On Wed, 05 Mar 2003 19:34:01 -0700, Rob wrote:
>
>> JD Smith <jdsmith@as.arizona.edu> wrote:
>>
>>> On Tue, 04 Mar 2003 21:14:58 -0700, Rob wrote:
>>>
>>>> Okay, so I jumped the gun. Apparently whenever the routine info is
>>>> updated I can no longer compile without receiving the error. The line
>>>> about routine info in my .emacs just caused IDLWAVE to perform the
>>>> update more frequently, so that's why I thought it was
>>>> fixed...routine info just hadn't been updated yet. Below is another
>>>> copy of the error message. As you can see, after routine info is

```

>>>> updated, a temp file is written, and following compiling and .run'ing
>>>> I recieve the Routine Info warning. Any suggestions what I can do to
>>>> fix this?
>>>>
>>>> Scanning all buffers...
>>>> Routine info updated: buffer(3) compiled(0) catalog(591)
>>>> system(1324) Querying the shell
>>>> Wrote /tmp/idltemp19963iX
>>>> Finishing initialization in idle time...done Routine info updated:
>>>> buffer(3) compiled(0) catalog(591) system(1324) (No changes need to
>>>> be saved)
>>>> Routine Info warning: No match for END line in
>>>> >>>
>>>> RESTORE, '/tmp/idltemp1996CFV' & idlwave_routine_info % RESTORE:
>>>> Procedure IDLWAVE_ROUTINE_INFO can't be restored while active. %
>>>> RESTORE: Procedure IDLWAVE_PRINT_INFO_ENTRY can't be restored while
>>>> active.
>>>> >>>BEGIN OF IDLWAVE ROUTINE INFO ("<@>" IS THE SEPARATOR)
>>>> % ROUTINE_INFO: String expression required in this context: NAME. %
>>>> Execution halted at: IDLWAVE_PRINT_INFO_ENTRY % IDLWAVE_ROUTINE_INFO
>>>> %
>>>>          IDLWAVE_PRINT_INFO_ENTRY %
>>>>          IDLWAVE_ROUTINE_INFO %          $MAIN$
>>>> IDL>
>>>> <<<
>>>>
>>>>
>>> This is a sign that IDLWAVE is getting out of sync with the IDL
>>> process. It's looking for a terminated block of output to parse, in
>>> this case to learn about all the routines IDL knows about. I can think
>>> of a few possibilities:
>>>
>>> 1. A read/write lag with comint, the mode which interacts with the IDL
>>> shell. Newer versions of IDLWAVE deal with this a bit better.
>>>
>>> 2. Something specific to your environment in the output of your
>>> routine_info is confusing IDLWAVE. Seems unlikely, but possible.
>>>
>>> 3. You've changed your "IDL> " prompt to something else without
>>> telling IDLWAVE about it (e.g. if you're using ENVI).
>>>
>>> Can you tell me what version of Emacs, IDL, and IDLWAVE (see
>>> *Messages*) you are using? And, if you can get it to repeat and have a
>>> recent IDLWAVE, check the menu box Debug->Show Commands->Everything,
>>> generate the error, and mail me the dump of info you find in the shell
>>> buffer.
>>>
>>> JD

```

>>
>> Thanks for the tips, JD. Before I started I installed IDLWAVE 4.1.6 from
>> www.idlwave.org.
>>
>> In response to 1. above, is 4.1.6 the the latest version? I've seen
>> reference to a version 4.6, but I didn't see anything later than 4.1.6
>> on the website. Also, strangely, I don't see a Debug->Show
>> Commands->Everything option in my Debug menu???
>>
>
> It's actually 4.16 (>4.6). I only use a single decimal. Make sure
> that's what's actually running by checking the *Messages* log. If you
> didn't do the install correctly, it may be defaulting to the bundled
> version. You need to have the shell running for Everything to show,
> otherwise, you'll just see "Start Shell" or some such. Start it and
> see. If not, you're probably defaulting to the old version (4.7?).
>
>> In response to 3, I haven't changed my IDL prompt, don't even know how
>> yet...and I'm not using ENVI.
>>
>> I'm using IDL 5.6 on OS X with the Aqua version of Emacs 21.3.50.6 and
>> am using Apples latest beta X11 version 0.2.1(Xfree86 4.2.1). Below is
>> my .emacs and .tcshrc. If you can think of anything to try I'd really
>> appreciate it!
>
> The next release of IDLWAVE will be fully qualified for OSX. Many
> have gotten it working in the meantime, and I've never heard of an
> error like this, but I've yet to test it myself. The error output
> showing "Everything" will be definitive.
>
>> .Emacs file:
>
> No setting here should cause these problems.
>
> JD

The messages log confirms I'm running 4.16. But still, under my Debug menu I have, in order, Compile and Run, Breakpoints, Continue/Step, Examine Expressions, Call Stack, Update Working Directory, Reset IDL toggle Toolbar, and Exit IDL. That's it. The IDL shell is running. I don't have a Show Commands in my Debug menu. Am I looking in the wrong place?
