## Subject: Re: IDLWAVE EMACS QUESTION Posted by JD Smith on Tue, 29 Apr 2003 19:07:17 GMT

View Forum Message <> Reply to Message

On Tue, 29 Apr 2003 11:04:08 -0700, Karthikayan Balakrishnan wrote:

- > Hello All,
- > I tried the structure completion in IdIWAVE by adding
- > (add-hook 'idlwave-load-hook
- > (lambda () (require 'idlw-complete-structtag)))

>

- > in my .emacs file and then proceeded to add the
- > idlw-complete-structtag.el file to /usr/local/share/emacs/site-lisp/
- > where the rest of the idl\*.el files are. Yet when I load up Emacs I get
- > the following error:
- > File mode specification error: (file-error "Cannot open load file"
- > "idlw-complete-structtag")

>

- > OS: Linux Redhat 8.0
- > Emacs Version: GNU Emacs 21.2.1 (i686-pc-linux-gnu, X toolkit, Xaw3d
- > scroll bars) of 2002-08-28 on astest
- > IDL Version: 5.5

>

- > Any suggestions? Thanks,
- > Karthik.

It's likely that you're accidentally using the Emacs-bundled version of IDLWAVE, v4.7. You can see by "C-h v idlwave-mode-version". If so, this means the stuff in /usr/local/share/... isn't being used at all. Many linux systems, for some reason, come with Emacs configured \*not\* to look in /usr/local/share/... for lisp files. You need to configure your load-path in .emacs to include this directory:

(setq load-path (cons "/usr/local/share/emacs/site-lisp" load-path))

You can view your load-path with "C-h v load-path". Now complete-structtag should work, and you'll be using the newest IDLWAVE version too.

JD

Subject: Re: IDLWAVE EMACS QUESTION Posted by btt on Tue, 29 Apr 2003 20:39:30 GMT

View Forum Message <> Reply to Message

JD Smith wrote:

```
> On Tue, 29 Apr 2003 11:04:08 -0700, Karthikayan Balakrishnan wrote:
>
>> Hello All,
        I tried the structure completion in IdlWAVE by adding
>>
>>
>> (add-hook 'idlwave-load-hook
        (lambda () (require 'idlw-complete-structtag)))
>>
>>
>> in my .emacs file and then proceeded to add the
>> idlw-complete-structtag.el file to /usr/local/share/emacs/site-lisp/
>> where the rest of the idl*.el files are. Yet when I load up Emacs I get
>> the following error:
>> File mode specification error: (file-error "Cannot open load file"
>> "idlw-complete-structtag")
>>
>> OS: Linux Redhat 8.0
>> Emacs Version: GNU Emacs 21.2.1 (i686-pc-linux-gnu, X toolkit, Xaw3d
>> scroll bars) of 2002-08-28 on astest
>> IDL Version: 5.5
>>
        Any suggestions? Thanks,
>>
>> Karthik.
  It's likely that you're accidentally using the Emacs-bundled version
> of IDLWAVE, v4.7. You can see by "C-h v idlwave-mode-version". If
> so, this means the stuff in /usr/local/share/... isn't being used at
> all. Many linux systems, for some reason, come with Emacs configured
> *not* to look in /usr/local/share/... for lisp files. You need to
> configure your load-path in .emacs to include this directory:
>
 (setq load-path (cons "/usr/local/share/emacs/site-lisp" load-path))
>
>
> You can view your load-path with "C-h v load-path". Now
> complete-structtag should work, and you'll be using the newest IDLWAVE
 version too.
> JD
Hello.
```

I guess along the same topic but a slightly different question; how do I get the IDL shell to pick up the modifications in my .tcshrc file that I made to IDL's !PATH variable. I can't manage to get the shell to pick up my modifications although it's there when I start IDL from the command line or IDLDE.

IDL 5.6 on MacOSX

## Subject: Re: IDLWAVE EMACS QUESTION

Posted by Karthikayan Balakrish[1] on Tue, 29 Apr 2003 21:34:24 GMT

View Forum Message <> Reply to Message

## JD Smith wrote:

- > \*not\* to look in /usr/local/share/... for lisp files. You need to
- > configure your load-path in .emacs to include this directory:

> (setg load-path (cons "/usr/local/share/emacs/site-lisp" load-path))

> (setq load-path (cons "/usr/local/share/emacs/site-lisp" load-path))

Got that working. Thanks a lot. On the same topic, I tried to use structure tag completion and got the following error: "complete-tag: No tags table loaded; try M-x visit-tags-table" on using Esc-Tab key. What is a tags-table? How do I create one?

## Subject: Re: IDLWAVE EMACS QUESTION

Posted by JD Smith on Wed, 30 Apr 2003 03:16:58 GMT

View Forum Message <> Reply to Message

On Tue, 29 Apr 2003 13:39:30 -0700, Ben Tupper wrote:

```
> JD Smith wrote:
```

>> On Tue, 29 Apr 2003 11:04:08 -0700, Karthikayan Balakrishnan wrote:

>> >>

>>> Hello All,

>>> I tried the structure completion in IdlWAVE by adding

>>

>>> (add-hook 'idlwave-load-hook

>>> (lambda () (require 'idlw-complete-structtag)))

>>>

>>> in my .emacs file and then proceeded to add the

>>> idlw-complete-structtag.el file to /usr/local/share/emacs/site-lisp/

>>> where the rest of the idl\*.el files are. Yet when I load up Emacs I get

>>> the following error:

>>> File mode specification error: (file-error "Cannot open load file"

>>> "idlw-complete-structtag")

>>>

>>> OS: Linux Redhat 8.0

```
>>> Emacs Version: GNU Emacs 21.2.1 (i686-pc-linux-gnu, X toolkit, Xaw3d
>>> scroll bars) of 2002-08-28 on astest
>>> IDL Version: 5.5
>>>
>>>
         Any suggestions? Thanks,
>>> Karthik.
>>
   It's likely that you're accidentally using the Emacs-bundled version
>>
>> of IDLWAVE, v4.7. You can see by "C-h v idlwave-mode-version". If so,
>> this means the stuff in /usr/local/share/... isn't being used at all.
>> Many linux systems, for some reason, come with Emacs configured *not*
>> to look in /usr/local/share/... for lisp files. You need to configure
>> your load-path in .emacs to include this directory:
>>
>> (setq load-path (cons "/usr/local/share/emacs/site-lisp" load-path))
>>
>> You can view your load-path with "C-h v load-path". Now
>> complete-structtag should work, and you'll be using the newest IDLWAVE
>> version too.
>>
>> JD
>
> Hello,
>
> I guess along the same topic but a slightly different question; how do I
> get the IDL shell to pick up the modifications in my .tcshrc file that I
> made to IDL's !PATH variable. I can't manage to get the shell to pick
> up my modifications although it's there when I start IDL from the
> command line or IDLDE.
> IDL 5.6 on MacOSX
>
```

This just came up last week. You can either start Emacs/IDLWAVE from the shell, or add your path setting stuff to ~/.MacOSX/environment.plist. The issue is that, when started as an Aqua Application, a program never consults the shell for its environment. Hence the environment.plist route.

JD

Subject: Re: IDLWAVE EMACS QUESTION
Posted by Ch. Konig on Fri, 25 Mar 2005 19:49:13 GMT
View Forum Message <> Reply to Message

So I had the problem too that my Carbon Emacs (I'm on Mac OS X) would not see my IDL\_PATH definition in my .cshrc file. Starting from the

shell remedies the situation, while adding my path definition to ~/.MacOSX/environment.plist does not seem to change anything.

Might the "~/.MacOSX/environment.plist" route be a feature of the past (pre-10.3 or so)?

Or is there something to be tweaked in my Mac? How else could I make Emacs.app see my .cshrc or the IDL\_PATH setting at least? Is there a way to 'source' a file or define paths in .emacs?

No urgency to those questions, starting from the shell works fine. More a remark to the IDLWAVE FAQ author.

Cheers,

Chris