
Subject: Extension to "Overplotting Data on !P.MULTI Plots"
Posted by [raphael.schefold](#) on Fri, 11 Jul 2003 11:35:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

After overplotting data on !P.MULTI Plots it is sometimes necessary to plot the axis, titles etc again to have the axis (which is mostly black) drawn over your data lines (which are often colored).
But plot, data, /noerase, /nodata jumps to the next plot window. For that,
!p.multi(0)=!p.multi(0)+1 helps, as you can see in the following code.

I am posting, because I met several people who were confused about that.

-Raphael

Example code for "nodata noerase plot after overplotting Data on !P.MULTI Plots":

```
!P.MULTI= [0, 2, 2]
```

```
p_sav=replicate(!p, 4)  
x_sav=replicate(!x, 4)  
y_sav=replicate(!y, 4)
```

```
for i=0, 3 do begin  
  plot, [0,1], [0, 1], title=string(i), /nodata  
  p_sav(i)=!p & x_sav(i)=!x & y_sav(i)=!y  
end
```

```
for i=0, 3 do begin  
  !p=p_sav(i) & !x=x_sav(i) & !y=y_sav(i)  
  oplot, [.5], [.5], psym=i  
end
```

```
for i=0, 3 do begin  
  !p=p_sav(i) & !x=x_sav(i) & !y=y_sav(i)  
  !p.multi(0)=!p.multi(0)+1  
  plot, [0,1], [0, 1], title=string(i), /nodata, /noerase  
end
```

Subject: Re: Extension to "Overplotting Data on !P.MULTI Plots"
Posted by [wmconnolley](#) on Mon, 14 Jul 2003 19:44:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

raphael.schefold <raphael.schefold@gmx.ch> wrote:
> Is there any particular reason to use the axis command? I can restore

> easily all graphical system variables and plot all necessary axes with
> plot, ..., /nodata, /noerase.

I think I misunderstood your original message. If that works, fine.

-W.

--

William M Connolley | wmc@bas.ac.uk | <http://www.antarctica.ac.uk/met/wmc/>
Climate Modeller, British Antarctic Survey | Disclaimer: I speak for myself
I'm a .signature virus! copy me into your .signature file & help me spread!
