Subject: Re: newbie question.. again :)
Posted by Haje Korth on Wed, 09 Jul 2003 13:31:56 GMT
View Forum Message <> Reply to Message

## Alex,

I am not quite sure what you are trying to do and I for sure do not know what a .csv file is, but here is an idea: The area you extravt is a 2-d array with dimensions xdim and ydim if rectangular. If I understand you correctly your number of collumns x is xdim\*ydim. In order to map the 2d array into a 1d array, which is one row in your file, you use 'reform(2d-array,xdim\*ydim)'. In order to process all your files you just loop through them.

## Haje

PS: I curse at IDL all the time, so don't feel bad! :-) (I still think it is a great product though.)

--

Dr. Haje Korth
Space Physics Group
The Johns Hopkins University
Applied Physics Laboratory
MS MP3-E128
11100 Johns Hopkins Road
Laurel, MD 20723-6099
USA

Phone: 240-228-4033 (Washington), 443-778-4033 (Baltimore) Fax: 240-228-0386 (Washington), 443-778-0386 (Baltimore)

e-mail: haje.korth@jhuapl.edu

"Alexandra Panton" <alex\_panton@hotmail.com> wrote in message news:dee4362e.0307090052.2ce7f506@posting.google.com...

- > This is probably a really obvious question, but I can't find the
- > answer to it anywhere:) and I have been cursing my computer, idl and
- > the world in general for a couple of days so thought I'd see if anyone
- > can help me out!

>

- > all i want to do is extract the same area from 500+ images this i
- > can do fine but i want to add each extracted portion to the next line
- > in an array so i can generate a .csv file with x columns and y rows =
- > to the number of images. see very simple! I can generate the rows and
- > columns ok just i get a file with all the same data

>

- > if someone can help me out with what function i should be looking for
- > i will be eternally grateful!

>

> cheers

>

> alex

Subject: Re: newbie question.. again :)

Posted by Timm Weitkamp on Wed, 09 Jul 2003 14:28:37 GMT

View Forum Message <> Reply to Message

Today at 09:31 -0400, Haje Korth wrote:

- > Alex,
- > I am not quite sure what you are trying to do and I for sure do not know
- > what a .csv file is

I think a .csv file is a "comma-separated values" Ascii file.

- > but here is an idea: The area you extravt is a 2-d
- > array with dimensions xdim and ydim if rectangular. If I understand you
- > correctly your number of collumns x is xdim\*ydim. In order to map the 2d
- > array into a 1d array, which is one row in your file, you use
- > 'reform(2d-array,xdim\*ydim)'. In order to process all your files you just
- > loop through them.

Or, even simpler (assuming that you want to map a 2D array "a" into a 1D array "b"): b = a[\*].

Alex: I understand you already wrote some code but it doesn't work as you would like it to. Would you mind posting it and pointing out to us the part where you're stuck?

Timm

--

Timm Weitkamp <a href="http://people.web.psi.ch/weitkamp">http://people.web.psi.ch/weitkamp</a>

Subject: Re: newbie question.. again :)

Posted by alex\_panton on Wed, 09 Jul 2003 21:12:25 GMT

View Forum Message <> Reply to Message

hey thanks for replying:) i didn't post my code 'cos its a bit on the messy side bare in mind i have only been using this for about 2 weeks! I re read my post hmm, I have like 91 files, I want to extract the same 5 by 5 area on each image. Put this all into one row (this is cool can do this) what i can't do is get say, image2 to go into row 2 .. if that makes sense? .csv or anything really just want to be able

```
to export it to something evil like a spreadsheet :)
here goes ....
store=('g:\goes9_processed\btcloudfree\subtraction')
outstore=('g:\test')
cd, store
y=3
x=1
files02=findfile('*2.tiff', count=num02files)
print, num02files
while(num02files gt y) do begin
cd, store
InfileName02=files02(y)
print, Infilename02
ok=query_tiff(Infilename02) ;checks to see if the tiff file exists
 if (ok eq 1) then begin
 tiffread=read tiff(Infilename02); reads tiff
  storage_array=make_array(25,y,/byte);my array that i want to
write to
  radiancevalues=extrac(tiffread,145,180,5,5); extracts a 5 by 5
array from the coordinates given
  radiancevalues=rebin(radiancevalues, 25,1); puts it all on one line
    len02=strlen(InfileName02)
  striptext02=strmid(Infilename02,0,len02-7)
   stats=moment(radiancevalues)
   outname=striptext02+'test'+'.csv' ;configures the output filename
   storage_array=radiancevalues[*];*trying* to get radiance values
into one array but can't get it to work *sighs*
  cd, outstore
  openw,1,outname, width=2000; opens outputfile
  for i=0,num02files-1 do begin
  printf,1,storage array,stats, format='(25(f,","),f)'
  endfor
  close.1
  free lun,1
   :endfor
 endif else begin
 print, 'no matching file name found in directory'
 endelse
y=y+1
```

..and google groups messed up my format something chronic, my apologies cheers for any help you can give alex Timm Weitkamp < timm.weitkamp@nowhere> wrote in message news:<Pine.LNX.4.44.0307091614210.15330-100000@localhost.localdomain>... > Today at 09:31 -0400, Haje Korth wrote: > >> Alex, >> I am not quite sure what you are trying to do and I for sure do not know >> what a .csv file is > I think a .csv file is a "comma-separated values" Ascii file. >> but here is an idea: The area you extravt is a 2-d >> array with dimensions xdim and ydim if rectangular. If I understand you >> correctly your number of collumns x is xdim\*ydim. In order to map the 2d >> array into a 1d array, which is one row in your file, you use >> 'reform(2d-array,xdim\*ydim)'. In order to process all your files you just >> loop through them. > > Or, even simpler (assuming that you want to map a 2D array "a" into a 1D > array "b"): b = a[\*]. > > Alex: I understand you already wrote some code but it doesn't work as you > would like it to. Would you mind posting it and pointing out to us the > part where you're stuck? > Timm

Subject: Re: newbie question.. again :)
Posted by Timm Weitkamp on Thu, 10 Jul 2003 03:24:24 GMT
View Forum Message <> Reply to Message

Alex,

endwhile

end

What follows below may or may not run like this (it should, but it's sort of late here now). But I hope it helps anyway.

## Timm <a href="http://people.web.psi.ch/weitkamp">http://people.web.psi.ch/weitkamp</a> storeDir = 'g:\goes9\_processed\btcloudfree\subtraction' cd. storeDir files02=findfile('\*2.tiff', count=num02files) ; You want one single output .csv file, right? So you'll have to open it ; \*outside\* the loop that goes over the images outfilename = 'g:\test\out.csv' openw, uOut, /get\_lun : Now loop over all the Tiffs, and every time write one more line ; to the output file for y = 0, num02files-1 do begin ; Read your TIFF image in a 2D array tiff = read\_tiff(files02[y]) ; Extract a 5x5 region of interest radianceValues = tiff[145:145+4, 180:180+4] : Calculate moments stats = MOMENT(radianceValues) ; Concatenate 5x5 image data and moments into one single 1D array. This will be the line to write to the .csv file. outValues = [radiancevalues[\*], stats] ; How many numbers are there in that line? (need this information for the format code) nVal = N\_ELEMENTS(outValues)

formStr = '(' + STRTRIM(nVal,2) + '(F1, :,", "))'

fileLine = STRING(outValues, FORMAT=formStr)

```
printf, uOut, fileLine
endfor
free lun, uOut
On 09.07.03 at 14:12 -0700, Alexandra Panton wrote:
> hey thanks for replying:) i didn't post my code 'cos its a bit on the
> messy side bare in mind i have only been using this for about 2 weeks
> ! I re read my post hmm, I have like 91 files, I want to extract the
> same 5 by 5 area on each image. Put this all into one row (this is
> cool can do this) what i can't do is get say, image2 to go into row 2
> .. if that makes sense? .csv or anything really just want to be able
> to export it to something evil like a spreadsheet:)
>
> here goes ....
> store=('g:\goes9_processed\btcloudfree\subtraction')
> outstore=('q:\test')
> cd, store
> v=3
> x=1
> files02=findfile('*2.tiff', count=num02files)
> print, num02files
>
>
> while(num02files gt y) do begin
> cd. store
> InfileName02=files02(y)
   print, Infilename02
  ok=query_tiff(Infilename02); checks to see if the tiff file exists
>
   if (ok eq 1) then begin
>
>
   tiffread=read tiff(Infilename02); reads tiff
>
    storage_array=make_array(25,y,/byte);my array that i want to
> write to
    radiancevalues=extrac(tiffread,145,180,5,5); extracts a 5 by 5
  array from the coordinates given
    radiancevalues=rebin(radiancevalues,25,1); puts it all on one line
>
       len02=strlen(InfileName02)
>
     striptext02=strmid(Infilename02,0,len02-7)
>
     stats=moment(radiancevalues)
>
     outname=striptext02+'test'+'.csv'; configures the output filename
>
```

storage array=radiancevalues[\*]; \*trying\* to get radiance values

```
> into one array but can't get it to work *sighs*
    cd. outstore
>
    openw,1,outname, width=2000 ;opens outputfile
>
>
    for i=0,num02files-1 do begin
>
    printf,1,storage_array,stats, format='(25(f,","),f)'
>
    endfor
>
    close,1
>
    free lun,1
>
     ;endfor
>
>
   endif else begin
   print, 'no matching file name found in directory'
>
   endelse
>
> y=y+1
 endwhile
> end
  ..and google groups messed up my format something chronic, my
  apologies
  cheers for any help you can give
> alex
>
>
>
>
> Timm Weitkamp <timm.weitkamp@nowhere> wrote in message
news:<Pine.LNX.4.44.0307091614210.15330-100000@localhost.localdomain>...
>> Today at 09:31 -0400, Haje Korth wrote:
>>
>>> Alex,
>>> I am not quite sure what you are trying to do and I for sure do not know
>>> what a .csv file is
>> I think a .csv file is a "comma-separated values" Ascii file.
>>
>>> but here is an idea: The area you extravt is a 2-d
>>> array with dimensions xdim and ydim if rectangular. If I understand you
>>> correctly your number of collumns x is xdim*ydim. In order to map the 2d
>>> array into a 1d array, which is one row in your file, you use
>>> 'reform(2d-array,xdim*ydim)'. In order to process all your files you just
>>> loop through them.
>>
```

```
>> Or, even simpler (assuming that you want to map a 2D array "a" into a 1D
>> array "b"): b = a[*].
>>
>> Alex: I understand you already wrote some code but it doesn't work as you
>> would like it to. Would you mind posting it and pointing out to us the
>> part where you're stuck?
>>
>> Timm
>
```

```
Subject: Re: newbie question.. again :)
Posted by alex_panton on Thu, 10 Jul 2003 13:34:41 GMT
View Forum Message <> Reply to Message
```

thank you for you wonderful words of wisodom:) a couple of tweaks and i now have a working program thank you so much!

cheers

alex

```
Timm Weitkamp < timm.weitkamp@nowhere> wrote in message
news:<Pine.LNX.4.44.0307100404290.16258-100000@localhost.localdomain>...
> Alex.
>
> What follows below may or may not run like this (it should, but it's sort
  of late here now). But I hope it helps anyway.
>
> Timm
  <a href="http://people.web.psi.ch/weitkamp">http://people.web.psi.ch/weitkamp</a>
>
> storeDir = 'g:\goes9_processed\btcloudfree\subtraction'
> cd, storeDir
 files02=findfile('*2.tiff', count=num02files)
>
  ; You want one single output .csv file, right? So you'll have to open it
  ; *outside* the loop that goes over the images
> outfilename = 'g:\test\out.csv'
> openw, uOut, /get_lun
```

> ; Now loop over all the Tiffs, and every time write one more line

```
> ; to the output file
>
 for y = 0, num02files-1 do begin
>
>
   ; Read your TIFF image in a 2D array
>
   tiff = read_tiff(files02[y])
>
>
   ; Extract a 5x5 region of interest
>
>
   radianceValues = tiff[145:145+4, 180:180+4]
>
   : Calculate moments
>
>
   stats = MOMENT(radianceValues)
>
>
    : Concatenate 5x5 image data and moments
>
     into one single 1D array. This will be
>
   : the line to write to the .csv file.
>
   outValues = [radiancevalues[*], stats]
>
>
   ; How many numbers are there in that line?
>
   ; (need this information for the format code)
>
>
   nVal = N_ELEMENTS(outValues)
>
   formStr = '(' + STRTRIM(nVal,2) + '(F1, :,", "))'
>
>
   fileLine = STRING(outValues, FORMAT=formStr)
>
   printf, uOut, fileLine
>
>
> endfor
>
  free_lun, uOut
>
>
>
>
  On 09.07.03 at 14:12 -0700, Alexandra Panton wrote:
>
>> hey thanks for replying:) i didn't post my code 'cos its a bit on the
>> messy side bare in mind i have only been using this for about 2 weeks
>>! I re read my post hmm, I have like 91 files, I want to extract the
>> same 5 by 5 area on each image. Put this all into one row (this is
>> cool can do this) what i can't do is get say, image2 to go into row 2
>> .. if that makes sense? .csv or anything really just want to be able
>> to export it to something evil like a spreadsheet :)
>>
>> here goes ....
```

```
>>
>> store=('g:\goes9_processed\btcloudfree\subtraction')
>> outstore=('g:\test')
>> cd, store
>> y=3
>> x=1
>> files02=findfile('*2.tiff', count=num02files)
>> print, num02files
>>
>>
>> while(num02files gt y) do begin
>> cd. store
   InfileName02=files02(y)
>> print, Infilename02
    ok=query_tiff(Infilename02); checks to see if the tiff file exists
>>
     if (ok eq 1) then begin
>>
>>
     tiffread=read tiff(Infilename02); reads tiff
>>
     storage_array=make_array(25,y,/byte);my array that i want to
>>
>> write to
     radiancevalues=extrac(tiffread,145,180,5,5); extracts a 5 by 5
>> array from the coordinates given
     radiancevalues=rebin(radiancevalues, 25,1); puts it all on one line
>>
        len02=strlen(InfileName02)
>>
      striptext02=strmid(Infilename02,0,len02-7)
>>
       stats=moment(radiancevalues)
>>
       outname=striptext02+'test'+'.csv' ;configures the output filename
>>
       storage_array=radiancevalues[*]; *trying* to get radiance values
>>
>> into one array but can't get it to work *sighs*
     cd. outstore
     openw,1,outname, width=2000 ;opens outputfile
>>
>>
     for i=0,num02files-1 do begin
     printf,1,storage_array,stats, format='(25(f,","),f)'
>>
     endfor
>>
     close,1
>>
     free lun,1
>>
       ;endfor
>>
>>
     endif else begin
>>
     print, 'no matching file name found in directory'
     endelse
>>
>>
>> y=y+1
>> endwhile
>>
>> end
```

```
>>
>> ..and google groups messed up my format something chronic, my
>> apologies
>>
>> cheers for any help you can give
>>
>> alex
>>
>>
>>
>> Timm Weitkamp <timm.weitkamp@nowhere> wrote in message
news:<Pine.LNX.4.44.0307091614210.15330-100000@localhost.localdomain>...
>>> Today at 09:31 -0400, Haje Korth wrote:
>>>
>>>> Alex,
>>>> I am not quite sure what you are trying to do and I for sure do not know
>>>> what a .csv file is
>>> I think a .csv file is a "comma-separated values" Ascii file.
>>>
>>>> but here is an idea: The area you extravt is a 2-d
>>> array with dimensions xdim and ydim if rectangular. If I understand you
>>> correctly your number of collumns x is xdim*ydim. In order to map the 2d
>>> array into a 1d array, which is one row in your file, you use
>>> 'reform(2d-array,xdim*ydim)'. In order to process all your files you just
>>> loop through them.
>>>
>>> Or, even simpler (assuming that you want to map a 2D array "a" into a 1D
>>> array "b"): b = a[*].
>>>
>>> Alex: I understand you already wrote some code but it doesn't work as you
>>> would like it to. Would you mind posting it and pointing out to us the
>>> part where you're stuck?
>>>
>>> Timm
>>
```