
Subject: Reading images from a socket

Posted by [Roberto Monaco](#) on Fri, 25 Jul 2003 06:33:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

I am trying to use a socket to read JPEG images from the Web.

I connect to the remote server, and get to the point of sending the GET to request the image. But at this point I can not read from this unit by using READ_JPEG (socket is not supported).

I tried to read it first into a buffer, and then read it from the buffer with READ_JPEG. But I have no idea how to dimension the buffer correctly beforehand (how large the image is). Even if I make it large enough READ_JPEG gives me error reading from the buffer (conflicting keywords).

Also, in this case I know it is a JPEG image, but in general I need to understand the type of image I am reading into the buffer, which I do not know (in the HTML I have only "img src=name" from where I have no idea).

Any hints?

Many thanks,
Roberto

Subject: Re: Reading images from a socket

Posted by [andrew.cool](#) on Sun, 27 Jul 2003 23:13:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Roberto Monaco" <rmonaco@coresw.com> wrote in message
news:<bfqivl\$hk0vb\$1@ID-201966.news.uni-berlin.de>...

> I am trying to use a socket to read JPEG images from the Web.

>

> I connect to the remote server, and get to the point of sending the GET to
> request the image. But at this point I can not read from this unit by using
> READ_JPEG (socket is not supported).

>

> I tried to read it first into a buffer, and then read it from the buffer
> with READ_JPEG. But I have no idea how to dimension the buffer correctly
> beforehand (how large the image is). Even if I make it large enough
> READ_JPEG gives me error reading from the buffer (conflicting keywords).

>

> Also, in this case I know it is a JPEG image, but in general I need to
> understand the type of image I am reading into the buffer, which I do not
> know (in the HTML I have only "img src=name" from where I have no idea).

>

> Any hints?

>

> Many thanks,
> Roberto

Hi Roberto,

You can't use Read_JPEG, or any of the other image reading routines over a Socket.

What you can do is just read the image file as a sequence of bytes. Something like this :-

```
Openw,outlun,'my_new_image.tmp',/GET
x=0B
While not EOF(socket_lun) Do begin
  ReadU,socket_lun,x
  writeu,outlun,x
End
Free_lun,socket_lun
Free_lun,outlun
```

Then use IDL's QUERY_IMAGE function to find out what sort of image 'my_new_image.tmp' really is. Rename the .tmp file to suit.

That easy! ;-)

Andrew

(FTP using IDL is also possible. In fact easier, because you can readily return the filesize before you download it.)

The QUERY_IMAGE function determines whether a file is recognized as a supported image file. QUERY_IMAGE first checks the filename suffix, and if found, calls the corresponding QUERY_ routine. For example, if the specified file is image.bmp, QUERY_BMP is called to determine if the file is a valid .bmp file. If the file does not contain a filename suffix, or if the query fails on the specified filename suffix, QUERY_IMAGE checks against all supported file types. If the file is a supported image file, an optional structure containing information about the image is returned. If the file is not a supported image file, QUERY_IMAGE returns 0.

Syntax

```
Result = QUERY_IMAGE ( Filename[, Info] [, CHANNELS=variable] [,
DIMENSIONS=variable] [, HAS_PALETTE=variable] [, IMAGE_INDEX=index] [,
```

NUM_IMAGES=variable] [, PIXEL_TYPE=variable] [,
SUPPORTED_READ=variable] [, SUPPORTED_WRITE=variable] [,
TYPE=variable])

Return Value

Result is a long with the value of 1 if the query was successful (the file was recognized as an image file) or 0 on failure. The return status will indicate failure for files that contain formats that are not supported by the corresponding READ_* routine, even though the file may be valid outside the IDL environment.

Arguments

Filename

A scalar string containing the name of the file to query.

Info

An optional anonymous structure containing information about the image. This structure is valid only when the return value of the function is 1. The Info structure for all image types has the following fields:

Tag Type

CHANNELS Long

DIMENSIONS Two-dimensional long array

FILENAME Scalar string

HAS_PALETTE Integer

IMAGE_INDEX Long

NUM_IMAGES Long

PIXEL_TYPE Integer

TYPE Scalar string
