Subject: Re: Slicing a volume

Posted by mmiller3 on Tue, 04 Nov 2003 17:15:23 GMT

View Forum Message <> Reply to Message

```
>>>> "Nuno" == Nuno Oliveira <df23775@hotmail.com> writes:
```

- > Anyone had some time the same problem? Is the
- > EXTRACT\_SLICE the only solution?

One solution is to use reform to remove degenerate indices:

```
IDL> vol=INTARR(100,100,100)
IDL> sliceX=vol(50,*,*)
IDL> sliceY=vol(*,50,*)
IDL> sliceZ=vol(*,*,50)
IDL> help, sliceX
SLICEX INT = Array[1, 100, 100]
IDL> help, reform(sliceX)
<Expression> INT = Array[100, 100]
```

Mike

Subject: Re: Slicing a volume
Posted by David Fanning on Tue, 04 Nov 2003 17:17:43 GMT
View Forum Message <> Reply to Message

## Nuno Oliveira writes:

- > Since I began to work with IDL one of the things that makes confuse is when
- > I want to make a two-dimension array from a three-dimension array (and I
- > often do).

For example I can create de three-dimension array vol

> vol=INTARR(100,100,100)

> But when I try to extract slices along different axes I get "different"

> variables.

>

- > sliceX=vol(50,\*,\*)
- > sliceY=vol(\*,50,\*)
- > sliceZ=vol(\*,\*,50)
- > Then, I see that sliceX is an array [1,100,100], and the same with sliceY
- > but, sliceZ is an array [100,100]. sliceX and sliceY are what I am tempted
- > to call a false 3D array because one of the dimensions can have only one

- > value. My question is why they are not equal: all 2D arrays or all 3D
- > arrays?

Oh, dear. These new guys always like to pick at the old wounds, don't they? :-)

This is an old (and dear) "feature" of IDL, in which the last dimension of a multi-dimensional array is dropped if that dimension is 1. This is not the only kind of havoc it can cause, as you will learn when you study the archives of this newsgroup.

Typically, what is wanted is a 2D array after extraction. You can get this by, for example, doing this:

```
IDL> vol = randomu(seed, 50, 50, 50)
IDL> sliceX = Reform(vol[25,*,*])
IDL> help, sliceX
SLICEX FLOAT = Array[50, 50]
```

- > I know this not very important, just bores me that I need to make a specific
- > code for the Z direction. I can use the function EXTRACT SLICE, but it
- > really makes me sad that it doesn't work the easy way. Anyone knows why? Am
- > I making any mistake? Anyone had some time the same problem? Is the
- > EXTRACT\_SLICE the only solution?

I think EXTRACT\_SLICE is for extracting a slice of a volume at some arbitrary angles. Orthogonal slices are always (as far as I know) extracted by array subscripting in the way you are doing it.

Cheers.

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting, Inc.

Phone: 970-221-0438, E-mail: david@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: Slicing a volume

Posted by Nuno Oliveira on Wed, 05 Nov 2003 10:55:49 GMT

View Forum Message <> Reply to Message

Where can I get the archives?:)

Nuno.

"David Fanning" <david@dfanning.com> wrote in message news:MPG.1a118d22fe0bd165989730@news.frii.com...

- > This is an old (and dear) "feature" of IDL, in which
- > the last dimension of a multi-dimensional array is dropped
- > if that dimension is 1. This is not the only kind of havoc
- > it can cause, as you will learn when you study the archives
- > of this newsgroup.

>

Subject: Re: Slicing a volume

Posted by David Fanning on Wed, 05 Nov 2003 13:36:54 GMT

View Forum Message <> Reply to Message

Nuno Oliveira writes:

> Where can I get the archives? :)

I use Google:

http://groups.google.com/

Cheers,

David

David W. Fanning, Ph.D.

Fanning Software Consulting, Inc.

Phone: 970-221-0438, E-mail: david@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155