
Subject: Re: 2 little questions: (Object windows with widget_draw) AND (getting working directory)

Posted by [David Fanning](#) on Wed, 07 Jan 2004 15:13:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

Nuno Oliveira writes:

```
> I'm trying to work an object window created with widget draw. Seems to me,
> for what I have seen from the tutorial and programs distributed from people
> on this group, that I'm doing all the steps needed.
>
>
>
> I do something like this (omitting unnecessary code):
>
> Draw = WIDGET_DRAW(tlb, XSIZE=xsize, YSIZE=ysize, GRAPHICS_LEVEL=2)
>
> ;graphics_level=2 to set as object window
> ;then .
>
> WIDGET_CONTROL_, draw, GET_VALUE=myWindow
>
> ;in this statement myWindow should now be an Window Object?
>
> ;assuming that I have a View with a lots of pretty things
> ; I do
>
> myWindow->Draw, myView
>
> ;and this is the point where I get the error:
>
> ;MESSAGE: 'Unable to invoke method on NULL object reference: myWindow'
>
> when the problem arrived I put a debugging statement
>
> HELP, myWindow
>
> just after the statement widget_control, draw, GET_VALUE=myWindow
> And the output is WINDOW      OBJREF=<NullObject>
> when I suppose it should be WindowIDLObject
>
> Which step am I missing?
```

You haven't realized the draw widget. The draw widget doesn't
have a (valid) value until after it has been realized.

```
> Second question: There is a command/function that returns the directory
> from which the idled was calling from? I'm looking in the quick
```

> reference -> 'Operating System Access' and I don't find it. If it doesn't
> exist can you give a clue how can I get it?

I'm not exactly use what you are asking for here. I presume
you are asking for what directory is the current directory.
(The IDLDE is always called from the same directory, "bin" something.)
You find the current directory in IDL like this:

```
IDL> CD, Current=currentDirectory & Print, currentDirectory
```

Because this involves too much typing, you usually put this
into a PWD procedure:

```
PRO PWD  
  CD, Current=currentDirectory & Print, currentDirectory  
END
```

Then, to learn the current directory, you just type:

```
IDL> pwd
```

Cheers,

David

--

David W. Fanning, Ph.D.
Fanning Software Consulting, Inc.
Phone: 970-221-0438, E-mail: david@dfanning.com
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: 2 little questions: (Object windows with widget_draw) AND (geting
working directory)

Posted by [Nuno Oliveira](#) on Wed, 07 Jan 2004 15:19:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

What a distraction! .

Maybe vacations produce a lazy head.

Thanks,

Nuno.

"David Fanning" <david@dfanning.com> wrote in message
news:MPG.1a65d0147c60d242989795@news.frii.com...

> Nuno Oliveira writes:

>

>> I'm trying to work on an object window created with widget draw. Seems to
me,

>> for what I have seen from the tutorial and programs distributed from
people

>> on this group, that I'm doing all the steps needed.

>>

>>

>>

>> I do something like this (omitting unnecessary code):

>>

>> Draw = WIDGET_DRAW(tlb, XSIZE=xsize, YSIZE=ysize, GRAPHICS_LEVEL=2)

>>

>> ;graphics_level=2 to set as object window

>> ;then .

>>

>> WIDGET_CONTROL_, draw, GET_VALUE=myWindow

>>

>> ;in this statement myWindow should now be an Window Object?

>>

>> ;assuming that I have a View with a lots of pretty things

>> ; I do

>>

>> myWindow->Draw, myView

>>

>> ;and this is the point where I get the error:

>>

>> ;MESSAGE: 'Unable to invoke method on NULL object reference: myWindow'

>>

>> when the problem arrived I put a debugging statement

>>

>> HELP, myWindow

>>

>> just after the statement widget_control, draw, GET_VALUE=myWindow

>> And the output is WINDOW OBJREF=<NullObject>

>> when I suppose it should be WindowIDLObject

>>

>> Which step am I missing?

>

> You haven't realized the draw widget. The draw widget doesn't
> *have* a (valid) value until after it has been realized.
>
>> Second question: There is a command/function that returns the directory
>> from which the idled was calling from? I'm looking in the quick
>> reference -> 'Operating System Access' and I don't find it. If it
doesn't
>> exist can you give a clue how can I get it?
>
> I'm not exactly use what you are asking for here. I presume
> you are asking for what directory is the current directory.
> (The IDLDE is always called from the same directory, "bin" something.)
> You find the current directory in IDL like this:
>
> IDL> CD, Current=currentDirectory & Print, currentDirectory
>
> Because this involves too much typing, you usually put this
> into a PWD procedure:
>
> PRO PWD
> CD, Current=currentDirectory & Print, currentDirectory
> END
>
> Then, to learn the current directory, you just type:
>
> IDL> pwd
>
> Cheers,
>
> David
>
> --
> David W. Fanning, Ph.D.
> Fanning Software Consulting, Inc.
> Phone: 970-221-0438, E-mail: david@dfanning.com
> Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
> Toll-Free IDL Book Orders: 1-888-461-0155
