
Subject: Re: Finding boundary and using plots
Posted by [David Fanning](#) on Thu, 05 Feb 2004 16:53:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

Nuno Oliveira writes:

> I have a little problem in here. I'm (still) dealing with ROIs) .

Not still using CW_DEFROI, I hope. :-(

> The case is that making the roi with cw_defroi, then I want to visualize it
> in a window over the image.

Oh, my gosh!

> I get the points of the boundary, with my own
> function that returns the boundary points. Everything was okay while when
> the rois where rectangular or circles (besides the fact that has more points
> than Fanning's boundary because of diagonals I presume).
>
> But when the roi is a polygon I get a strange thing. After the boundary has
> been displayed there lines connecting the peaks, particularly when the angle
> is little.
>
> I made a helping tool, that gives the mask of the boundary and surprise if
> has not those lines! So I thought I would be from plot command, but when I
> used Fanning's boundary the strange lines were not there!
>
> Someone experienced something like this?

Oh, we've experienced everything, pretty much. :-(

Hard to say what is going on here without seeing the code,
but I'm pretty sure this will turn out to be an ordering
problem (no, this doesn't surprise me, given what CW_ROI
was designed to do). One thing we know for sure, Fanning's
boundary is ORDERED! (Probably the result of experience,
tempered with great frustration, no doubt.)

Cheers,

David

--

David W. Fanning, Ph.D.
Fanning Software Consulting, Inc.
Phone: 970-221-0438, E-mail: david@dfanning.com
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: Finding boundary and using plots
Posted by [Nuno Oliveira](#) on Fri, 06 Feb 2004 12:01:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'm doing little tests in here. And this doesn't bother you because if you have your own ROI tool, and probably you prevent this in other place. But if you call your find boundary with two regions that are not connected it will only return one of them.

Referring to my question yesterday, and while and I'm still using cw_defroi, the only solution indeed to return not only an array but as many arrays as the regions not connected. It means more pointers but I think that's the only solution to non-contiguous regions. Then I use PLOTS individually for each region.

Cheers,

Nuno.

Subject: Re: Finding boundary and using plots
Posted by [David Fanning](#) on Fri, 06 Feb 2004 14:21:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

Nuno Oliveira writes:

> I'm doing little tests in here. And this doesn't bother you because if you
> have your own ROI tool, and probably you prevent this in other place. But if
> you call your find boundary with two regions that are not connected it will
> only return one of them.

Yes, exactly. FIND_BOUNDARY was developed as a method for getting quantitative information about "blobs". (And because I got a strange and inexplicable fascination with chain-code algorithms one morning.) If you have more than one blob, use LABEL_REGION to identify them and process them one by one. I think this is explained in the documentation for FIND_BOUNDARY. (If not, it will be, since you are not the first to ask about this.)

> Referring to my question yesterday, and while and I'm still using cw_defroi,
> the only solution indeed to return not only an array but as many arrays as
> the regions not connected. It means more pointers but I think that's the
> only solution to non-contiguous regions. Then I use PLOTS individually for
> each region.

Sounds like a winner to me. :-)

Cheers,

David

P.S. You are checking to be sure you are not
leaking memory, right?

--

David W. Fanning, Ph.D.

Fanning Software Consulting, Inc.

Phone: 970-221-0438, E-mail: david@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155
