## Subject: Re: Maximum Likelihood processing time Posted by btt on Tue, 09 Mar 2004 16:39:42 GMT

View Forum Message <> Reply to Message

## Lorenzo Busetto wrote:

> Hi all,

>

- > I need to evaluate the variation in the processing time required to
- > perform a maximum likelihood classification with a variable number of
- > input bands, so I'm using the ENVI built-in functions "envi stats
- > doit" (in order to compute ROI statistics) and "class\_doit" (in order
- > to classify the image).

>

- > My problem is that when I perform the classification for the first
- > time I have a high processing time (i.e. 60 seconds), but if I perform
- > the same classification a second time, the time required for the
- > process is much lower (i.e. 10 seconds). I tried to reset the idl
- > session (with the .FULL\_RESET\_SESSION command), and also to quit and
- > restart idl and perform again the classification, but after the first
- > classification the time required for the process remains low. The only
- > way to have a comparable processing time is to restart my pc.
- > This also happens if I increase the number of input bands used: If I
- > make a classification with 10 bands, I have a high processing time,
- > but if I first make a classification with 5 bands and then a
- > classification with 10 bands, the time required for the 10 bands
- > classification is lower.

>

- > Does anybody know why it happens ? Is IDL (or ENVI) "storing"
- > somewhere the informations on previous calculations?

>

- > I don't want to have to restart my computer every time I change the
- > number of bands in order to get comparable processing times....

>

Hello,

I think what you are seeing is that when a routine is first called, IDL has to search for it and (possibly) compile it. Subsequent calls don't have to be compiled.

You could compile the routines before running the routine (see .compile) or you could perform your comparisons only after the routine has been called at least once.

Ben

Subject: Re: Maximum Likelihood processing time

## Posted by Ibusett on Wed, 10 Mar 2004 10:28:39 GMT

View Forum Message <> Reply to Message

> Hello,

>

- > I think what you are seeing is that when a routine is first called, IDL
- > has to search for it and (possibly) compile it. Subsequent calls don't
- > have to be compiled.

>

- > You could compile the routines before running the routine (see .compile)
- > or you could perform your comparisons only after the routine has been
- > called at least once.

>

> Ben

Hi Ben,

thanks for your answer. Unfortunately, I dont' think that this is the (only) problem. I'll try to explain what happens with an example:

- I run the classification for the first time with 5 bands, and I get a processing time of 12 seconds. Now, all the routines have been compiled, and, if your suggestion is correct, the processing time should be constant for further classifications, but I noticed the following problem:
- If, after the first 5 bands classification, I run a 50 bands classification, the processing time is about 300 seconds.
- If, after the 5 bands classification, I run an intermediate 45 bands classification (which takes about 275 seconds), and then a 50 bands classification, the time required for the 50 bands classification decreases to about 85 seconds!
- If now I quit IDL, restart it, and perform again the 50 bands classification, I get a processing time of 15 seconds!

Now, I think that this behaviour could be related to a "memory allocation" problem, but I don't know how to manage it.

Does anyone have a suggestion?

Thanks for the help,

Lorenzo