

---

Subject: Re: changing button text for dialog\_message

Posted by [btt](#) on Tue, 30 Mar 2004 19:57:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Tim Williams wrote:

- > Is there a way to change the text in the buttons for dialog\_message
- > from Yes/No to something else? I have an application where I want to
- > prompt the user to do one of two things. Dialog\_message(/question)
- > seems to fit the bill, except I'd rather have something instead of
- > Yes/No e.g. 'Do this'/'Do that'.
- >
- > Thanks.

Would this do it? It's just a quick hack - so caveat emptor.

```
IDL> print, dialog_Choice(['yes', 'no', 'maybe'], message = 'Well??')
```

maybe

```
*****START*****
```

```
PRO Dialog_Choice_Event, ev
```

```
Widget_Control, ev.ID, Get_Value = thisChoice
```

```
Widget_Control, ev.Top, get_Uvalue = thisOne  
*thisOne = thisChoice
```

```
Widget_Control, ev.Top, /destroy
```

```
END
```

```
FUNCTION Dialog_Choice, buttonNames, $  
MESSAGE_TEXT = message_text, $  
GROUP_LEADER = group_leader, $  
TITLE = title
```

```
If n_elements(title) EQ 0 then $  
title = 'Please make a selection'
```

```
if n_elements(message_text) EQ 0 then $
```

```
message_text = 'Please make a selection'
```

```
if n_elements(buttonNames) EQ 0 then buttonNames = 'OK'
```

```
n_Choices = n_elements(buttonNames)
```

```
doModal = ( n_elements(group_Leader) EQ 0 ) ? 0 : 1  
base = widget_base(group_Leader = group_leader, $  
title = title, $  
Column = 1, $  
/Base_align_Center)
```

```
label = Widget_Label(base, $  
value = message_text, $  
/align_Center)
```

```
weeBase = Widget_Base(base, $  
Column = n_Choices, $  
/base_align_center)  
For i = 0L, n_Choices-1 Do $  
button = WIDGET_BUTTON(weeBase, $  
Value = buttonNames[i], $  
Event_Pro = 'Dialog_Choice_Event', $  
uValue = buttonNames[i])
```

```
ThisOne = Ptr_NEW("")  
Widget_Control, base, Set_Uvalue = thisOne  
Widget_Control, base, /realize
```

```
XMANAGER, 'DIALOG_CHOICE', base
```

```
returnChoice = *thisone  
Ptr_Free, thisOne  
Return, returnChoice  
END  
*****FINISH
```

---

Subject: Re: changing button text for dialog\_message  
Posted by [timothy.williams](#) on Wed, 31 Mar 2004 13:26:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Ben Tupper <[btupper@bigelow.org](mailto:btupper@bigelow.org)> wrote in message  
news:<c4cjfj\$2h32a0\$1@ID-189398.news.uni-berlin.de>...

```
> Tim Williams wrote:
>> Is there a way to change the text in the buttons for dialog_message
>> from Yes/No to something else? I have an application where I want to
>> prompt the user to do one of two things. Dialog_message(/question)
>> seems to fit the bill, except I'd rather have something instead of
>> Yes/No e.g. 'Do this'/'Do that'.
>>
>> Thanks.
>
> Would this do it? It's just a quick hack - so caveat emptor.
>
> IDL> print, dialog_Choice(['yes', 'no', 'maybe'], message = 'Well??')
>
> maybe
>
> (snip)
```

I guess so. I was really trying to avoid writing another routine that would be just like dialog\_message. I guess I was hoping for some undocumented keywords like

```
result=dialog_message("Modify or delete?", /question, /cancel, $
  button0='Modify', button1='Delete')
case result of
  'Modify':begin
    ;modify something
  end
  'Delete':begin
    ;just delete it
  end
  'Cancel':break
endcase
```

I'm using the standard 'Yes/No' now to do what I want, but it would be nice to be able to just relabel the buttons.

---