Subject: Re: Depth visibility with Object Graphics !!! Posted by btt on Mon, 24 May 2004 18:51:19 GMT

View Forum Message <> Reply to Message

Antonio Santiago wrote:

> Hi,

>

> i am working with Object Grpahics and i hace a problem :)

>

- > I have put on a model two objects. Firts, i must put an IDLgrPolyline
- > betwen two points (a line) that i can modify to select one trajectory.
- > Second i put an IDLgrImage.
- > My problem is that image is drawing over the polyline. I play with
- > DEPTH_TEST_DISABLE and DEPT_TEST_FUNCTION, but always the image is
- > drawing over the polyline.

>

>

Hi,

IDL renders images at Z=0 always. To get around this you have to map the image as a texture map onto a polygon; then set the Z values for the polygon to something 'further' away than your trajectory. There is an example here...

http://tinyurl.com/3h5aw

Ben

Subject: Re: Depth visibility with Object Graphics !!!
Posted by Antonio Santiago on Tue, 25 May 2004 06:29:35 GMT
View Forum Message <> Reply to Message

Well, thanks for your help, but that's not really i mean (perhaps it is due to my bad english, sorry).

I have a model inside which i put an IDLgrImage as a map of a portion of Spain. Also i put an IDLgrPolyline to make selections (as a line) over the map. My problem is that the line is never seen because i put the map int the model after put the line, it is the map overlaps the line.

Bye and thaks.

```
Ben Tupper wrote:
> Antonio Santiago wrote:
>
>> Hi,
>>
>> i am working with Object Grpahics and i hace a problem :)
>>
>> I have put on a model two objects. Firts, i must put an IDLqrPolyline
>> betwen two points (a line) that i can modify to select one trajectory.
>> Second i put an IDLgrImage.
>> My problem is that image is drawing over the polyline. I play with
>> DEPTH_TEST_DISABLE and DEPT_TEST_FUNCTION, but always the image is
>> drawing over the polyline.
>>
>
>>
>
> Hi.
>
 IDL renders images at Z=0 always. To get around this you have to map
  the image as a texture map onto a polygon; then set the Z values for the
  polygon to something 'further' away than your trajectory. There is an
  example here...
>
> http://tinyurl.com/3h5aw
>
> Ben
```

Subject: Re: Depth visibility with Object Graphics !!! Posted by btt on Tue, 25 May 2004 12:37:20 GMT View Forum Message <> Reply to Message

Antonio Santiago wrote:

> >

> >

- > Well, thanks for your help, but that's not really i mean (perhaps it is
- > due to my bad english, sorry).

> I have a model inside which i put an IDLgrImage as a map of a portion of

- > Spain. Also i put an IDLgrPolyline to make selections (as a line) over
- > the map. My problem is that the line is never seen because i put the map
- > int the model after put the line, it is the map overlaps the line.

Your English is fine.

Oh, it's a flat map map; you must be working in 2d only. Perhaps you could add a Z > 0 value to your polyline. You might try reversing the rendering order (image first then ployline) but it might not work as well as adding a Z value to your polyline. Then the polyline will be rendered "above" the image.

Ben

Subject: Re: Depth visibility with Object Graphics !!! Posted by Rick Towler on Tue, 25 May 2004 17:54:38 GMT View Forum Message <> Reply to Message

"Antonio Santiago" wrote...

- > Well, thanks for your help, but that's not really i mean (perhaps it is
- > due to my bad english, sorry).

You haven't convinced me that what Ben is talking about isn't what you mean. You can do it without texture mapping your image but everything is going to be in image coordinates. Make sure your line coordinates are appropriate.

- > I have a model inside which i put an IDLgrImage as a map of a portion of
- > Spain. Also i put an IDLgrPolyline to make seleccions (as a line) over
- > the map.

Where are you setting the DEPTH_TEST_DISABLE or DEPTH_TEST_FUNCTION keywords? If both of these atoms are in a single model setting these keywords for the model will have no effect. You will need to set the DEPTH_TEST_FUNCTION keyword of your polyline to "always pass" (I think it is 8 but don't have IDL in front of me).

- > My problem is that the line is never seen because i put the map
- > int the model after put the line, it is the map overlaps the line.

Assuming you aren't using alpha blending the order in which you add your atoms to the model shouldn't matter as long as they have different Z values. Remember, images that aren't texture mapped are rendered at Z=0. Your line must have +Z values.

If you hide the image, can you see the line?

-Rick

>

- > Ben Tupper wrote:
- >> Antonio Santiago wrote:

```
>>
>>> Hi,
>>>
>>> i am working with Object Grpahics and i hace a problem :)
>>>
>>> I have put on a model two objects. Firts, i must put an IDLgrPolyline
>>> betwen two points (a line) that i can modify to select one trajectory.
>>> Second i put an IDLgrImage.
>>> My problem is that image is drawing over the polyline. I play with
>>> DEPTH_TEST_DISABLE and DEPT_TEST_FUNCTION, but always the image is
>>> drawing over the polyline.
>>>
>>
>>>
>>
>> Hi,
>>
>> IDL renders images at Z=0 always. To get around this you have to map
>> the image as a texture map onto a polygon; then set the Z values for the
>> polygon to something 'further' away than your trajectory. There is an
>> example here...
>>
>> http://tinyurl.com/3h5aw
>>
>> Ben
>
```