Subject: Local solar time

Posted by David Oesch on Mon, 28 Jun 2004 09:01:06 GMT

View Forum Message <> Reply to Message

Hi folks...

Has anyone already written a program to convert Julian to "local solar time"? Just before I re-invent the wheel..

Cheers, Dave

Subject: Re: Local solar time

Posted by Haje Korth on Mon, 28 Jun 2004 15:07:36 GMT

View Forum Message <> Reply to Message

Check the ESRG IDL library. Maybe zensun.pro does what you want.

Haje

"David Oesch" <oesch@giub.nospam.unibe.ch> wrote in message news:40dfde52\$1@news.unibe.ch...

> Hi folks...

>

- > Has anyone already written a program to convert Julian to "local solar
- > time" ? Just before I re-invent the wheel...

> Cheers, Dave

Subject: Re: Local solar time

Posted by Craig Markwardt on Tue, 29 Jun 2004 03:46:55 GMT

View Forum Message <> Reply to Message

"Haje Korth" <haje.korth@jhuapl.edu> writes:

> Check the ESRG IDL library. Maybe zensun.pro does what you want.

I don't think this is the right thing, but it's close. Local solar time would be the hour angle (=longitude) of the sun, not the zenith angle.

- > "David Oesch" <oesch@giub.nospam.unibe.ch> wrote in message
- > news:40dfde52\$1@news.unibe.ch...
- >> Hi folks...

>>

- >> Has anyone already written a program to convert Julian to "local solar
- >> time" ? Just before I re-invent the wheel..

I didn't find any with a quick search. Just a word of caution if you are new to time systems. You need to be clear what time system you are starting in. Julian days is just a way of counting days, not a time system. I am quite certain that one could express local solar time in Julian days. Presumably you mean that the starting time is a civil time like UTC?

Subject: Re: Local solar time
Posted by David Oesch on Tue, 29 Jun 2004 06:31:22 GMT
View Forum Message <> Reply to Message

Craig Markwardt wrote:

```
> "Haje Korth" <haje.korth@jhuapl.edu> writes:
>
>> Check the ESRG IDL library. Maybe zensun.pro does what you want.
>>
>>
> I don't think this is the right thing, but it's close. Local solar
> time would be the hour angle (=longitude) of the sun, not the zenith
> angle.
>
Yes.. I stummbled over zensun in ESRG already..it ain't that what I'm
looking for...
>
>
>> "David Oesch" <oesch@giub.nospam.unibe.ch> wrote in message
>> news:40dfde52$1@news.unibe.ch...
>>
>>
>>> Hi folks...
>>>
```

Subject: Re: Local solar time
Posted by Craig Markwardt on Tue, 29 Jun 2004 09:48:04 GMT
View Forum Message <> Reply to Message

David Oesch <oesch@giub.nospam.unibe.ch> writes:

```
> Craig Markwardt wrote:
>
>> "Haje Korth" <haje.korth@jhuapl.edu> writes:
>>
>>
>>> Check the ESRG IDL library. Maybe zensun.pro does what you want.
>>>
>>>
>>
>> I don't think this is the right thing, but it's close. Local solar
>> time would be the hour angle (=longitude) of the sun, not the zenith
>> angle.
>>
>>
> Yes.. I stummbled over zensun in ESRG already..it ain't that what I'm
> looking for...
```

With some massaging, I think you can get what you want by using the IDL Astronomy Library routines SUNPOS to compute the (RA, DEC) position of the sun, and CT2LST, to compute the local mean sidereal

Subject: Re: Local solar time
Posted by James Kuyper on Tue, 29 Jun 2004 11:51:00 GMT
View Forum Message <> Reply to Message

Craig Markwardt wrote:

```
>> "Haje Korth" <haje.korth@jhuapl.edu> writes:
>>
>
>>>>Check the ESRG IDL library. Maybe zensun.pro does what you want.
>>
>> I don't think this is the right thing, but it's close. Local solar
>> time would be the hour angle (=longitude) of the sun, not the zenith
>> angle.
>>
>>
>>>"David Oesch" <oesch@giub.nospam.unibe.ch> wrote in message
>>>news:40dfde52$1@news.unibe.ch...
>>>>
>>
>>>> Hi folks...
>>>>>
>>>> Has anyone already written a program to convert Julian to "local
solar
>>>>time" ? Just before I re-invent the wheel..
>>
>> I didn't find any with a quick search. Just a word of caution if you
>> are new to time systems. You need to be clear what time system you
```

>> are starting in. Julian days is just a way of counting days, not a >> time system. I am quite certain that one could express local solar

I know of at least two different things that are referred to as Julian days. The first of these is indeed a time system; it is a single number for every single day, starting at Jan. 1, 4713 B.C.E. at 12:00:00, a time when three different cycles associated with three ancient calendar systems were all synchronized. Nobody was using any of those three calendar systems at that synchronization time, it's just an arbitrary starting point. However, using that date as a starting point made it simple to convert dates in any of those calendar systems into Julian days, allowing those dates to be compared with each other. It's named the Julian date because the Julian calendar established by Julius Caesar was one of those three systems. It was designed for use by historians of astronomy, to allow them to correlate observations recorded by ancient peoples using those calendar systems. The fact that it starts at Noon Greenwich time was a reflection of the fact that for European astronomers, noon GMT was a time when they were usually making very few astronomical observations, because there's usually only one or two objects (the Sun and sometimes the Moon) that you can be observing at that time.

This is the kind of Julian day that is used by many of IDL's time-oriented functions such as JULDAT, CALDAT, and TIMEGEN, and SYSTIME(/JULIAN), the "C()" format code, the LABEL_DATE function and the "LABEL_DATE" option for [XYZ]TICKFORMAT, and idlGRaxis.

The other way I've seen the term used, is as a term for any system that simply counts consecutive days from a fixed starting point; the most popular starting point seems to be January 1st of the current year. However, as a pendant I'm pretty sure that this is a mis-use of the term, or at least a confusingly over-generalized extension of it.

Subject: Re: Local solar time Posted by Haje Korth on Tue, 29 Jun 2004 12:09:25 GMT View Forum Message <> Reply to Message

Craig,

Zensun.pro was a pure guess and there was that "local" keyword that I thought might help. To be honest, I wasn't sure what David was looking for. Maybe we can start with a definition!?

Cheers, Haje

--

Dr. Haje Korth Space Physics Group The Johns Hopkins University Applied Physics Laboratory MS MP3-E128 11100 Johns Hopkins Road Laurel, MD 20723-6099 USA Phone: 240-228-4033 (Washington), 443-778-4033 (Baltimore) Fax: 240-228-0386 (Washington), 443-778-0386 (Baltimore) e-mail: haje.korth@jhuapl.edu "Craig Markwardt" <craigmnet@REMOVEcow.physics.wisc.edu> wrote in message news:oneknzrpow.fsf@cow.physics.wisc.edu... > > "Haje Korth" <haje.korth@jhuapl.edu> writes: >> Check the ESRG IDL library. Maybe zensun.pro does what you want. > I don't think this is the right thing, but it's close. Local solar > time would be the hour angle (=longitude) of the sun, not the zenith > angle. > >> "David Oesch" <oesch@giub.nospam.unibe.ch> wrote in message >> news:40dfde52\$1@news.unibe.ch... >>> Hi folks... >>> >>> Has anyone already written a program to convert Julian to "local solar >>> time" ? Just before I re-invent the wheel.. > I didn't find any with a quick search. Just a word of caution if you > are new to time systems. You need to be clear what time system you > are starting in. Julian days is just a way of counting days, not a > time system. I am quite certain that one could express local solar > time in Julian days. Presumably you mean that the starting time is a > civil time like UTC? > > Craig > > Craig B. Markwardt, Ph.D. EMAIL: craigmnet@REMOVEcow.physics.wisc.edu > Astrophysics, IDL, Finance, Derivatives | Remove "net" for better response ______

Subject: Re: Local solar time

```
Craig,
```

never mind my other message, you gave a definition. But does "RA" in "RA of sun" stand for?

Haje

```
"Craig Markwardt" <craigmnet@REMOVEcow.physics.wisc.edu> wrote in message
news:onk6xq1yqz.fsf@cow.physics.wisc.edu...
> David Oesch <oesch@giub.nospam.unibe.ch> writes:
>
>> Craig Markwardt wrote:
>>> "Haje Korth" <haje.korth@jhuapl.edu> writes:
>>>
>>>> Check the ESRG IDL library. Maybe zensun.pro does what you want.
>>>>
>>>
>>> I don't think this is the right thing, but it's close. Local solar
>>> time would be the hour angle (=longitude) of the sun, not the zenith
>>> angle.
>>>
>>>
>> Yes.. I stummbled over zensun in ESRG already..it ain't that what I'm
>> looking for...
> With some massaging, I think you can get what you want by using the
> IDL Astronomy Library routines SUNPOS to compute the (RA, DEC)
> position of the sun, and CT2LST, to compute the local mean sidereal
> time, and then use the definition,
>
  local hour angle of the sun = local sidereal time - RA of sun
>
>
  [ in the proper units of course ]
>
>
> Craig
>
> Craig B. Markwardt, Ph.D. EMAIL: craigmnet@REMOVEcow.physics.wisc.edu
> Astrophysics, IDL, Finance, Derivatives | Remove "net" for better response
  _____
```

Subject: Re: Local solar time
Posted by David Oesch on Tue, 29 Jun 2004 12:12:31 GMT
View Forum Message <> Reply to Message

> With some massaging, I think you can get what you want by using the > IDL Astronomy Library routines SUNPOS to compute the (RA, DEC) > position of the sun, and CT2LST, to compute the local mean sidereal > time, and then use the definition, > > I got the Sun Azimuth and Sun zenith already, and use the LMST routine from the Johns Hopkins University/Applied Physics Laboratory to calculate the local mean sidereal time. Is the "local mean sideral time" the same as "local solar time"? > local hour angle of the sun = local sidereal time - RA of sun > > [in the proper units of course] > > Craig >

Subject: Re: Local solar time
Posted by Haje Korth on Tue, 29 Jun 2004 15:00:45 GMT
View Forum Message <> Reply to Message

well, according to Craig's definition it is not; the difference is this RA of sun thingy that I wanted to know what it is.

Cheers, Haje

"David Oesch" <oesch@giub.nospam.unibe.ch> wrote in message news:40e15caf\$1@news.unibe.ch... >> With some massaging, I think you can get what you want by using the >> IDL Astronomy Library routines SUNPOS to compute the (RA, DEC) >> position of the sun, and CT2LST, to compute the local mean sidereal

>> time, and then use the definition,

>> >>

Subject: Re: Local solar time
Posted by Michael Wallace on Tue, 29 Jun 2004 15:28:02 GMT
View Forum Message <> Reply to Message

>>> I didn't find any with a quick search. Just a word of caution if you >>> are new to time systems. You need to be clear what time system you >>> are starting in. Julian days is just a way of counting days, not a >>> time system. I am quite certain that one could express local solar >

>

- > I know of at least two different things that are referred to as Julian
- > days. The first of these is indeed a time system; it is a single number
- > for every single day, starting at Jan. 1, 4713 B.C.E. at 12:00:00, a
- > time when three different cycles associated with three ancient calendar
- > systems were all synchronized. Nobody was using any of those three
- > calendar systems at that synchronization time, it's just an arbitrary
- > starting point. However, using that date as a starting point made it
- > simple to convert dates in any of those calendar systems into Julian
- > days, allowing those dates to be compared with each other. It's named
- the Julian date because the Julian calendar established by Julius Caesarwas one of those three systems. It was designed for use by historians of
- > astronomy, to allow them to correlate observations recorded by ancient
- > peoples using those calendar systems. The fact that it starts at Noon
- > Greenwich time was a reflection of the fact that for European
- > astronomers, noon GMT was a time when they were usually making very few
- > astronomical observations, because there's usually only one or two
- > objects (the Sun and sometimes the Moon) that you can be observing at
- > that time.

Just to throw another two cents on this, there is also Modified Julian

Date. In fact, I'd say that I use MJD more than JD. The conversion between the two is simple: MJD = JD - 2400000.5

The differences between MJD and JD should be obvious in the formula. MJD begins at midnight rather than noon which is more in line with our current timekeeping systems. Also, the first two digits of the JD are dropped. For ~300 years after 17 November 1858, the JD is between 2400000 and 2500000.

I should say that for processing of data, JD is used since that's what all of IDL's routines use. For display, MJD tends to be what people like to see.

- > The other way I've seen the term used, is as a term for any system that
- > simply counts consecutive days from a fixed starting point; the most
- > popular starting point seems to be January 1st of the current year.
- > However, as a pendant I'm pretty sure that this is a mis-use of the
- > term, or at least a confusingly over-generalized extension of it.

It is a misuse of the term, but I have seen many cases where the term is misused and abused. A more appropriate phrase would be something like "days past the such-and-such epoch," but I guess "Julian Date" has a better (although incorrect) ring to it. ;-)

-Mike

Subject: Re: Local solar time
Posted by Craig Markwardt on Tue, 29 Jun 2004 18:54:59 GMT
View Forum Message <> Reply to Message

David Oesch <oesch@giub.nospam.unibe.ch> writes:

- >> With some massaging, I think you can get what you want by using the
- >> IDL Astronomy Library routines SUNPOS to compute the (RA, DEC)
- >> position of the sun, and CT2LST, to compute the local mean sidereal
- >> time, and then use the definition,

>>

>>

>>

- > I got the Sun Azimuth and Sun zenith already, and use the LMST routine
- > from the Johns Hopkins University/Applied Physics Laboratory to
- > calculate the local mean sidereal time. Is the "local mean sideral time"
- > the same as "local solar time"?

No, that's why I supplied the formula below. The local hour angle of the sun is effectively the local solar time, plus a constant:

>> local hour angle of the sun = local sidereal time[1] - RA of sun[2]		
and local apparent solar time = local hour angle + 12 hours		
[1] is calculated with CT2LST [2] is calculated with SUNPOS		
Craig		
Craig B. Markwardt, Ph.D. EMAIL: craigmnet@REMOVEcow.physics.wisc.edu Astrophysics, IDL, Finance, Derivatives Remove "net" for better response		
Subject: Re: Local solar time Posted by Craig Markwardt on Tue, 29 Jun 2004 18:58:02 GMT View Forum Message <> Reply to Message		
Posted by Craig Markwardt on Tue, 29 Jun 2004 18:58:02 GMT		
Posted by Craig Markwardt on Tue, 29 Jun 2004 18:58:02 GMT View Forum Message <> Reply to Message "Haje Korth" <haje.korth@jhuapl.edu> writes: > Craig, > never mind my other message, you gave a definition. But does "RA" in "RA of > sun" stand for?</haje.korth@jhuapl.edu>		

__

Craig B. Markwardt, Ph.D. EMAIL: craigmnet@REMOVEcow.physics.wisc.edu Astrophysics, IDL, Finance, Derivatives | Remove "net" for better response

Subject: Re: Local solar time

Posted by Craig Markwardt on Tue, 29 Jun 2004 19:13:53 GMT

View Forum Message <> Reply to Message

James Kuyper <kuyper@saicmodis.com> writes:

>

- > I know of at least two different things that are referred to as Julian
- > days. The first of these is indeed a time system; it is a single number
- > for every single day, starting at Jan. 1, 4713 B.C.E. at 12:00:00, a
- > time when three different cycles associated with three ancient calendar
- > systems were all synchronized. Nobody was using any of those three

James, as a mini-tutorial on julian day numbers, your post was great.

However, I will take issue on your claim that Julian days is a "time system." In fact, Julian day numbers are simply a means of counting whole and fractional days, referred to some offset, but it is the definition of those days that are important!

For example, we could define a day as number of solar meridian crossings + (local solar time)/(24 hr) [LAST] or number of solar meridian crossings + (Greenwich solar time)/(24 hr) [GAST]

Both have meaning, and both are Julian day numbers, but one is a local solar time, one is a the Greenwich solar time. [and both will have irregular lengths]

But why stop there? "Day" could be mean solar days. UT1 is close to this, with the exception of leap seconds, and the fact that the length of day varies.

"Day" could also be 86400 seconds, as defined by atomic clock standards [TAI], in which case every day is a fixed length. In fact there are systems where the clock is placed at different locations (barycenter time, TDB), or even ticks at slightly different rates (coordinate times TCG, TCB).

So, in addition to saying "Julian days," which provides the unit of time we also need to specify the time system in use, such as UTC, TAI, solar time [local vs. Greenwich], etc.

Why is this important? The original poster did not specify which system he was converting from, so there was some ambiguity at the time of what conversions would need to be done.

Craig	
,	EMAIL: craigmnet@REMOVEcow.physics.wisc.edu Derivatives Remove "net" for better response

Subject: Re: Local solar time
Posted by James Kuyper on Tue, 29 Jun 2004 20:19:41 GMT
View Forum Message <> Reply to Message

Craig Markwardt wrote:

> James Kuyper <kuyper@saicmodis.com> writes:

>

- >> I know of at least two different things that are referred to as
- >> Julian days. The first of these is indeed a time system; it is a
- >> single number for every single day, starting at Jan. 1, 4713 B.C.E.
- >> at 12:00:00, a time when three different cycles associated with
- >> three ancient calendar systems were all synchronized. Nobody was
- >> using any of those three

> >

> James, as a mini-tutorial on julian day numbers, your post was great.

> >

- > However, I will take issue on your claim that Julian days is a "time
- > system." In fact, Julian day numbers are simply a means of counting
- > whole and fractional days, referred to some offset, but it is the
- > definition of those days that are important!

According to the US Naval Observatory,

http://aa.usno.navy.mil/data/docs/JulianDate.html, Julian days are defined in terms of Universal Time, and each one starts at Noon GMT.

Subject: Re: Local solar time

Posted by Craig Markwardt on Tue, 29 Jun 2004 23:36:08 GMT

View Forum Message <> Reply to Message

James Kuyper <kuyper@saicmodis.com> writes:

> Craig Markwardt wrote:

- - -

- >> However, I will take issue on your claim that Julian days is a "time
- >> system." In fact, Julian day numbers are simply a means of counting
- >> whole and fractional days, referred to some offset, but it is the
- >> definition of those days that are important!

>

- > According to the US Naval Observatory,
- > http://aa.usno.navy.mil/data/docs/JulianDate.html, Julian days are
- > defined in terms of Universal Time, and each one starts at Noon GMT.

Uhh, I'm sorry this is spilling out into the newsgroup. I still disagree. Whether or not the USNO "definition" includes mention of GMT or Universal Time, there are in practice enough different ways to

assign days that one needs to explicitly name the time system being used. My biggest concern for the original poster was whether he meant Julian days expressed in local time or in UTC, which obviously makes all the difference in the world for his application.

Craig	
•	EMAIL: craigmnet@REMOVEcow.physics.wisc.edu
Astrophysics, IDL, Finance, [Derivatives Remove "net" for better response

Subject: Re: Local solar time

Posted by kuyper on Wed, 30 Jun 2004 12:59:56 GMT

View Forum Message <> Reply to Message

Craig Markwardt <craigmnet@REMOVEcow.physics.wisc.edu> wrote in message news:<on1xjyrl7b.fsf@cow.physics.wisc.edu>...

> James Kuyper <kuyper@saicmodis.com> writes:

>

>> Craig Markwardt wrote:

- >>> However, I will take issue on your claim that Julian days is a "time
- >>> system." In fact, Julian day numbers are simply a means of counting
- >>> whole and fractional days, referred to some offset, but it is the
- >>> definition of those days that are important!

>>

- >> According to the US Naval Observatory,
- >> <http://aa.usno.navy.mil/data/docs/JulianDate.html>, Julian days are
- >> defined in terms of Universal Time, and each one starts at Noon GMT.

>

- > Uhh, I'm sorry this is spilling out into the newsgroup. I still
- > disagree. Whether or not the USNO "definition" includes mention of
- > GMT or Universal Time, there are in practice enough different ways to
- > assign days that one needs to explicitly name the time system being
- > used. My biggest concern for the original poster was whether he meant
- > Julian days expressed in local time or in UTC, which obviously makes
- > all the difference in the world for his application.

I don't believe that this definition of "Julian Day" is specific to the USNO. I believe that they're merely reporting on an international standard definition. As such, anyone who's using the term correctly is inherently implying use of UTC, not local time.

Subject: Re: Local solar time
Posted by David Fanning on Wed, 30 Jun 2004 13:29:55 GMT
View Forum Message <> Reply to Message

James Kuyper writes:

- > I don't believe that this definition of "Julian Day" is specific to
- > the USNO. I believe that they're merely reporting on an international
- > standard definition. As such, anyone who's using the term correctly is
- > inherently implying use of UTC, not local time.

Boys! How about this as a Solomonic definition we can all live with?

Julian Day has a specific meaning spelled out on the USNO web page. But since no one reads it or remembers what it is, and uses it ten ways to Sunday differently, you assume that definition in your programming at your own peril.

Does that help? :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.dfanning.com/