

---

Subject: "Object Graphics and Vectors" Reloaded  
Posted by [Ralf Schaa](#) on Tue, 03 Aug 2004 12:31:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

G'day group,

a few days ago I had a question of how to plot a spacecraft trajectory with object graphics. After David's hint to use IDLgrPolyline when plotting an orbit around a sphere in 3d I was able to do that, and it looks great.

But now I am stucked with this:  
How to plot some vectors (the spacecraft's velocity vector) for some defined times on the spacecraft trajectory.

I found Rick Towlers 'vector' Object , which he posted 2002 and it plotted a vector, unfortunately not in the right scale, i tried the coord\_conv but this did not help ...

Of course there is a scaling problem, since the magnitude of the s/c velocity is much less than the scale of the coordinate system, so i multiplied with a factor that makes sure I'd see the vector ...

So, has someone a clue of how to set the scales right from the

---

---

Subject: Re: "Object Graphics and Vectors" Reloaded  
Posted by [David Fanning](#) on Wed, 04 Aug 2004 18:06:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Ralf Schaa writes:

- > okay, I thought 'well, before taking David's hint I give it a try
- > myself, this can't be soo hard ...'
- >
- > This is what I have:
- > a nice 3d object plot in data-coordinates with all rangings from -2.5e4
- > to 2.5e4, so far so good.
- > Now I add a vector with Rick Towler's vector object, which needs as
- > input a 'location' (the startpoint of the vector) and a 'magnitude' (the
- > endpoint), these are defined in normalized coordinates.
- > Okay, all i have to do is give the location and the magnitude in values
- > which are near my ranging-values, actually I calculated them with the
- > formula taking from the idl help:
- >
- >  $\text{NormX} = -\text{range}[0]/(\text{range}[1]-\text{range}[0]) + 1/(\text{range}[1]-\text{range}[0]) * \text{DataX}$
- >
- > I need the other way round:

```
>
> DataX = NormX * ((range[1]-range[0])) + range[0]
>
> e.g a vector in normalized coordinates from [0,0,0] to [1,1,1]
> would be in datacoordinates
> from [range[0],range[0],range[0]]
> to [3*range[1],3*range[1],3*range[1]]
>
> but nothing exciting happened ...
>
> so where is my bug ?
```

I don't know. You are confusing me. :-)

Here is what I would do. First, figure out how big a "unit" vector is in your coordinate system. Perhaps it is 0.05 of the length of the universe:

```
unitLen = 2.5e4 * 2 * 0.05
```

Then find out the current "range" of the vector object:

```
vector -> GetProperty, XRange=xr, YRange=yr, ZRange=zr
```

Suppose the vector you wish to draw is 3.2 times the size of a unit vector.

```
xs = Normalize(xr, Position=[0, 3.2*unitLen])
ys = Normalize(yr, Position=[0, 3.2*unitLen])
zs = Normalize(zr, Position=[0, 3.2*unitLen])
```

Now, scale the vector:

```
vector -> SetProperty, XCoord_Conv=xs, $
YCoord_Conv=ys, ZCoord_Conv=zs
```

Without something to \*see\*, I don't have a great deal of confidence in this solution. But I think it has to be \*something\* like that. :-)

Cheers,

David

--

David Fanning, Ph.D.

---

Subject: Re: "Object Graphics and Vectors" Reloaded  
Posted by [Ralf Schaa](#) on Thu, 05 Aug 2004 09:57:10 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

David Fanning wrote:

> [...]  
> I don't know. You are confusing me. :-)

Yes. I'm confusing myself ... but I was able to manage the problem. I now do it with the polygon object itself. I was not able to get that vector object in the place the way I wanted, but the polygons did, heureka , now I know what these verteces are ... :-)

Thanks for your responses, David.

Cheers  
-Ralf

---