Subject: Re: What don't I know about jpeg, 3 channels, and color display? Posted by David Fanning on Thu, 23 Sep 2004 07:34:05 GMT

View Forum Message <> Reply to Message

Dee writes:

- > thanks, it worked once I also used the true=1 with read_jpeg. I still
- > can't use my routines (which assume a 2D array) for displaying etc.
- > but I got around that by using other functions. I still don't
- > understand the 3D issue with these jpegs though....: :-)

You are using the wrong routines. :-)

You need to get ahold of TVImage, or ImgDisp, or PlotImage. One of the image display routines smart enough to figure out if you have a 2D or 3D image and do the right thing. You can find TVImage here:

http://www.dfanning.com/programs/tvimage.pro

You can, of course, convert a 3D image to a 2D image, but if you want to maintain a reasonable representation of the colors in the 24-bit image, then you have to be very careful about resizing the image, etc., because the resulting color table from Color_Quan will not be anything at all like what you are used to. For example, to convert a pixel-interleaved 24-big JPEG image:

```
image2d = Color_Quan(image24, 1, r, g, b)
TVLCT, r, g, b
TV, image2d
```

Or, you can make a gray-scale image out of the 24 bit image:

http://www.dfanning.com/ip_tips/color2gray.html

You have to be a little bit careful, however, about using old procedures on JPEG images. A JPEG image typically only has *color* information, it only rarely, and then in special conditions, has science information.

Cheers,

David

--

David W. Fanning, Ph.D. Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.dfanning.com/ Phone: 970-221-0438, IDL Book Orders: 1-888-461-0155

Subject: Re: What don't I know about jpeg, 3 channels, and color display? Posted by dow on Thu, 23 Sep 2004 16:28:32 GMT

View Forum Message <> Reply to Message

Dave,

Thanks for the info. I'm not too concerned about the "science" part because I'm using this program for resizing digital camera images of my 1 year old son :-)

The images from the camera are too high resolution to email and post on a web page, but I got sick of loading them into commercial software and resaving them at lower res. So I'm now using IDL to read them (as a batch) in at 1600x1200 and rewriting them at half that size. But the concept of color still puzzles me.

I would never do "science" on a jpeg.....

Dorthe

>

David Fanning <david@dfanning.com> wrote in message news:<MPG.1bbc2a579d8cc502989684@news.frii.com>....
> Dee writes:
>
>> thanks, it worked once I also used the true=1 with read_jpeg. I still
>> can't use my routines (which assume a 2D array) for displaying etc.
>> but I got around that by using other functions. I still don't
>> understand the 3D issue with these jpegs though..... :-)
>
> You are using the wrong routines. :-)
>
> You need to get ahold of TVImage, or ImgDisp,
> or PlotImage. One of the image display routines
> smart enough to figure out if you have a 2D or
> 3D image and do the right thing. You can find
> TVImage here:

> http://www.dfanning.com/programs/tvimage.pro

- > You can, of course, convert a 3D image to a 2D
- > image, but if you want to maintain a reasonable
- > representation of the colors in the 24-bit image,
- > then you have to be very careful about resizing the

```
> image, etc., because the resulting color table
> from Color_Quan will not be anything at all like
> what you are used to. For example, to convert a
> pixel-interleaved 24-big JPEG image:
>
>
    image2d = Color_Quan(image24, 1, r, g, b)
    TVLCT, r, g, b
>
    TV, image2d
>
> Or, you can make a gray-scale image out of the
> 24 bit image:
>
    http://www.dfanning.com/ip_tips/color2gray.html
>
>
> You have to be a little bit careful, however, about
> using old procedures on JPEG images. A JPEG image
> typically only has *color* information, it only
> rarely, and then in special conditions, has science
> information.
> Cheers,
> David
```