
Subject: Arrays with NaN values

Posted by [julio](#) on Sun, 03 Oct 2004 04:49:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi!

I need to manipulate arrays with some NaN values inside. How can I put zero values in the place of the NaN values??

Cheers,
Julio

Subject: Re: Arrays with NaN values

Posted by [Mark Hadfield](#) on Wed, 06 Oct 2004 01:21:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

Paul Van Delst wrote:

> Mark Hadfield wrote:

>>

>> In IDL 6.0 the logical not operator, "~" operator was introduced to

>> avoid this problem,

>

>

> Man, the C-loving types really did a number on IDL. RSI musta hired a

> boatload of CS grads from the same school or something to implement the

> OO stuff. :o) [and, just in case anyone is irony impaired, yes, I am

> kidding]

>

> I realise "~" is a complement operator but when I look at the code

> above, I think "where the elements of IMAGE are *approximately* finite"

> huh?

>

> Gosh, I have that old'n'crusty feeling coming on again. Back to DF's

> blog for some restorative therapy.....

You && me both.

--

Mark Hadfield "Ka puwaha te tai nei, Hoesa tatou"

m.hadfield@niwa.co.nz

National Institute for Water and Atmospheric Research (NIWA)
