
Subject: Re: set cursor position

Posted by [David Fanning](#) on Wed, 17 Nov 2004 20:45:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Sascha Kempf writes:

> it might be a stupid question but is there a way to set the position of
> the cursor within a draw widget? I found nothing about this functionality
> in the IDL docs.

Well, the idea is that in a widget program the *user* is
suppose to position the cursor. :-)

But you might try TVCRS.

Cheers,

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Phone: 970-221-0438, IDL Book Orders: 1-888-461-0155

Subject: Re: set cursor position

Posted by [Sascha.Kempf](#) on Fri, 19 Nov 2004 12:56:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

David Fanning <davidf@dfanning.com> wrote in message
news:<MPG.1c05664c1758d879896a9@news.frii.com>...

> Sascha Kempf writes:

>

>> it might be a stupid question but is there a way to set the position of
>> the cursor within a draw widget? I found nothing about this functionality
>> in the IDL docs.

>

> Well, the idea is that in a widget program the *user* is
> suppose to position the cursor. :-)

>

> But you might try TVCRS.

>

> Cheers,

>

> David

Many thanks. This is exactly what I was looking for. Sometimes the user wants

to start at a given position. Suppose a calibration tool for adjusting data points by the mouse. In this case the mouse cursor should be initially "attached" to the data point.

Sascha
