
Subject: Re: meshes and some irritations

Posted by [Karl Schultz](#) on Fri, 12 Nov 2004 17:15:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Karsten Rodenacker" <Karsten@rodenacker.de> wrote in message
news:opshchejoj9g3e7u@llkaro.gsf.de...

> After reading several entries in the news list concerning ISOSURFACE,
> SHADE_VOLUME, INTERVAL_VOLUME, MESH_... I am still a bit confused.
>
> Look at the attached piece of code, where a 15^3 volume containing a 3^3
> cube of value 100 is displayed using the mentioned idl routines with
> different values/isovalues/thresholds.
>
> ISOSURFACE is displayed at Z=0, SHADE_VOLUME at z=-4 and INTERVAL_VOLUME at
> z=+4. Beside the strange volumes calculated, I had expected nearly
> similar results, ISOSURFACE does not follow SHADE_VOLUME as described in
> the help, in fact it is seemingly using INTERVAL_VOLUME, at least
> partially.
>
> Maybe there are some experts to explain this behaviour.
>
> However I have the impression that the graphics folks seem to have still a
> long way to find a common language.
>
> Any help is appreciated

OK, step by step.

```
IDL> r=bytarr(15,15,15)
IDL> r[6:8,6:8,6:8]=100
IDL> isosurface,r,100,v,c
IDL>
print,'ISOSURFACE',100,mesh_volume(v,c),mesh_validate(v,c,/combine),mesh_vol
ume(v,c)
ISOSURFACE 100 0.000000 48 8.00000
```

I think ISOSURFACE has a problem where it can emit two vertices located at the same point, where it should have emitted only one. Before you combine the vertices with MESH_VALIDATE, the mesh wasn't consistent and that's why MESH_VOLUME didn't think that the mesh defined a closed volume. I hope to fix this in the next release.

```
IDL> isosurface,r,50,v,c
IDL>
print,'ISOSURFACE',50,mesh_volume(v,c),mesh_validate(v,c,/combine),mesh_volu
me(v,c)
ISOSURFACE 50 24.1667 272 24.1667
```

The above-mentioned problem with ISOSURFACE comes up only when the isovalue causes the surface to be exactly on the volume grid boundaries. With an isovalue of 50, the surface is between the grid points, so it works.

```
IDL> isosurface,r,1,v,c
IDL>
print,'ISOSURFACE',1,mesh_volume(v,c),mesh_validate(v,c,/combine),mesh_volum
e(v,c)
ISOSURFACE 1 52.5773 272 52.5773
```

Same as the above discussion.

```
IDL> isosurface,r,2,v,c
IDL>
print,'ISOSURFACE',2,mesh_volume(v,c),mesh_validate(v,c,/combine),mesh_volum
e(v,c)
ISOSURFACE 2 51.8293 272 51.8293
```

Same as above. The results are the expected ones.

```
IDL> shade_volume,r,99,v,c
IDL>
print,'SHADE_VOLUME',99,mesh_volume(v,c),mesh_validate(v,c,/combine),mesh_vo
lume(v,c)
SHADE_VOLUME 99 8.24121 104 8.24120
```

SHADE_VOLUME doesn't suffer from the ISOSURFACE issue I mentioned above. But it produced no vertices with a value of 100. So, that's a difference between the SHADE_VOLUME and ISOSURFACE routines. It looks like SHADE_VOLUME does not include the samples that are exactly equal to the isovalue as part of the isosurface, while ISOSURFACE does, and I'm not sure which is the more accepted practice in the industry. I'll look into it and perhaps consider a keyword to control the "less than" vs "less than or equal to" aspect.

```
IDL> shade_volume,r,50,v,c
IDL>
print,'SHADE_VOLUME',50,mesh_volume(v,c),mesh_validate(v,c,/combine),mesh_vo
lume(v,c)
SHADE_VOLUME 50 23.1667 104 23.1667
```

So this differs from the ISOSURFACE values of about 24. I think that the correct ideal value is 27, since your isovalue defines a volume that should be 3x3x3. Both SHADE_VOLUME and ISOSURFACE approximate the true or ideal isosurface. Both algorithms work by computing the intersection of the true isosurface with a regular grid. In the case of SHADE_VOLUME, the grid is a grid of cubes. In the case of ISOSURFACE, the grid is a grid of tetrahedra. ISOSURFACE uses 5 tetrahedra for every cube that SHADE_VOLUME uses, so it

will produce better results, as we just showed.

You can improve the accuracy of both routines by increasing the number of samples. Your grid is pretty coarse.

And the INTERVAL_VOLUME results are closer to that of ISOSURFACE, because both use tetrahedral grids.

Hope this helps,
Karl

Subject: Re: meshes and some irritations
Posted by [Karsten Rodenacker](#) on Fri, 12 Nov 2004 18:12:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you Karl for some explan- and clarification.

Still I have some problems. The stated example was given since my results in real data, say 128x128x99 or 512x512x99 volumes with greyvalues overpowdered with some noise will produce and have produced quite arbitrary results since this example situation with values at the border of the (expected) surface appears arbitrarily often.

My solution was then to generate first a binary volume and then apply ISOSURFACE or anything else. The result was of course disastrous, following this It/Ie dichotomy.
However that was not the starting point: We tried to apply transparency to generated mesh surfaces. The transparent objects appeared very often rippled depending on the isosurface value chosen (For this I have still to generate a handy example.)

I am leaving now into weekend, thank you again,
Regards

--

Karsten Rodenacker

----- :-)

GSF - Forschungszentrum Institute of Biomathematics and Biometry
D-85758 Oberschleissheim Postfach 11 29
Karsten.Rodenacker@gsf.de | <http://ibb.gsf.de/> | DEL _ for reply
<http://ibb.gsf.de/homepage/karsten.rodenacker/>
Tel: +49 89 31873401 | FAX: ..3369
