Subject: Re: Tick labels and dates

Posted by Haje Korth on Tue, 23 Nov 2004 21:41:30 GMT

View Forum Message <> Reply to Message

### Mike,

you want to look at the examples given for the LABEL\_DATE function. It assumes that you have time array as Julian day. If you don't (and who does) you will have to do your own conversion. I keep my time usually as CDF epoch, so I wrote myself a little function that converts CDF epoch first to year, month, day, hh, mm, ss with cdf\_epoch and then use julday to calculate the julian day from these data. Now conversion is pretty much transparent without having to worry what Julian day means. LABEL\_DATE is pretty flexible in the date format and you can easily switch between the formats you like. AFAIK, there is no other build-in functionality for time axis.

# Haje

"Michael Wallace" <mwallace.no.spam@no.spam.swri.edu.invalid> wrote in message news:10q7aj04g0ail9c@corp.supernews.com...

- > I have never been good with figuring how how all the date formatting
- > stuff works. I want to label the X axis on a few of my plots with some
- > readable date strings. In certain cases, I'd like to display something
- > of the form "HH:MI:SS". Other times I'd like to see a day of month or a
- > day of year or some other variation.

>

- > Anyway, assuming that I have a timestamp in the form of seconds since
- > the 1970 epoch, is there some built in way to convert to the time string
- > my choosing? Or will I have to role my own conversions? Secondly, how
- > do I go about cleanly setting the labels on my IDLgrAxis to the strings?
- >
- > TIA,
- > Mike

Subject: Re: Tick labels and dates
Posted by David Fanning on Tue, 23 Nov 2004 22:01:45 GMT
View Forum Message <> Reply to Message

## Haje Korth writes:

- > you want to look at the examples given for the LABEL\_DATE function. It
- > assumes that you have time array as Julian day. If you don't (and who does)
- > you will have to do your own conversion. I keep my time usually as CDF
- > epoch, so I wrote myself a little function that converts CDF epoch first to
- > year, month, day, hh, mm, ss with cdf\_epoch and then use julday to calculate
- > the julian day from these data. Now conversion is pretty much transparent
- > without having to worry what Julian day means. LABEL\_DATE is pretty flexible

- > in the date format and you can easily switch between the formats you like.
- > AFAIK, there is no other build-in functionality for time axis.

There are some good time and date functions on the JHUAPL IDL library site, too. I'm too jet lagged to remember what they are right now (and too unmotivated to look), but a search of the one line catalog file should turn them up.

http://fermi.jhuapl.edu/s1r/idl/s1rlib/local\_idl.html

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Subject: Re: Tick labels and dates

Posted by R.Bauer on Wed, 24 Nov 2004 08:58:59 GMT

View Forum Message <> Reply to Message

#### Michael Wallace wrote:

- > I have never been good with figuring how how all the date formatting
- > stuff works. I want to label the X axis on a few of my plots with some
- > readable date strings. In certain cases, I'd like to display something
- > of the form "HH:MI:SS". Other times I'd like to see a day of month or a
- > day of year or some other variation.

>

- > Anyway, assuming that I have a timestamp in the form of seconds since
- > the 1970 epoch, is there some built in way to convert to the time string
- > my choosing? Or will I have to role my own conversions? Secondly, how
- > do I go about cleanly setting the labels on my IDLgrAxis to the strings?

>

- > TIA,
- > Mike

Dear Mike

probably this routine from our library could help

http://www.fz-juelich.de/icg/icg-i/idl\_icglib/idl\_source/idl\_html/dbase/setup\_time\_axis\_dbase.pro.html

This routine is based on julian seconds. This time format was first

If you like to have the right minor ticks for the months over a time period you should have a look into the minor ticks routine. There is an example implemented.

```
http://www.fz-juelich.de/icg/icg-i/idl_icglib/idl_source/idl
html/dbase/rb axis minor dbase.pro.html
pro my_plot
x=dindgen(864)*100
y=\sin(x/100)
setup_time_axis, x, $
          XRANGE = xrange, $
          XSTYLE = xstyle,$
          XTITLE = xtitle, $
          XTICKS = xticks, $
          XMINOR = xminor, $
          XTICKV = xtickv, $
          XTICKNAME = xtickname, $
          TIMEFORMAT = 'HH:MM:SS', $
          TIMESTEP = timestep, $
          FORCE 10DAYS=1,$
          xmtickv=xmtickv
plot,x,y,$
   XRANGE = xrange, $
   XSTYLE = xstyle, $
   XTITLE = xtitle, $
   XTICKS = xticks, $
   XMINOR = xminor, $
   XTICKV = xtickv,$
   XTICKNAME = xtickname
end
Reimar Bauer
Institut fuer Stratosphaerische Chemie (ICG-I)
Forschungszentrum Juelich
email: R.Bauer@fz-juelich.de
```

a IDL library at ForschungsZentrum Juelich http://www.fz-juelich.de/icg/icg-i/idl\_icglib/idl\_lib\_intro. html

-----

Subject: Re: Tick labels and dates

Posted by Mark Hadfield on Wed, 24 Nov 2004 21:34:21 GMT

View Forum Message <> Reply to Message

## Haje Korth wrote:

- > Mike,
- > you want to look at the examples given for the LABEL\_DATE function. It
- > assumes that you have time array as Julian day. If you don't (and who does)
- > you will have to do your own conversion. I keep my time usually as CDF
- > epoch, so I wrote myself a little function that converts CDF epoch first to
- > year, month, day, hh, mm, ss with cdf\_epoch and then use julday to calculate
- > the julian day from these data. Now conversion is pretty much transparent
- > without having to worry what Julian day means. LABEL\_DATE is pretty flexible
- > in the date format and you can easily switch between the formats you like.
- > AFAIK, there is no other build-in functionality for time axis.

I'm not a fan of LABEL\_DATE, mainly because it uses a common block, so there is endless scope for confusing interactions between apparently unrelated graphs. I think that it is much simpler and safer to use the C() calendar-format codes directly in your axis's TICKFORMAT string. You will need to convert your time data to Julian Days, but how hard is that?

--

Mark Hadfield "Ka puwaha te tai nei, Hoea tatou" m.hadfield@niwa.co.nz
National Institute for Water and Atmospheric Research (NIWA)

Subject: Re: Tick labels and dates

Posted by Michael Wallace on Wed, 24 Nov 2004 22:23:40 GMT

View Forum Message <> Reply to Message

- > I'm not a fan of LABEL\_DATE, mainly because it uses a common block, so
- > there is endless scope for confusing interactions between apparently
- > unrelated graphs. I think that it is much simpler and safer to use the
- > C() calendar-format codes directly in your axis's TICKFORMAT string. You
- > will need to convert your time data to Julian Days, but how hard is that?

I was trying to figure out how in the world label\_date was working. Common blocks. Ugh. I am no fan of common blocks either and avoid them like the plague. Now that I've read through the C() it will do what I need it to do. My problem was that it wasn't intuitively obvious for me to look up "C()". Converting seconds since 1970 to a Julian day isn't hard. 1 Jan 1970 00:00:00 is 2440587.5 JD. Just convert the seconds to days and add it to 2440587.5.

Now, there's the plotting part of my code. The previous examples showed this label\_date stuff, but since I'm not using that, how do I go about creating the correct labels? If I use JD values for that axis, is there some magic option where I can give it the format code? Or will I need to go the ugly route and create the axis with JD, get the labels, convert them and reset the label values?

-Mike

Subject: Re: Tick labels and dates
Posted by Mark Hadfield on Thu, 25 Nov 2004 00:18:17 GMT
View Forum Message <> Reply to Message

#### Michael Wallace wrote:

- > Now, there's the plotting part of my code. The previous examples showed
- > this label\_date stuff, but since I'm not using that, how do I go about
- > creating the correct labels? If I use JD values for that axis, is there
- > some magic option where I can give it the format code?

Use TICKFORMAT ([XYZ]TICKFORMAT for direct graphics commands)

### **TICKFORMAT**

A string, or an array of strings, in which each string represents a format string or the name of a function to be used to format the tick mark labels. If an array is provided, each string corresponds to a level of the axis. (The TICKUNITS property determines the number of levels for an axis.) If the number of strings stored in this property is one, GetProperty returns a scalar string, otherwise GetProperty returns an array of strings.

If the string begins with an open parenthesis, it is treated as a standard format string. (See Format Codes.)

If the string does not begin with an open parenthesis, it is interpreted as the name of a callback function to be used to generate tick mark labels. This function is defined with either three or four parameters, depending on whether TICKUNITS is specified.

Don't worry about array values, as they're only relevant for multi-level axes. (There are various problems with multi-level axes that make them

an intriguing toy, IMHO. Also, note that when it says above that the TICKUNITS property determines the number of levels for an axis it means the \*number of elements\* of TICKUNITS determines the number of levels.)

So the following (not tested) should give you a plot with an x-axis with an interval of one month and with each tick mark labelled in "yyyy-mm" format:

PLOT, ..., XMINOR=0, XTICKUNITS='month', XTICKINTERVAL=1, \$XTICKFORMAT='(C(CYI4.4,"-",CMOI2.2))'

Mark Hadfield "Ka puwaha te tai nei, Hoea tatou" m.hadfield@niwa.co.nz
National Institute for Water and Atmospheric Research (NIWA)