
Subject: Re: Writing a plot in PDF format from IDL
Posted by [Kenneth P. Bowman](#) on Fri, 15 Apr 2005 02:19:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

In article <1113523376.120343.69050@l41g2000cwc.googlegroups.com>,
"kirkland" <aaamblard@yahoo.fr> wrote:

> Does someone know how (if it is possible) to write a plot in
> PDF format from IDL ?
>

Write Postscript and then use one of many methods to convert to PDF
(Adobe Distiller, pstopdf, Illustrator, ...). Under Mac OS X, just
double-click the PS file.

Ken Bowman

Subject: Re: Writing a plot in PDF format from IDL
Posted by [btt](#) on Fri, 15 Apr 2005 13:07:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

Kenneth P. Bowman wrote:

> In article <1113523376.120343.69050@l41g2000cwc.googlegroups.com>,
> "kirkland" <aaamblard@yahoo.fr> wrote:
>
>
>> Does someone know how (if it is possible) to write a plot in
>> PDF format from IDL ?
>>
>
>
> Write Postscript and then use one of many methods to convert to PDF
> (Adobe Distiller, pstopdf, Illustrator, ...). Under Mac OS X, just
> double-click the PS file.
>

Under MacOSX I use the following.

```
;+  
; NAME:  
; PStoPDF  
;  
; PURPOSE:  
; Use this procedure to convert a PostScript file to a PDF file.  
;  
; CALLING SEQUENCE:  
; PStoPDF, filename, [/DELETEPS], [STATUS = variable], [/VERBOSE]
```

```

;
;
; ARGUMENTS:
; FILENAME A scalar or an array of file names for the postscript
; files to convert.
;
;
; KEYWORDS:
; DELETEPS Set this keyword to delete the PS file after
; converting to PDF.
; STATUS Set this keyword to a named variable to retrieve
; the operation status.It returns 1 if successful and 0 if not.
; VERBOSE Set this keyword to output update messages
; to the command line.
;
;
; REQUIREMENTS
; The routine spawns a command to 'pstopdf' - this is built
; in with Mac OSX and perhaps other platforms. FILE_DELETE
; is used to delete the file. FILE_DELETE appeared with IDL 5.4.
;
;
; MODIFICATION HISTORY
; 2004 written BT.
;-

```

```

PRO PStoPDF, psFile, $
  DELETEPS = deletePS, $
  STATUS = status, $
  VERBOSE = verbose, $
  _Ref_Extra = extra

```

```

STATUS = 0
n = n_elements(psFile)
if n EQ 0 then Return

```

```

For i = 0, n-1 Do Begin

```

```

  cmd = 'pstopdf ' + psFile[i]
  SPAWN,cmd, _extra = extra

```

```

  If Keyword_set(DeletePS) then $
    FILE_DELETE, psFile[i], _Extra = extra

```

```

  if Keyword_Set(VERBOSE) then $
    print, 'converting ', psFile[i], ' to PDF'
EndFor

```

```

Status = 1
END

```

Subject: Re: Writing a plot in PDF format from IDL
Posted by [kirkland](#) on Thu, 21 Apr 2005 02:21:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Kenneth P. Bowman wrote:

> In article <1113523376.120343.69050@l41g2000cwc.googlegroups.com>,
> "kirkland" <aaamblard@yahoo.fr> wrote:
>
>> Does someone know how (if it is possible) to write a plot in
>> PDF format from IDL ?
>>
>
> Write Postscript and then use one of many methods to convert to PDF
> (Adobe Distiller, pstopdf, Illustrator, ...). Under Mac OS X, just
> double-click the PS file.
>
> Ken Bowman

This I know, but how could I write it directly from IDL without using
a converter.
