Subject: Re: Adding flexibility at run time question Posted by David Fanning on Tue, 03 May 2005 23:29:57 GMT

View Forum Message <> Reply to Message

Marc Reinig writes:

- > I would like to be able to select a particular procedure to run at run time
- > rather than at design time.

>

- > One thought would like my program to look in a particular directory and
- > select a procedure name, which will be a concatenation of the name any .pro
- > file it finds there and a standard suffix and run it.

>

- > I.e. if there were three files in the directory: a.pro, b.pro, and c.pro, it
- > would know that there would be a procedure named a-xxx, b-xxx, and c-xxx in
- > the files respectively which my program could call. But how would I have it
- > call the procedure based on the name of a file.

>

- > Doing this at compile time would also be acceptable, but I still haven't
- > figured out how to call a procedure whose name I don't type in but create on
- > the fly.

>

> Any guidance on how I would do this?

I guess I'd try CALL_PROCEDURE. :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Subject: Re: Adding flexibility at run time question Posted by Marc Reinig on Tue, 03 May 2005 23:47:38 GMT View Forum Message <> Reply to Message

Ah! Wonderful! ;=)

So many neat things!

Marco

Marc Reinig UCO/Lick Observatory

Laboratory for Adaptive Optics

```
"David Fanning" <davidf@dfanning.com> wrote in message
news:MPG.1ce1b7522325e01f9899e9@news.frii.com...
> Marc Reinig writes:
>
>> I would like to be able to select a particular procedure to run at run
>> rather than at design time.
>>
>> One thought would like my program to look in a particular directory and
>> select a procedure name, which will be a concatenation of the name any
   .pro
>> file it finds there and a standard suffix and run it.
>>
>> I.e. if there were three files in the directory: a.pro, b.pro, and c.pro,
>> would know that there would be a procedure named a-xxx, b-xxx, and c-xxx
>> the files respectively which my program could call. But how would I have
>> it
>> call the procedure based on the name of a file.
>>
>> Doing this at compile time would also be acceptable, but I still haven't
>> figured out how to call a procedure whose name I don't type in but create
>> on
>> the fly.
>> Any guidance on how I would do this?
>
  I guess I'd try CALL PROCEDURE. :-)
>
>
> Cheers,
>
> David
>
>
> David Fanning, Ph.D.
> Fanning Software Consulting, Inc.
```

> Coyote's Guide to IDL Programming: http://www.dfanning.com/