

---

Subject: Re: Axis suppression - XStyle

Posted by [David Fanning](#) on Thu, 12 May 2005 14:12:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Gappa writes:

- > Simple problem, i think.
- >
- > I'm trying to label x-axis using 'xticks', 'xtickv'. My problem is i
- > need to suppress the original x-axis ticks by setting 'xstyle=4' (gets
- > rid of x axis ticks) but i also need to force the x axis over specific
- > range using '/xstyle'... i can't set them both at the same time?
- >
- > '/xstyle=4' doesn't work and i can't call xstyle twice in the same call
- > to plot.
- >
- > If anyone has ideas as to how i get around this problem they'd be much
- > appreciated.

XSTYLE=4+1

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

---

---

Subject: Re: Axis suppression - XStyle

Posted by [David Fanning](#) on Thu, 12 May 2005 14:15:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

David Fanning writes:

- > XSTYLE=4+1

Sorry, my relatives are arriving for a graduation and the fireworks are about to start. :-)

I should point out that /KEYWORD is exactly the same as KEYWORD=1, just a shorthand way of writing it.

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

---

---

Subject: Re: Axis suppression - XStyle

Posted by [Gappa](#) on Thu, 12 May 2005 14:20:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Wow, so simple.

(Didn't know the /keyword is same as keyword = 1... started using IDL 3 months ago)

Thanks David.

Have fun with the relatives :)

Toodles

Chris

---