
Subject: MPFIT2DPEAK

Posted by [angela](#) on Wed, 22 Jun 2005 15:27:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I was wondering if someone can help me out with a problem I have in MPFIT2DPEAK.

Fist I am describing the problem: I have an image with stars and I am trying to fit the distribution to a gaussian and determine the coordinates of which there is a peak density of stars.

I have an array of 400x400 pixels (centered where I believe the center shoud be) and I have calculated the number density of the stars in a specific radius for all the coordinate combinations starting from the (0,0) coordinates.

I am using the MPFIT2DPEAK to fit a gaussian and to get a better handle on the center I am trying to find.

I have two questions:

1. When I am using MPFIT2DPEAK without a 'guess' about the center (I use it with the tilt keyword), I get:

3.02628 3.92726 40.2412 13.1586 37.6854
24.7872 2.99398

I have read from the tutorial that if you do not give an initial guess the program will try to guess what is the center. How do I know what the program thinks as a center? In other words, this result tells me that the center is at

(x,y)=(37.6854,24.7872) or it understands that the center that I used is (200,200), so the result is that the center is at (200+37.6854,200+24.7872)?

2.I tried to run the MPFIT2DPEAK using the estimates keyword :

result=mpfit2dpeak(start,B,start(200,*),start(*,200),/TILT)

where (200,200) is approximately where I think the center is and 'start' is my 400x400 array that has all the densities stored (they are all integers). I get this message:

```
% Attempt to subscript XX with WHMAX is out of range.
```

```
% Execution halted at: MPFIT2DPEAK 390
```

```
 /raid1/home/angeliki/IDL/mpfit2dpeak.pro
```

```
% $MAIN$
```

Any ideas on what the problem might be?

Thank you for all your help,
Angela
