
Subject: Re: Tab Widgets changes at runtime?
Posted by [Doug](#) on Tue, 11 Oct 2005 18:13:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

Gianluca,

You should be able to add tabs by creating new bases with the tab widget as their parent. Delete tabs by applying widget_control's "destroy" keyword to a specific child base of the tab.

Here's some sample code:

```
pro delete_tab_event, e
    widget_control, e.id, get_uvalue = tabBase
    widget_control, tabBase, /destroy
end

pro add_tab_event, e
    widget_control, e.id, get_uvalue = tabControl

newTab = widget_base( tabControl, title = 'Some Title' )
deleteButton = widget_button( newTab, $
    value = 'Delete Me', $
    uvalue = newTab, $
    event_pro = 'delete_tab_event' )

end

pro adding_tabs
    topBase = widget_base( /column )

    tabControl = widget_tab( topBase, xsize = 300 )

    addTabButton = widget_button( topBase, $
        value = 'Add New Tab', uvalue = tabControl, $
        event_pro = 'add_tab_event' )

    widget_control, topBase, /realize
    xmanager, 'adding_tabs', topBase

end
```

Hope this helps.

Doug

"Gianluca Li Causi" <licausi@mporzio.astro.it> wrote in message
news:1129040656.595058.149910@g14g2000cwa.googlegroups.com... .

> Hi all,
>
> I've the following problem: I have a nice tab widget with N tabs and I
> want to add new tabs or delete some of them on the basis of some user's
> choice.
>
> I've noticed that Widget_Control and Widget_Info cannot control
> adding/deleting tabs, so is there a way to do this?
>
> Thanks a lot!
> Gianluca
>

Subject: Re: Tab Widgets changes at runtime?

Posted by [Gianluca Li Causi](#) on Wed, 12 Oct 2005 10:26:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ops!

It was so simple... but I've not thought about!
...that because of using GUI builder.

Thanks a lot Doug.

Gianluca

Doug wrote:

> Gianluca,
>
> You should be able to add tabs by creating new bases with the tab widget as
> their parent. Delete tabs by applying widget_control's "destroy" keyword to
> a specific child base of the tab.
>
> Here's some sample code:
>
> pro delete_tab_event, e
> widget_control, e.id, get_uvalue = tabBase
> widget_control, tabBase, /destroy
> end
>
> pro add_tab_event, e
>
> widget_control, e.id, get_uvalue = tabControl
>
> newTab = widget_base(tabControl, title = 'Some Title')

```
> deleteButton = widget_button( newTab, $  
>   value = 'Delete Me', $  
>   uvalue = newTab, $  
>   event_pro = 'delete_tab_event' )  
>  
> end  
>  
> pro adding_tabs  
>  
> topBase = widget_base( /column )  
>  
> tabControl = widget_tab( topBase, xsize = 300 )  
>  
> addTabButton = widget_button( topBase, $  
>   value = 'Add New Tab', uvalue = tabControl, $  
>   event_pro = 'add_tab_event' )  
>  
> widget_control, topBase, /realize  
> xmanager, 'adding_tabs', topBase  
>  
> end  
>  
> Hope this helps.  
>  
> Doug  
>  
> "Gianluca Li Causi" <licausi@mporzio.astro.it> wrote in message  
> news:1129040656.595058.149910@g14g2000cwa.googlegroups.com...  
>> Hi all,  
>>  
>> I've the following problem: I have a nice tab widget with N tabs and I  
>> want to add new tabs or delete some of them on the basis of some user's  
>> choice.  
>>  
>> I've noticed that Widget_Control and Widget_Info cannot control  
>> adding/deleting tabs, so is there a way to do this?  
>>  
>> Thanks a lot!  
>> Gianluca  
>>
```
