
Subject: Re: Printf Latitudes & Longitudes in a MAP using IDL

Posted by [btt](#) on Wed, 02 Nov 2005 13:10:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

IDEAL wrote:

```
> Hello ,
>
>     Trying to use IDL to grid data to a MAP. I need some help on
> displaying latitudes and longitudes in a MAP using IDL.
>
> I have the data to be shown on the map in img3 variable
>
> and here is the code I am using for showing the data in a MAP
>
> latmin = 15
> latmax = 60
> lonmin = -140
> lonmax = -50
>
> MAP_SET, /cylindrical,LIMIT=[latmin, lonmin, latmax, lonmax]
> img3 = MAP_IMAGE(img1,Startx,Starty, COMPRESS=1,LATMIN=latmin,
> LONMIN=lonmin,LATMAX=latmax, LONMAX=lonmax)
>
> ;Display the warped image on the map at the proper position:
> tvscl,img3 ,Startx,Starty
>
> ; Draw continent outlines:
> MAP_GRID, /BOXAXES,latdel=10, lonel=10, latlab=-139, lonlab =
> 15,/LABEL,/HORIZON
>
> ; Draw gridlines over the map and image:
> MAP_CONTINENTS, /coasts, /countries
>
> I get the latitudes and longitudes values along the inside border of
> the bounding box created by MAP_SET. How can I show the values of the
> latitudes and longitudes outside the bounding box created by MAP_SET
>
>
>     Thank You
>
> Hi,
```

I think you have omitted the underscore in the BOX_AXES keyword. The BOXAXES keyword, which doesn't exist is quietly ignored since the MAP_GRID routine accepts _EXTRA keywords. This has always been a sore spot for me... note that MAP_GRID accepts the keyword NO_GRID but FLTARR accepts the keyword NOZERO. Bah!

Cheers,

Ben

PS And don't get Andrew Cool started on the keyword COLO(U)R!

Subject: Re: Printf Latitudes & Longitudes in a MAP using IDL

Posted by [Andrew Cool](#) on Thu, 03 Nov 2005 01:39:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ben Tupper wrote:

> IDEAL wrote:

>> Hello ,

>>

>> Trying to use IDL to grid data to a MAP. I need some help on
>> displaying latitudes and longitudes in a MAP using IDL.

>>

>> I have the data to be shown on the map in img3 variable

>>

>> and here is the code I am using for showing the data in a MAP

>>

>> latmin = 15

>> latmax = 60

>> lonmin = -140

>> lonmax = -50

>>

>> MAP_SET, /cylindrical,LIMIT=[latmin, lonmin, latmax, lonmax]

>> img3 = MAP_IMAGE(img1,Startx,Starty, COMPRESS=1,LATMIN=latmin,

>> LONMIN=lonmin,LATMAX=latmax, LONMAX=lonmax)

>>

>> ;Display the warped image on the map at the proper position:

>> tvscl,img3 ,Startx,Starty

>>

>> ; Draw continent outlines:

>> MAP_GRID, /BOXAXES,latdel=10, londel=10, latlab=-139, lonlab =

>> 15,/LABEL,/HORIZON

>>

>> ; Draw gridlines over the map and image:

>> MAP_CONTINENTS, /coasts, /countries

>>

>> I get the latitudes and longitudes values along the inside border of
>> the bounding box created by MAP_SET. How can I show the values of the
>> latitudes and longitudes outside the bounding box created by MAP_SET

>>

>> Thank You

>>

> Hi,

>

> I think you have omitted the underscore in the BOX_AXES keyword. The

> BOXAXES keyword, which doesn't exist is quietly ignored since the
> MAP_GRID routine accepts _EXTRA keywords. This has always been a sore
> spot for me... note that MAP_GRID accepts the keyword NO_GRID but FLTARR
> accepts the keyword NOZERO. Bah!
>
> Cheers,
> Ben
>
> PS And don't get Andrew Cool started on the keyword COLO(U)R!

Sir,

You defame me most unjustly! :-(

After 14 years with IDL, I can speak Yank with the best of them.

Y'all have a Nice Day now.

Andrew

Subject: Re: Printinf Latitudes & Longitudes in a MAP using IDL

Posted by [btt](#) on Fri, 04 Nov 2005 12:52:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

andrew.cool@dsto.defence.gov.au wrote:

> Ben Tupper wrote:
>
>>
>> PS And don't get Andrew Cool started on the keyword COLO(U)R!
>
>
> Sir,
>
> You defame me most unjustly! :-(
>
> After 14 years with IDL, I can speak Yank with the best of them.
>
> Y'all have a Nice Day now.
>
> Andrew
>

Hey, hey hey - just a minute, bub. Are you saying the IDL docs are written in English? Well I'll be danged. Who woulda guessed?

Ben
