
Subject: Re: destroying x-registered windows
Posted by [Doug Edmundson](#) on Wed, 30 Nov 2005 21:56:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

Barbara,

> can anyone tell me how can destroy an x-registered base? I can't find it
> using .e.g.widget_control,widget_info(event.top, FIND_BY_UNAME="baseX")
> as this base is no member of event.top and has been created without a
> group leader...

Here are two options:

(1) Store all needed widget IDs in a "state structure". This could be associated with a known base's UVALUE.

(2) Use WIDGET_INFO(/SIBLING).

Method (2) might be simpler for your needs, but it will require that you start your search from a top level base that was created before the one you are looking for.

Hope this helps,
Doug

Subject: Re: destroying x-registered windows
Posted by [b](#) on Thu, 01 Dec 2005 08:30:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks Doug! I'll try it...

"Doug Edmundson" <_doug_e_@rsinc.com> wrote in message
news:11os81cc5bhcc46@corp.supernews.com...

> Barbara,
>
>> can anyone tell me how can destroy an x-registered base? I can't find it
>> using .e.g.widget_control,widget_info(event.top, FIND_BY_UNAME="baseX")
>> as this base is no member of event.top and has been created without a
>> group leader...
>
> Here are two options:
>
> (1) Store all needed widget IDs in a "state structure". This could be
> associated with a known base's UVALUE.
>

> (2) Use WIDGET_INFO(/SIBLING).
>
> Method (2) might be simpler for your needs, but it will require that you
> start your search from a top level base that was created before the one
> you are looking for.
>
> Hope this helps,
> Doug
>
