
Subject: Re: change the ratio z_axis / x_axis

Posted by [David Fanning](#) on Tue, 16 May 2006 12:56:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Klemens Barfus writes:

- > making a threedimensional postscript plot with the surface command, I
- > would like to compress the z-axis without changing the z_range or
- > modifying the area indicated by the position-vector.
- > Is there any chance to do this with the !P.T vector or T3D, scale ?

Are you trying to do something like this:

```
IDL> surface, dist(40), position=[0.1,0.1,0.9,0.9,0.25,0.75]
```

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Subject: Re: change the ratio z_axis / x_axis

Posted by [Klemens Barfus](#) on Tue, 16 May 2006 13:18:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

Oh yes, it works great :-) !

Thanks again, David !

Cheers,

Klemens

David Fanning wrote:

- > Klemens Barfus writes:
- >
- >
- >> making a threedimensional postscript plot with the surface command, I
- >> would like to compress the z-axis without changing the z_range or
- >> modifying the area indicated by the position-vector.
- >> Is there any chance to do this with the !P.T vector or T3D, scale ?
- >
- >
- > Are you trying to do something like this:
- >
- > IDL> surface, dist(40), position=[0.1,0.1,0.9,0.9,0.25,0.75]

>
> Cheers,
>
> David
