Subject: Re: Read Zipped files

Posted by mchinand on Tue, 29 Aug 2006 20:52:52 GMT

View Forum Message <> Reply to Message

In article <1156870907.629435.73050@i3g2000cwc.googlegroups.com>, loknath <ladhikari@gmail.com> wrote:

- > Hi,
- > I have huge satellite data stored in zipped files and unzipping would
- > be costly for my hard drive. Is there a way IDL can unzip these files
- > and read or read these files without unzipping in the hard drive.
- > Thanks

>

I'm not sure if this is the best way to do this, but on Linux (and other Unix flavors?) you could use named pipes:

from the shell prompt (only has to be done once):

> mkfifo pipe_filename

then in IDL for each file you want to unzip and read (filename is a string variable with containing the filename of zipped file you want to read):

spawn, 'unzip -p '+filename+' >pipe_filename&'

<insert read commands here, using pipe_filename as if it were a regular file containing your unzipped data>

If your files used gzip compression instead, you could just use the /COMPRESS option for OPENR.

I don't think any of this would work in Windows but probably in OS X. Didn't someone have a Windows DLM that supported zipped files?

Good luck,

--Mike

--

Michael Chinander, PhD m-chinander@uchicago.edu Department of Radiology University of Chicago Subject: Re: Read Zipped files
Posted by Mike Wallace on Wed, 30 Aug 2006 04:05:00 GMT
View Forum Message <> Reply to Message

- > I don't think any of this would work in Windows but probably in OS X. Didn't
- > someone have a Windows DLM that supported zipped files?

You're right. Windows doesn't have the same concept of named pipes that *nix does, and due to OS X being rooted in BSD, it should support named pipes.

As for the original question, if you're using gzip to compress the files, IDL can read them by using the /COMPRESS flag to the OPENR, OPENU or OPENW commands.

If you're files are zip files, the only option I know of is to unzip the file before you use it. If you are using *nix, you can use the named pipe approach as the file would be unzipped into memory rather than to the hard drive. If you're using Windows, the only option I can think of is to write a small program in another language that could handle the unzip and stream the results out to shared memory. You'd then have to make your IDL program read from shared memory instead of the file. It's not the easiest thing in the world if you've never worked with shared memory before.

When you said that it would "be costly for my hard drive," what do you mean? Are you referring to all the files that would have to be written back out to disk all the time or are you concerned with running out of disk space?

-Mike

Subject: Re: Read Zipped files
Posted by Haje Korth on Wed, 30 Aug 2006 11:51:28 GMT
View Forum Message <> Reply to Message

Hi.

Randall Franks DLM is available at http://kilvarock.com/freesoftware/dlms/randallfrank.htm. It thas built-in gzip compression.

Cheers, Haje

loknath wrote:

- > Hi.
- > I have huge satellite data stored in zipped files and unzipping would
- > be costly for my hard drive. Is there a way IDL can unzip these files
- > and read or read these files without unzipping in the hard drive.
- > Thanks

Subject: Re: Read Zipped files

Posted by loknath on Wed, 30 Aug 2006 21:36:39 GMT

View Forum Message <> Reply to Message

I am running out of hard drive space and didnt want to unzip the files but now I feel it is easier if I unzip the files in my hard drive. Thanks everyone Loknath

Mike Wallace wrote:

- >> I don't think any of this would work in Windows but probably in OS X. Didn't
- >> someone have a Windows DLM that supported zipped files?

>

- > You're right. Windows doesn't have the same concept of named pipes that
- > *nix does, and due to OS X being rooted in BSD, it should support named
- > pipes.

>

- > As for the original question, if you're using gzip to compress the
- > files, IDL can read them by using the /COMPRESS flag to the OPENR, OPENU
- > or OPENW commands.

>

- > If you're files are zip files, the only option I know of is to unzip the
- > file before you use it. If you are using *nix, you can use the named
- > pipe approach as the file would be unzipped into memory rather than to
- > the hard drive. If you're using Windows, the only option I can think of
- > is to write a small program in another language that could handle the
- > unzip and stream the results out to shared memory. You'd then have to
- > make your IDL program read from shared memory instead of the file. It's
- > not the easiest thing in the world if you've never worked with shared
- > memory before.

>

- > When you said that it would "be costly for my hard drive," what do you
- > mean? Are you referring to all the files that would have to be written
- > back out to disk all the time or are you concerned with running out of
- > disk space?

>

> -Mike

Subject: Re: Read Zipped files

View Forum Message <> Reply to Message

Use a temp directory than you clear out after processing each file. this is essentially what you would do with unzipping to RAM as well.

Of course you are free to look beyond the IDL prompt usage to join the group of DLM programmers. :-)

loknath wrote:

- > I am running out of hard drive space and didnt want to unzip the files
- > but now I feel it is easier if I unzip the files in my hard drive.
- > Thanks everyone
- > Loknath

- > Mike Wallace wrote:
- >>> I don't think any of this would work in Windows but probably in OS X. Didn't
- >>> someone have a Windows DLM that supported zipped files?

>>

- >> You're right. Windows doesn't have the same concept of named pipes that
- >> *nix does, and due to OS X being rooted in BSD, it should support named
- >> pipes.

>>

- >> As for the original question, if you're using gzip to compress the
- >> files, IDL can read them by using the /COMPRESS flag to the OPENR, OPENU
- >> or OPENW commands.

>>

- >> If you're files are zip files, the only option I know of is to unzip the
- >> file before you use it. If you are using *nix, you can use the named
- >> pipe approach as the file would be unzipped into memory rather than to
- >> the hard drive. If you're using Windows, the only option I can think of
- >> is to write a small program in another language that could handle the
- >> unzip and stream the results out to shared memory. You'd then have to
- >> make your IDL program read from shared memory instead of the file. It's
- >> not the easiest thing in the world if you've never worked with shared
- >> memory before.

>>

- >> When you said that it would "be costly for my hard drive," what do you
- >> mean? Are you referring to all the files that would have to be written
- >> back out to disk all the time or are you concerned with running out of
- >> disk space?

>>

>> -Mike