Subject: Re: [Q] How does one EXPAND an ARRAY in IDL? i.e opposite of sub-array
Posted by ryba on Wed, 25 Jan 1995 20:11:15 GMT
View Forum Message <> Reply to Message

In article <1995Jan25.181418.25048@ptolemy-ethernet.arc.nasa.gov>,
mombasa@kronos.arc.nasa.gov (Tarang Kumar Patel) writes:
|> I am dealing with an ARRAY of structures, but the question applies to all

mombasa@kronos.arc.nasa.gov (Tarang Kumar Patel) writes:

|> I am dealing with an ARRAY of structures, but the question applies to all
|> arrays. I know one can take subarrays to shrink an array, but how about if one
|> wants to extend the size of one how does one achive this. The need arises from
|> the simple fact that I have a computed array, so when I know that all the

|> elements in the array are filled I'd wish to extend the array. As I am dealing

|> with only a 1 dimensional array this should be pretty easy - so I thought.

(Don't blame me his lines are too long)

To extend an array of structures, use REPLICATE()

let S be an array of structures, of type SSNAME

S = [temporary(S), replicate({SSNAME}, n\_new\_elements)]

if you just have a structure tag and aren't appending data, you can avoid the concatenation operator and just use replicate (I do that all the time to create the array of structures prior to a READU or other input statement).

Also note the use of TEMPORARY(). To extend an anonymous structure, you can replace {SSNAME} with S(0).

Dr. Marty Ryba | Generation X:

MIT Lincoln Laboratory | Too young to be cynical,

ryba@ll.mit.edu | too old to be optimistic.

Of course nothing I say here is official policy, and Laboratory affiliation is for identification purposes only, blah, blah, blah....

Subject: Re: [Q] How does one EXPAND an ARRAY in IDL? i.e opposite of sub-array

Posted by amaravad on Thu, 26 Jan 1995 15:55:20 GMT

View Forum Message <> Reply to Message

In article <1995Jan25.181418.25048@ptolemy-ethernet.arc.nasa.gov>, Tarang Kumar Patel <mombasa@kronos.arc.nasa.gov> wrote:

>

> Hi,

>

- > I am dealing with an ARRAY of structures, but the question applies to all
- > arrays. I know one can take subarrays to shrink an array, but how about if one
- > wants to extend the size of one how does one achive this. The need arises from
- > the simple fact that I have a computed array, so when I know that all the
- > elements in the array are filled I'd wish to extend the array. As I am dealing
- > with only a 1 dimensional array this should be pretty easy so I thought.

>

> Thanks in advance.

>

> Tarang

>

- > Tarang Kumar Patel phone: (415) 604 4721 > NASA Ames Research Center, fax: (415) 604 3594
- > MS 269-2, Moffet Field, CA 94035-1000 email: mombasa@ptolemy.arc.nasa.gov
- > The views and opinions stated are my own, and not those of any organization that I may be associated to.

>

> --

- > Tarang Kumar Patel phone: (415) 604 4721 > NASA Ames Research Center, fax: (415) 604 3594
- > MS 269-2, Moffet Field, CA 94035-1000 email: mombasa@ptolemy.arc.nasa.gov
- > The views and opinions stated are my own, and not those of any organization that I may be associated to.

This may not be the most efficient answer to your problem. But, Ihave handled such a situation in the past by simply calling a routine like 'CONCATENATE\_ARRAYS'. Ofcourse this is a routine that you have to write your self. Write results of computation to a temporary array, then concatenate this temporary to your main array.

Hope this helps.

ratty

--

Ratnakar Amaravadi Software/Hardware Engineer Department of Radiology I.U. School of Medicine (317)274-1843 (w) amaravad@indiana.edu (317)274-4074 (fax) ratty@foyt.indyrad.iupui.edu