Subject: the sky is falling down again Posted by R.Bauer on Tue, 30 Jan 2007 13:20:46 GMT

View Forum Message <> Reply to Message

Hi all

here is another example which is very funny if you see it the first time

a=indgen(10)*1D-7 b=a plot,a,b,psym=1 oplot,[0,10],[0,10]

because the coordination system is defined by plot it could be a bug too and not only a question about precisions

Any idea what is happen here?

Cheers Reimar

Reimar Bauer

Institut fuer Stratosphaerische Chemie (ICG-I) Forschungszentrum Juelich email: R.Bauer@fz-juelich.de

a IDL library at ForschungsZentrum Juelich http://www.fz-juelich.de/icg/icg-i/idl_icglib/idl_lib_intro. html

Subject: Re: the sky is falling down again
Posted by Kenneth Bowman on Wed, 31 Jan 2007 21:56:50 GMT
View Forum Message <> Reply to Message

In article <pan.2007.01.31.20.17.22.400474@as.arizona.edu>, JD Smith <jdsmith@as.arizona.edu> wrote:

- > On Wed, 31 Jan 2007 11:30:57 -0700, David Fanning wrote:
- > Where else can people go when they want
- >> to count angles on the head of a pin? :^)

>

- > I prefer counting them in radians, because !RADEG is single precision
- > floating point.

Thanks for chaffing David, JD. I refrained. ;-)

IDL has a built-in double precision value of Pi, so I include

DEFSYSV, '!DDTOR', !DPI/180.0D, 1 DEFSYSV, '!DRADEG', 180.0D/!DPI, 1

in my startup.pro.

Ken

Subject: Re: the sky is falling down again Posted by news.qwest.net on Thu, 01 Feb 2007 19:06:29 GMT View Forum Message <> Reply to Message

<meinel@aero.org> wrote in message news:1170356284.063756.259710@a75g2000cwd.googlegroups.com...

- > But in this case, all I did was change the x- and y-style on the plot:
- > a=indgen(10)*1D-7
- > plot,a,b,psym=1, xstyle=2, ystyle=3

>

>

>>

- > No overplotting of relatively large values here. Why does that give me
- > a bad plot?

what's wrong with this plot?

Subject: Re: the sky is falling down again Posted by JD Smith on Thu, 01 Feb 2007 19:10:01 GMT View Forum Message <> Reply to Message

On Wed, 31 Jan 2007 15:56:50 -0600, Kenneth Bowman wrote:

- In article <pan.2007.01.31.20.17.22.400474@as.arizona.edu>,
- JD Smith <jdsmith@as.arizona.edu> wrote:
- >> On Wed, 31 Jan 2007 11:30:57 -0700, David Fanning wrote:
- >>> Where else can people go when they want
- >>> to count angles on the head of a pin? :^)

```
>>
>> I prefer counting them in radians, because !RADEG is single precision
>> floating point.
>
> Thanks for chaffing David, JD. I refrained. ;-)
>
> IDL has a built-in double precision value of Pi, so I include
>
> DEFSYSV, '!DDTOR', !DPI/180.0D, 1
> DEFSYSV, '!DRADEG', 180.0D/!DPI, 1
>
> in my startup.pro.
```

Good idea. I'm always starting programs with RADEG=180.D/!DPI, but a SYSVAR is a better idea. Come to think of it, why don't you suggest to ITTVIS to add those? It's a rare coordinate calculation in astronomy that doesn't require double float precision in radians.

JD

Subject: Re: the sky is falling down again Posted by Kenneth Bowman on Thu, 01 Feb 2007 20:13:59 GMT View Forum Message <> Reply to Message

In article <pan.2007.02.01.19.10.01.382641@as.arizona.edu>, JD Smith <jdsmith@as.arizona.edu> wrote:

```
>> IDL has a built-in double precision value of Pi, so I include
>>
>> DEFSYSV, '!DDTOR', !DPI/180.0D, 1
>> DEFSYSV, '!DRADEG', 180.0D/!DPI, 1
>>
>> in my startup.pro.
>>
> Good idea. I'm always starting programs with RADEG=180.D/!DPI, but a
> SYSVAR is a better idea. Come to think of it, why don't you suggest
> to ITTVIS to add those? It's a rare coordinate calculation in
> astronomy that doesn't require double float precision in radians.
>
> JD
```

It hadn't occurred to me because it has been in my startup.pro since I first learned about system variables, which was way before I would have thought of asking RSI (I mean IITVIS) to change (gasp!) IDL.

I'll submit a feature request. Additional requests from out there in userland might well improve the probability of success. ;-)

| 1 | - | | |
|---|---|---|---|
| ı | ĸ | Δ | n |
| ı | • | ┖ | |