## Subject: Re: history of command prompt Posted by Vince Hradil on Tue, 19 Jun 2007 13:44:18 GMT View Forum Message <> Reply to Message

On Jun 19, 8:33 am, Ingo von Borstel <newsgro...@planetmaker.de> wrote:

> Hi there,

>

- > a question that bothers me for quite some time: is there a way in IDL to
- > have a history that exceeds the 32 entries that I currently have with
- > the default? Something like 500 would be nice :)

>

> Should it matter: IDL 6.1 running on SuSE linux, using Emacs as an editor.

>

- > Best regards,
- > Ingo
- > --
- > Public Key:http://www.planetmaker.de/ingo.asc

>

- > If you need an urgent reply, replace newsgroups by vgap.
- > From the "HELP" help:

## **RECALL COMMANDS**

Set this keyword to display the saved commands in the command input buffer. By default, IDL saves the last 20 lines of input in a buffer from which they can be recalled for command line editing. Arguments to HELP are ignored when RECALL is specified.

The number of lines saved can be changed by assigning the desired number of lines to the IDL\_RBUF\_SIZE preference. For more information, see IDL\_RBUF\_SIZE.

Subject: Re: history of command prompt
Posted by aleks.franca@gmail.co on Tue, 19 Jun 2007 13:50:13 GMT
View Forum Message <> Reply to Message

On 19 jun, 10:33, Ingo von Borstel <newsgro...@planetmaker.de> wrote:

> Hi there,

>

- > a question that bothers me for quite some time: is there a way in IDL to
- > have a history that exceeds the 32 entries that I currently have with
- > the default? Something like 500 would be nice :)

>

- > Should it matter: IDL 6.1 running on SuSE linux, using Emacs as an editor.
- > Best regards,

```
> Public Key:http://www.planetmaker.de/ingo.asc
> If you need an urgent reply, replace newsgroups by vgap.
Go on "FILE > PREFERENCES..."
In "COMMAND RECALL BUFFER" you can change it.
Subject: Re: history of command prompt
Posted by Vince Hradil on Tue, 19 Jun 2007 14:07:05 GMT
View Forum Message <> Reply to Message
On Jun 19, 8:44 am, hradily <hrad...@yahoo.com> wrote:
> On Jun 19, 8:33 am, Ingo von Borstel <newsgro...@planetmaker.de>
> wrote:
>
>
>> Hi there,
>> a question that bothers me for quite some time: is there a way in IDL to
>> have a history that exceeds the 32 entries that I currently have with
>> the default? Something like 500 would be nice :)
>
>> Should it matter: IDL 6.1 running on SuSE linux, using Emacs as an editor.
>> Best regards,
>> Ingo
>> --
>> Ingo von Borstel
                            <newsgro...@planetmaker.de>
>> Public Key:http://www.planetmaker.de/ingo.asc
>> If you need an urgent reply, replace newsgroups by vgap.
>> From the "HELP" help:
> RECALL_COMMANDS
> Set this keyword to display the saved commands in the command input
> buffer. By default, IDL saves the last 20 lines of input in a buffer
> from which they can be recalled for command line editing. Arguments to
> HELP are ignored when RECALL is specified.
> The number of lines saved can be changed by assigning the desired
```

<newsgro...@planetmaker.de>

Also, if you are using emacs with idlwave then you can change the size

> number of lines to the IDL\_RBUF\_SIZE preference. For more information,

> see IDL\_RBUF\_SIZE.

> Ingo

> Ingo von Borstel

of the history by changing the variable 'comint-input-ring-size' - see "Idlwave Shell Command History File" in Customize->Idlwave Shell Command Setup.

```
Subject: Re: history of command prompt
Posted by Michael Galloy on Wed, 20 Jun 2007 01:36:43 GMT
View Forum Message <> Reply to Message

On Jun 19, 7:44 am, hradilv <hrad...@yahoo.com> wrote:
> On Jun 19, 8:33 am, Ingo von Borstel <newsgro...@planetmaker.de>
> wrote:
>
> Hi there,
```

- >> a question that bothers me for quite some time: is there a way in IDL to
- >> have a history that exceeds the 32 entries that I currently have with
- >> the default? Something like 500 would be nice :)
- >> Should it matter: IDL 6.1 running on SuSE linux, using Emacs as an editor.
- >> Best regards,
- >> Ingo
- >> --
- >> Public Key:http://www.planetmaker.de/ingo.asc
- >> If you need an urgent reply, replace newsgroups by vgap.
- >> From the "HELP" help:
- > RECALL COMMANDS
- > Set this keyword to display the saved commands in the command input
- > buffer. By default, IDL saves the last 20 lines of input in a buffer
- > from which they can be recalled for command line editing. Arguments to
- > HELP are ignored when RECALL is specified.
- > The number of lines saved can be changed by assigning the desired
- > number of lines to the IDL\_RBUF\_SIZE preference. For more information,
- > see IDL\_RBUF\_SIZE.

## To be pedantic:

```
IDL> print, pref_get('IDL_RBUF_SIZE')
20
IDL> pref_set, 'IDL_RBUF_SIZE', 200, /commit
IDL> print, pref_get('IDL_RBUF_SIZE')
200
```

```
IDL> exit

$ idl

IDL> print, pref_get('IDL_RBUF_SIZE')

200

Mike

--

www.michaelgalloy.com
```

Subject: Re: history of command prompt
Posted by Ingo von Borstel on Wed, 20 Jun 2007 07:36:41 GMT
View Forum Message <> Reply to Message

Hi,

- > Also, if you are using emacs with idlwave then you can change the size
- > of the history by changing the variable 'comint-input-ring-size' see
- > "Idlwave Shell Command History File" in Customize->Idlwave Shell
- > Command Setup.

Thanks for your advice. But it's the same as with Mark's one: Seems like my idlwave / emacs-combination doesn't know that particular configuration option. Upon your hint (being not very familiar with the zillions of emacs configuration options), I found the IDLwave group in the configuration menue and checked every single one within that category and its subcategories, but without success. There doesn't seem to be an option relating to the command history:(

I'm starting to think there's something weired, but all is basically the defaults, both IDL and emacs. :(

Best regards, Ingo

--

Ingo von Borstel <newsgroups@planetmaker.de>
Public Key: http://www.planetmaker.de/ingo.asc

If you need an urgent reply, replace newsgroups by vgap.

Subject: Re: history of command prompt
Posted by Ingo von Borstel on Wed, 20 Jun 2007 07:45:16 GMT
View Forum Message <> Reply to Message

Hi,

- > Go on "FILE > PREFERENCES..."
- > In "COMMAND RECALL BUFFER" you can change it. While this changes the buffer size in the IDLDE, it doesn't change it for command line usage. Unfortunately that's what I'd rather have...

Thanks anyway & best regards, Ingo

--

Ingo von Borstel <newsgroups@planetmaker.de>Public Key: http://www.planetmaker.de/ingo.asc

If you need an urgent reply, replace newsgroups by vgap.