Subject: Re: dynamic widget Posted by Jeff N. on Thu, 04 Oct 2007 17:23:03 GMT View Forum Message <> Reply to Message

```
On Oct 3, 3:26 pm, françois <fleduc2...@gmail.com> wrote:
> Hello.
>
> I want to display a window in which a user can enter some values. The
> number of values to enter is variable.
> I wrote the following code with the number of values set to 5.
>
> nVal =5
> TLB = widget_auto_base(title='Ente reliability coefficient values')
> row base = lonarr(nVal)
> p = lonarr(nVal)
>
> for i=0, nVal-1 do begin
    row_base[i] = widget_base(TLB, /row)
>
    v = 'coeff' + strtrim(string(i+1),2)
>
    p = widget_param(row_base[i], /auto_manage, dt=2,
 prompt='Band'+strtrim(string(i+1),2)+' ', uvalue=v)
    print, v
> endfor
> out = auto_wid_mng(TLB)
>
> The problem is that I can not retrieve the five values which are
> called here out.coeff1 to out.coeff5.
> How can I have a result such a out.v[0] to out.v[4]?
> What am I missing?
> Francois.
```

I'm assuming what you're asking is how to get all the coefficients stored in a single array. This is probably not going to happen automatically for you using auto-managed ENVI widgets. At least that's my guess - I just don't see how you could. I think your solutions are going to be a) NOT auto-managing the widgets and writing an event handler yourself (note that this is NOT the same as not using ENVI widgets..you can still use wiget_param without the /auto_manage keyword), or b) writing some code that puts the coefficients individually stored in your 'out' structure into an array. Solution a is probably more elegant and better in the long run, and solution b is probably more of a "quick and dirty" fix.

Hope that helps, Jeff View Forum Message <> Reply to Message

```
Jeff N. wrote:
> On Oct 3, 3:26 pm, francois <fleduc2...@gmail.com> wrote:
>> Hello.
>>
>> I want to display a window in which a user can enter some values. The
>> number of values to enter is variable.
>> I wrote the following code with the number of values set to 5.
>> nVal =5
>> TLB = widget auto base(title='Ente reliability coefficient values')
>> row base = lonarr(nVal)
>> p = lonarr(nVal)
>>
>> for i=0, nVal-1 do begin
      row_base[i] = widget_base(TLB, /row)
>>
      v = 'coeff' + strtrim(string(i+1),2)
>>
      p = widget_param(row_base[i], /auto_manage, dt=2,
>> prompt='Band'+strtrim(string(i+1),2)+' ', uvalue=v)
      print, v
>> endfor
>>
>> out = auto wid mng(TLB)
>> The problem is that I can not retrieve the five values which are
>> called here out.coeff1 to out.coeff5.
>> How can I have a result such a out.v[0] to out.v[4]?
>>
   What am I missing?
>>
>>
>> Francois.
>
> I'm assuming what you're asking is how to get all the coefficients
> stored in a single array. This is probably not going to happen
> automatically for you using auto-managed ENVI widgets. At least
> that's my guess - I just don't see how you could. I think your
> solutions are going to be a) NOT auto-managing the widgets and writing
> an event handler yourself (note that this is NOT the same as not using
> ENVI widgets..you can still use wiget param without the /auto manage
> keyword), or b) writing some code that puts the coefficients
> individually stored in your 'out' structure into an array. Solution a
> is probably more elegant and better in the long run, and solution b
> is probably more of a "quick and dirty" fix.
> Hope that helps,
> Jeff
```

Or you can use a table widget... everything is store in one array! Jean