
Subject: Re: character class conversions
Posted by [jkj](#) on Thu, 11 Oct 2007 01:10:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Oct 10, 4:29 pm, jkj <ke...@vexona.com> wrote:

> Hi,
>
> I found a resolution to my obstacle but the initial problem makes me
> want to raise a question. I have two date/times expressed as
> YYYYMMDDHHMMSS and wanted to find the mid-point date/time, initially
> dividing their sum by "2.", giving me a double:
>
> % set btime "19000101000000"
> 19000101000000
> % set etime "21001231235959"
> 21001231235959
> % set mid_time [expr {(\$btime + \$etime) / 2.}]
> 2.0000666118e+13
>
> ...what I should have done was divide by "2"
> % set mid_time [expr (\$btime + \$etime) / 2]
> 20000666117979
>
> ...but I never did come to grips with how to convert the double to an
> integer and type-casting does not appear to be a friendly piece of
> Tcl? I found one post related to type-casting and it was rather
> involved with the poster providing five separate functions... isn't
> there a simple way to take "2.0000666118e+13" and convert it to the
> string "20000666117979"?
>
> I notice that
> "string is double \$mid_time" returns true for the double and
> "string is alnum \$mid_time" returns true for the integer,
> so it seems reasonable to think that Tcl provides some way of
> converting from the character class double to alnum - am I overlooking
> something simple?
>
> Thanks,
> -Kevin

Ooops! wrong board, eh??? :-)
must have hit "Back" on the browser too many times...
-Kevin

Subject: Re: character class conversions
Posted by [Bob\[3\]](#) on Thu, 11 Oct 2007 14:34:16 GMT

On Oct 10, 9:10 pm, jkj <ke...@vexona.com> wrote:

> On Oct 10, 4:29 pm, jkj <ke...@vexona.com> wrote:

>

>

>

>

>

>> Hi,

>

>> I found a resolution to my obstacle but the initial problem makes me
>> want to raise a question. I have two date/times expressed as
>> YYYYMMDDHHMMSS and wanted to find the mid-point date/time, initially
>> dividing their sum by "2.", giving me a double:

>

>> % set btime "19000101000000"

>> 19000101000000

>> % set etime "21001231235959"

>> 21001231235959

>> % set mid_time [expr {(\$btime + \$etime) / 2.}]

>> 2.0000666118e+13

>

>> ...what I should have done was divide by "2"

>> % set mid_time [expr (\$btime + \$etime) / 2]

>> 20000666117979

>

>> ...but I never did come to grips with how to convert the double to an
>> integer and type-casting does not appear to be a friendly piece of
>> Tcl? I found one post related to type-casting and it was rather
>> involved with the poster providing five separate functions... isn't
>> there a simple way to take "2.0000666118e+13" and convert it to the
>> string "20000666117979"?

>

>> I notice that

>> "string is double \$mid_time" returns true for the double and

>> "string is alnum \$mid_time" returns true for the integer,

>> so it seems reasonable to think that Tcl provides some way of

>> converting from the character class double to alnum - am I overlooking

>> something simple?

>

>> Thanks,

>> -Kevin

>

> Oops! wrong board, eh??? :-)

> must have hit "Back" on the browser too many times...

> -Kevin- Hide quoted text -

>

> - Show quoted text -

I think your bigger problem is figuring out what "20000666117979"
means as a YYYYMMDDHHMMSS date/time, regardless of language used.
