Subject: Re: question about paths/workspace Posted by Vince Hradil on Wed, 05 Dec 2007 19:12:18 GMT

View Forum Message <> Reply to Message

On Dec 5, 12:16 pm, "R.G. Stockwell" <noem...@please.com> wrote:

- > I have my idl code on a networked raided backedup drive,
- > but often take my laptop away from that network.

>

- So I have my path setup to look for the network first (drive H say)
- > then look on the laptop (drive C). It works pretty well.

>

- > If I put my 'workspace' on H, and am off the network,
- > I get 'workspace cannot be found' errors and it forces
- > me to create a new one.

>

- > Anyone have a good solution to using travelling workspaces?
- > I haven't really looked into the problem much yet, maybe it's
- > a stupid question with an obvious answer.

>

- > Cheers,
- > bob

Can you just create your workspace on the C-drive, but create projects from your remote (H) drive. The workspace won't copy the files from the H-drive, but just keep a reference to them.

Subject: Re: question about paths/workspace Posted by R.G.Stockwell on Wed, 05 Dec 2007 20:02:02 GMT View Forum Message <> Reply to Message

"Vince Hradil" <hradilv@yahoo.com> wrote in message news:5896e153-b4ef-4f90-882f-6848389bf05a@r60g2000hsc.google groups.com...

- > On Dec 5, 12:16 pm, "R.G. Stockwell" <noem...@please.com> wrote:
- >> I have my idl code on a networked raided backedup drive,
- >> but often take my laptop away from that network.

>>

- >> So I have my path setup to look for the network first (drive H say)
- >> then look on the laptop (drive C). It works pretty well.

>>

- >> If I put my 'workspace' on H, and am off the network,
- >> I get 'workspace cannot be found' errors and it forces
- >> me to create a new one.

>>

- >> Anyone have a good solution to using travelling workspaces?
- >> I haven't really looked into the problem much yet, maybe it's
- >> a stupid question with an obvious answer.

>>

```
>> Cheers,
>> bob
> Can you just create your workspace on the C-drive, but create projects
> from your remote (H) drive. The workspace won't copy the files from
> the H-drive, but just keep a reference to them.
```

Short answer, no. Not if I want to access my workspace from somewhere other than my laptop (which I often do). The C drive is only accessible from the laptop.

Cheers, bob

Subject: Re: question about paths/workspace Posted by Vince Hradil on Wed, 05 Dec 2007 21:38:07 GMT View Forum Message <> Reply to Message

```
On Dec 5, 2:02 pm, "R.G. Stockwell" <noem...@please.com> wrote:
> "Vince Hradil" <hrad...@yahoo.com> wrote in message
  news:5896e153-b4ef-4f90-882f-6848389bf05a@r60g2000hsc.google groups.com...
>
>
>
>
>> On Dec 5, 12:16 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>> I have my idl code on a networked raided backedup drive,
>>> but often take my laptop away from that network.
>
>>> So I have my path setup to look for the network first (drive H say)
>>> then look on the laptop (drive C). It works pretty well.
>
>>> If I put my 'workspace' on H, and am off the network,
>>> I get 'workspace cannot be found' errors and it forces
>>> me to create a new one.
>
>>> Anyone have a good solution to using travelling workspaces?
>>> I haven't really looked into the problem much yet, maybe it's
>>> a stupid question with an obvious answer.
>>> Cheers,
>>> bob
>> Can you just create your workspace on the C-drive, but create projects
>> from your remote (H) drive. The workspace won't copy the files from
>> the H-drive, but just keep a reference to them.
```

- > Short answer, no. Not if I want to access my workspace
- > from somewhere other than my laptop (which I often do).
- > The C drive is only accessible from the laptop.

>

- > Cheers,
- > bob

How about just making workspaces everywhere that point to the same projects? Isn't a workspace just a group of projects?

Subject: Re: question about paths/workspace
Posted by R.G.Stockwell on Wed, 05 Dec 2007 22:41:53 GMT
View Forum Message <> Reply to Message

```
"Vince Hradil" <hradilv@yahoo.com> wrote in message
news:ad45793c-59f1-4ce3-af1b-1562b8811b23@v4g2000hsf.googleg roups.com...
> On Dec 5, 2:02 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>> "Vince Hradil" <hrad...@yahoo.com> wrote in message
>>
   news:5896e153-b4ef-4f90-882f-6848389bf05a@r60g2000hsc.google groups.com...
>>
>>
>>
>>
>>> On Dec 5, 12:16 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>>> I have my idl code on a networked raided backedup drive,
>>>> but often take my laptop away from that network.
>>> So I have my path setup to look for the network first (drive H say)
>>>> then look on the laptop (drive C). It works pretty well.
>>
>>>> If I put my 'workspace' on H, and am off the network,
>>>> I get 'workspace cannot be found' errors and it forces
>>>> me to create a new one.
>>
>>> Anyone have a good solution to using travelling workspaces?
>>>> I haven't really looked into the problem much yet, maybe it's
>>> a stupid question with an obvious answer.
>>
>>>> Cheers,
>>>> bob
>>
>>> Can you just create your workspace on the C-drive, but create projects
>>> from your remote (H) drive. The workspace won't copy the files from
>>> the H-drive, but just keep a reference to them.
>>
>> Short answer, no. Not if I want to access my workspace
>> from somewhere other than my laptop (which I often do).
```

```
>> The C drive is only accessible from the laptop.
>> Cheers,
>> bob
> How about just making workspaces everywhere that point to the same > projects? Isn't a workspace just a group of projects?
```

We'll see how it goes. I am worried about pointing to a project that "isn't there", but I have not done that yet.

Cheers, bob

Subject: Re: question about paths/workspace Posted by Vince Hradil on Wed, 05 Dec 2007 23:07:16 GMT View Forum Message <> Reply to Message

```
On Dec 5, 4:41 pm, "R.G. Stockwell" <noem...@please.com> wrote:
> "Vince Hradil" <hrad...@yahoo.com> wrote in message
  news:ad45793c-59f1-4ce3-af1b-1562b8811b23@v4q2000hsf.googleg roups.com...
>
>
>> On Dec 5, 2:02 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>> "Vince Hradil" <hrad...@yahoo.com> wrote in message
>>> news:5896e153-b4ef-4f90-882f-6848389bf05a@r60g2000hsc.google groups.com...
>>> On Dec 5, 12:16 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>>> I have my idl code on a networked raided backedup drive,
>>>> but often take my laptop away from that network.
>>>> So I have my path setup to look for the network first (drive H say)
>>>> then look on the laptop (drive C). It works pretty well.
>>>> If I put my 'workspace' on H, and am off the network,
>>>> I get 'workspace cannot be found' errors and it forces
>>>> me to create a new one.
>>>> Anyone have a good solution to using travelling workspaces?
>>>> I haven't really looked into the problem much yet, maybe it's
>>>> a stupid question with an obvious answer.
>>>> > Cheers,
>>>> > bob
```

```
>>> Can you just create your workspace on the C-drive, but create projects
>>>> from your remote (H) drive. The workspace won't copy the files from
>>>> the H-drive, but just keep a reference to them.
>>> Short answer, no. Not if I want to access my workspace
>>> from somewhere other than my laptop (which I often do).
>>> The C drive is only accessible from the laptop.
>>> Cheers,
>>> bob
>> How about just making workspaces everywhere that point to the same
>> projects? Isn't a workspace just a group of projects?
> We'll see how it goes. I am worried about pointing to a project that
  "isn't there", but I have not done that yet.
> Cheers,
> bob
Well, I tried it. If the project "isn't there" I get an error that
the workspace is in use - pick another one. Oh, well that won't work
do all!
```

Subject: Re: question about paths/workspace Posted by Vince Hradil on Wed, 05 Dec 2007 23:15:02 GMT View Forum Message <> Reply to Message

```
On Dec 5, 5:07 pm, Vince Hradil <hrad...@yahoo.com> wrote:

> On Dec 5, 4:41 pm, "R.G. Stockwell" <noem...@please.com> wrote:

> 
> 
> "Vince Hradil" <hrad...@yahoo.com> wrote in message

> 
> news:ad45793c-59f1-4ce3-af1b-1562b8811b23@v4g2000hsf.googleg roups.com...

> 
> > On Dec 5, 2:02 pm, "R.G. Stockwell" <noem...@please.com> wrote:

>>>> "Vince Hradil" <hrad...@yahoo.com> wrote in message

> 
> 
> news:5896e153-b4ef-4f90-882f-6848389bf05a@r60g2000hsc.google groups.com...

> 
> > On Dec 5, 12:16 pm, "R.G. Stockwell" <noem...@please.com> wrote:

>>>> > > I have my idl code on a networked raided backedup drive,

>>>> > > but often take my laptop away from that network.
```

```
>>> >> So I have my path setup to look for the network first (drive H say)
>>> >> then look on the laptop (drive C). It works pretty well.
>>> >> If I put my 'workspace' on H, and am off the network,
>>> >> I get 'workspace cannot be found' errors and it forces
>>> >> me to create a new one.
>>> > Anyone have a good solution to using travelling workspaces?
>>> > I haven't really looked into the problem much yet, maybe it's
>>> >> a stupid question with an obvious answer.
>>>> >> Cheers,
>>>> >> bob
>>>> Can you just create your workspace on the C-drive, but create projects
>>>> > from your remote (H) drive. The workspace won't copy the files from
>>>> > the H-drive, but just keep a reference to them.
>>> Short answer, no. Not if I want to access my workspace
>>> from somewhere other than my laptop (which I often do).
>>>> The C drive is only accessible from the laptop.
>>>> Cheers,
>>> bob
>>> How about just making workspaces everywhere that point to the same
>>> projects? Isn't a workspace just a group of projects?
>> We'll see how it goes. I am worried about pointing to a project that
>> "isn't there", but I have not done that yet.
>> Cheers,
>> bob
> Well, I tried it. If the project "isn't there" I get an error that
> the workspace is in use - pick another one. Oh, well that won't work
> do all!
```

Wait a minute... It seem that the IDLDE process just didn't stop. I'm trying again. I'll let you know what happens.

It seems that the background process of "Analyzing code..." continues after I quit the IDLDE - I have a fairly large path, and it takes several minutes to "analyze", so during this testing I quit IDL before the background process was finished - That locks the IDLDE workspace. This is not acceptable. I think that 7.0.1 needs to have a "Analyzing code..." work-around. Oh for my command line and emacs...

Subject: Re: question about paths/workspace Posted by Vince Hradil on Wed, 05 Dec 2007 23:19:32 GMT

View Forum Message <> Reply to Message

```
On Dec 5, 5:15 pm, Vince Hradil <hrad...@yahoo.com> wrote:
> On Dec 5, 5:07 pm, Vince Hradil <a href="mailto:hrad...@yahoo.com">hradil <a href="mailto:hrad...@yahoo.com">hrad...@yahoo.com</a>
>
>
>> On Dec 5, 4:41 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>> "Vince Hradil" <hrad...@yahoo.com> wrote in message
>
>>> news:ad45793c-59f1-4ce3-af1b-1562b8811b23@v4q2000hsf.googleg roups.com...
>>> On Dec 5, 2:02 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>>> "Vince Hradil" <hrad...@yahoo.com> wrote in message
>>>> news:5896e153-b4ef-4f90-882f-6848389bf05a@r60g2000hsc.google groups.com...
>>> > On Dec 5, 12:16 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>>> > I have my idl code on a networked raided backedup drive,
>>>> > but often take my laptop away from that network.
>>> > So I have my path setup to look for the network first (drive H say)
>>>> > then look on the laptop (drive C). It works pretty well.
>>>> >> If I put my 'workspace' on H, and am off the network,
>>>> > I get 'workspace cannot be found' errors and it forces
>>>> > me to create a new one.
>>>> > Anyone have a good solution to using travelling workspaces?
>>>> > I haven't really looked into the problem much yet, maybe it's
>>>> > a stupid question with an obvious answer.
>>>> > Cheers,
>>>> > bob
>>>> > Can you just create your workspace on the C-drive, but create projects
>>>> > from your remote (H) drive. The workspace won't copy the files from
>>>> > the H-drive, but just keep a reference to them.
>>>> Short answer, no. Not if I want to access my workspace
>>>> from somewhere other than my laptop (which I often do).
>>>> The C drive is only accessible from the laptop.
>>>> Cheers.
>>>> bob
```

```
>>>> How about just making workspaces everywhere that point to the same
>>>> projects? Isn't a workspace just a group of projects?
>>> We'll see how it goes. I am worried about pointing to a project that
>>> "isn't there", but I have not done that yet.
>>> Cheers.
>>> bob
>> Well, I tried it. If the project "isn't there" I get an error that
>> the workspace is in use - pick another one. Oh, well that won't work
>> do all!
>
> Wait a minute... It seem that the IDLDE process just didn't stop. I'm
> trying again. I'll let you know what happens.
>
> It seems that the background process of "Analyzing code..." continues
> after I quit the IDLDE - I have a fairly large path, and it takes
> several minutes to "analyze", so during this testing I guit IDL before
> the background process was finished - That locks the IDLDE workspace.
> This is not acceptable. I think that 7.0.1 needs to have a "Analyzing
> code..." work-around. Oh for my command line and emacs...
```

The process is still there, with about 1/2 Mb virtual memory used, even though it seems the Analyzing code is done. I'm going to kill it and disconnect the remote drive. And test the workspace again.

Subject: Re: question about paths/workspace Posted by Vince Hradil on Wed, 05 Dec 2007 23:30:00 GMT View Forum Message <> Reply to Message

```
On Dec 5, 5:19 pm, Vince Hradil <a href="hrad...@yahoo.com">hrad:</a>
On Dec 5, 5:15 pm, Vince Hradil <a href="hrad...@yahoo.com">hrad:</a>
>
On Dec 5, 5:07 pm, Vince Hradil <a href="hrad...@yahoo.com">hrad:</a>
>
On Dec 5, 4:41 pm, "R.G. Stockwell" <a href="hrad:..@yahoo.com">hrad:..@yahoo.com</a> wrote:
>
>>> "Vince Hradil" <a href="hrad:..@yahoo.com">hrad:..@yahoo.com</a> wrote in message
>
>>> news:ad45793c-59f1-4ce3-af1b-1562b8811b23@v4g2000hsf.googleg roups.com...
>
>>> On Dec 5, 2:02 pm, "R.G. Stockwell" <a href="hrad:..@yahoo.com">noem...@please.com</a> wrote:
>>> >> "Vince Hradil" <a href="hrad:..@yahoo.com">hrad:..@yahoo.com</a> wrote in message
```

```
>>> > news:5896e153-b4ef-4f90-882f-6848389bf05a@r60g2000hsc.google groups.com...
>>> > On Dec 5, 12:16 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>> >> I have my idl code on a networked raided backedup drive,
>>> >> but often take my laptop away from that network.
>>> >> So I have my path setup to look for the network first (drive H say)
>>> >> then look on the laptop (drive C). It works pretty well.
>>> >> If I put my 'workspace' on H, and am off the network,
>>> >> I get 'workspace cannot be found' errors and it forces
>>> >> me to create a new one.
>
>>> >> Anyone have a good solution to using travelling workspaces?
>>> >> I haven't really looked into the problem much yet, maybe it's
>>> >> a stupid question with an obvious answer.
>>>> >> Cheers,
>>>> >> bob
>>> > Can you just create your workspace on the C-drive, but create projects
>>> > from your remote (H) drive. The workspace won't copy the files from
>>>> >> the H-drive, but just keep a reference to them.
>>> > Short answer, no. Not if I want to access my workspace
>>> >> from somewhere other than my laptop (which I often do).
>>>> >> The C drive is only accessible from the laptop.
>>>> >> Cheers,
>>>> >> bob
>>> > How about just making workspaces everywhere that point to the same
>>>> > projects? Isn't a workspace just a group of projects?
>>>> We'll see how it goes. I am worried about pointing to a project that
>>>> "isn't there", but I have not done that yet.
>>>> Cheers.
>>>> bob
>>> Well, I tried it. If the project "isn't there" I get an error that
>>> the workspace is in use - pick another one. Oh, well that won't work
>>> do all!
>
>> Wait a minute... It seem that the IDLDE process just didn't stop. I'm
>> trying again. I'll let you know what happens.
>> It seems that the background process of "Analyzing code..." continues
```

- >> after I quit the IDLDE I have a fairly large path, and it takes
- >> several minutes to "analyze", so during this testing I quit IDL before
- >> the background process was finished That locks the IDLDE workspace.
- >> This is not acceptable. I think that 7.0.1 needs to have a "Analyzing
- >> code..." work-around. Oh for my command line and emacs...

>

- > The process is still there, with about 1/2 Mb virtual memory used,
- > even though it seems the Analyzing code is done. I'm going to kill it
- > and disconnect the remote drive. And test the workspace again.

OK - here's what happened. I had left one of the remote files open in the editor, then exited (then I had to kill the IDLDE process, but that's another issue). Then I disconnected the remote drive and restarted IDLDE. I got an error that the source code did not exist and the remote project was closed. When I tried to open the remote project, it eventually timed-out saying that the .project file could not be found. I exited IDLDE - this time it took about 90 seconds to to "Save the workspace" - the dialog just stayed on my screen. When the dialog went away, the process did too. Then I reconnected the remote drive and re-started IDLDE. The remote project was closed, but I was able to open it.

So it looks like the "remote project" approach might work OK.

I'm still not too happy about the "Analyzing code...", though 8^\

```
Subject: Re: question about paths/workspace
Posted by R.G.Stockwell on Thu, 06 Dec 2007 01:02:01 GMT
View Forum Message <> Reply to Message
```

```
"Vince Hradil" <hradilv@yahoo.com> wrote in message
news:37b169a7-6dce-46e6-bea2-dfefb0d48ebc@a35g2000prf.google groups.com...
> On Dec 5, 5:19 pm, Vince Hradil <hrad...@yahoo.com> wrote:
>> On Dec 5, 5:15 pm, Vince Hradil <hrad...@yahoo.com> wrote:
>>
>>> On Dec 5, 5:07 pm, Vince Hradil <hrad...@yahoo.com> wrote:
>>
>>> On Dec 5, 5:07 pm, Vince Hradil <hrad...@yahoo.com> wrote:
>>
>>> On Dec 5, 4:41 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>
>>> > "Vince Hradil" <hrad...@yahoo.com> wrote in message
>>
>>> > news:ad45793c-59f1-4ce3-af1b-1562b8811b23@v4g2000hsf.googleg roups.com...
>>> > On Dec 5, 2:02 pm, "R.G. Stockwell" <noem...@please.com> wrote:
>>>> > "Vince Hradil" <hrad...@yahoo.com> wrote in message
```

```
>>
>>> > news:5896e153-b4ef-4f90-882f-6848389bf05a@r60g2000hsc.google groups.com...
>>
>>> > > On Dec 5, 12:16 pm, "R.G. Stockwell" <noem...@please.com>
>>>> > wrote:
>>> > >> I have my idl code on a networked raided backedup drive,
>>> > >> but often take my laptop away from that network.
>>
>>> > >> So I have my path setup to look for the network first (drive
>>>> > >> H say)
>>> > >> then look on the laptop (drive C). It works pretty well.
>>> > >> If I put my 'workspace' on H, and am off the network,
>>> > >> I get 'workspace cannot be found' errors and it forces
>>>> >>> me to create a new one.
>>
>>> > >> Anyone have a good solution to using travelling workspaces?
>>> > >> I haven't really looked into the problem much yet, maybe it's
>>> > >> a stupid question with an obvious answer.
>>
>>>> > >> Cheers.
>>>> > > bob
>>> > > Can you just create your workspace on the C-drive, but create
>>>> > > projects
>>> > > from your remote (H) drive. The workspace won't copy the
>>>> > > > files from
>>>> > > the H-drive, but just keep a reference to them.
>>
>>> > Short answer, no. Not if I want to access my workspace
>>> > > from somewhere other than my laptop (which I often do).
>>>> > The C drive is only accessible from the laptop.
>>
>>>> > Cheers.
>>>> > bob
>>> > How about just making workspaces everywhere that point to the
>>>> > same
>>> > projects? Isn't a workspace just a group of projects?
>>> > We'll see how it goes. I am worried about pointing to a project
>>>> > that
>>>> > "isn't there", but I have not done that yet.
>>
>>>> > Cheers.
>>>> > bob
>>
>>>> Well, I tried it. If the project "isn't there" I get an error that
```

```
>>>> the workspace is in use - pick another one. Oh, well that won't work
>>>> do all!
>>
>>> Wait a minute... It seem that the IDLDE process just didn't stop. I'm
>>> trying again. I'll let you know what happens.
>>
>>> It seems that the background process of "Analyzing code..." continues
>>> after I quit the IDLDE - I have a fairly large path, and it takes
>>> several minutes to "analyze", so during this testing I quit IDL before
>>> the background process was finished - That locks the IDLDE workspace.
>>> This is not acceptable. I think that 7.0.1 needs to have a "Analyzing"
>>> code..." work-around. Oh for my command line and emacs...
>>
>> The process is still there, with about 1/2 Mb virtual memory used,
>> even though it seems the Analyzing code is done. I'm going to kill it
>> and disconnect the remote drive. And test the workspace again.
>
> OK - here's what happened. I had left one of the remote files open in
> the editor, then exited (then I had to kill the IDLDE process, but
> that's another issue). Then I disconnected the remote drive and re-
started IDLDE. I got an error that the source code did not exist and
> the remote project was closed. When I tried to open the remote
> project, it eventually timed-out saying that the .project file could
> not be found. I exited IDLDE - this time it took about 90 seconds to
> to "Save the workspace" - the dialog just stayed on my screen. When
> the dialog went away, the process did too. Then I reconnected the
> remote drive and re-started IDLDE. The remote project was closed, but
> I was able to open it.
>
> So it looks like the "remote project" approach might work OK.
> I'm still not too happy about the "Analyzing code...", though 8^\
thanks for all the info!
Cheers.
bob
```