
Subject: Conversion Factor

Posted by [Marshad2](#) on Wed, 05 Dec 2007 21:36:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Guys:

I have the following scale factors for 50 bands.

```
"scale_factor"
0.10000000, 0.10000000, 0.10000000, 0.10000000, 0.10000000,
0.10000000,
0.10000000, 0.10000000, 0.10000000, 0.10000000, 0.01000000,
0.01000000,
0.01000000, 0.01000000, 0.01000000, 0.10000000, 0.01000000,
0.01000000,
0.01000000, 0.01000000, 0.01000000, 0.01000000, 0.01000000,
0.01000000,
0.01000000, 1.00000000, 0.00500000, 0.00600000, 0.00600000,
0.00600000,
0.00600000, 0.00600000, 0.00500000, 0.00100000, 0.00300000,
0.00600000,
0.00500000, 0.00500000, 0.00200000, 0.00100000, 0.00100000,
0.01000000,
0.01000000, 0.01000000, 0.01000000, 0.01000000, 0.01000000,
0.01000000,
0.01000000, 0.01000000
```

FLAASH atmospheric correction software requires radiance to be in microwatts/centimeter²/steradian/nanometer. Whereas, I have the radiance in watts/meter²/steradian/micron. What shall I do?

Best Regards,
