

---

Subject: Re: number of seconds since 1/1/1970  
Posted by [Jackel](#) on Tue, 14 Mar 1995 02:28:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

In article <1995Mar13.174212.23087@newsserver.rzrnn.uni-hannover.de>  
knipp@ipi.uni-hannover.de (K Knipp) writes:

> I need a function to convert any given date (not the actual one)  
> to the number of seconds elapsed since Jan 1st, 1970.

A while back I put together something like this. It does the same thing as the UNIX function "gmtime", which seems to be what you want. I'm including it below, please let me know if there are any problems.

```
; Brian Jackel, University of Western Ontario Jackel@Canlon.Physics.UWO.CA
; All comments/bug reports/suggestions cheerfully accepted
;+
; NAME: GMTIME
;
; PURPOSE: This function converts the time in seconds since
; January 1 1970 to something more useful.
;
; CATEGORY: Timing
;
; CALLING SEQUENCE: Result= GMTIME( Timeinseconds )
;
; INPUTS:
; Timeinseconds a scalar value or array containing the number of
; seconds since Jan 1 1970 (This should be a long
; integer) OR a structure or array of structures of
; type {GMTIME} (see below)
;
; KEYWORD PARAMETERS:
; ASCTIME If this keyword is set, then the returned value
; is a string (or array of strings) containing the
; time in standard format (see OUTPUTS).
;
;
; OUTPUTS: The default behaviour for this function is to return
; a structure of the form:
;
; {GMTime, sec:0B, ;seconds 0-59
; min:0B, ;minutes 0-59
; hour:0B, ;hours 0-23
; mday:0B, ;day of month 1-31
```

```

; mon:0B, ;month 0-11
; year:0, ;years since 1900
; wday:0B, ;day of week 0-6 ,Sunday is 0
; yday:0, ;day of year 0-356
; long_sec:0L} ;seconds since Jan 1 1970
;
; unless the keyword /ASCTIME was set, in which case the result will be
; of type string, with the form
;
;   Thu Jan 01 00:00:00 1970
;
; RESTRICTIONS: Won't work for negative times, ie. nothing before 1970.
; No attempt is made to correct for daylight savings time,
; or offset from UT.
;
; EXAMPLE:
; time0= SYSTIME(0) ;current time, date etc.
; time1= SYSTIME(1) ;time in seconds since Jan 1 1970
; gm= GMTIME( time1,/ASCTIME ) ;this should be within a second of
;   ;time0, NOT INCLUDING OFFSET FROM UT!
;
; MODIFICATION HISTORY: Brian Jackel March 27 1994
;   University of Western Ontario
;-

```

function GMTIME,Timeinseconds,ASCTIME=asctime

```

ON_ERROR,2
IF KEYWORD_SET(ASCTIME) THEN asctime=1 ELSE asctime=0

gm= {gmtime, sec:0B, min:0B, hour:0B, mon:0B, year:0, wday:0B, mday:0B, yday:0, long_sec:0L
}

siz= SIZE(Timeinseconds)
CASE siz(siz(0)+1) OF
0:MESSAGE,'Error- input value undefined'
1:MESSAGE,'Warning- input value was of type BYTE',/INFORMATIONAL
6:MESSAGE,'Error- input value was complex'
7:MESSAGE,'Error- input value was a string'
8:BEGIN
structname= TAG_NAMES(Timeinseconds,/STRUCT)
IF (structname EQ 'GMTIME') THEN BEGIN
  asctime=1
  gm= Timeinseconds
  goto,ASCTIME
ENDIF ELSE MESSAGE,'Error- input value was a structure, not of type GMTIME'
END

```

```

ELSE:dummy=0
ENDCASE

IF (siz(0) EQ 0) THEN gm={gmtime} ELSE $  

  gm= MAKE_ARRAY( DIMENSION= siz( 1:siz(0) ), VALUE=gm )

gm.long_sec= LONG(Timeinseconds)
;  

;Strip off hours, minutes, seconds, since the start of a day
;  

secondsunday= 86400L ;60 seconds/minute *60 minutes/hour *24 hours/day  

temp= gm.long_sec MOD secondsunday ;seconds since the start of a day  

gm.sec= temp MOD 60L  

temp= temp / 60L ;full minutes since the start of a day  

gm.min= temp MOD 60L  

gm.hour= temp / 60L ;full hours since the start of the day

;  

;Strip off days, months, years
;  

temp= gm.long_sec / secondsunday ;days since Jan 1 1970  

gm.wday= (temp+4) MOD 7 ;day of week (Jan 1 1970 was a Thursday=4)

daysin4years= 1461L ;3 regular years + 1 leap year = 365*3 + 366  

gm.year= 4 * FIX(temp / daysin4years) +70 ;70 years since 1900 plus however many 4 year  

blocks  

temp= temp MOD daysin4years ;days since the start of a 4 year period

w= WHERE( temp GE 365 ,nw ) ;first year in a block will always have 365 days  

IF (nw GT 0) THEN BEGIN ; ie. 1970, 1974, 1978..  

  gm(w).year= gm(w).year +1  

  temp(w)= temp(w) - 365

w= WHERE( temp GE 365 ,nw ) ;second year will also have 365 days  

IF (nw GT 0) THEN BEGIN ; ie. 1971, 1975, 1979...  

  gm(w).year= gm(w).year +1  

  temp(w)= temp(w) - 365

w= WHERE( temp GE 366 ,nw ) ;but third year will be a leap year,  

IF (nw GT 0) THEN BEGIN ; with 366 days  

  gm(w).year= gm(w).year +1 ; ie. 1972, 1976, 1980...  

  temp(w)= temp(w) - 366
ENDIF

ENDIF
ENDIF
gm.yday= temp ;number of days since January 1 of the current year (0 to 365)

```

```

daysinmonthlist= [31,28,31,30,31,30,31,31,30,31,30,31]
month= 0
daysinmonth= daysinmonthlist(month)
w= WHERE( temp GT daysinmonth ,nw )
WHILE (nw GT 0) DO BEGIN
    month= month+1
    temp(w)= temp(w)- daysinmonth
    gm(w).mon= month
    daysinmonth= daysinmonthlist(month)
    IF (month EQ 1) THEN daysinmonth= daysinmonth + ((gm.year MOD 4) EQ 0)
    w= WHERE( temp GT daysinmonth ,nw )
ENDWHILE
gm.mday= temp+1 ;day of the month (1 to 31)

```

```

ASCTIME: IF (asctime EQ 1) THEN BEGIN
IF (siz(0) EQ 0) THEN timestamp=' ' ELSE $
timestamp= MAKE_ARRAY( DIMENSION= siz( 1:siz(0) ), VALUE=' ' )
days= ['Sun','Mon','Tue','Wed','Thu','Fri','Sat']
months= ['Jan','Feb','Mar','Apr','May','Jun','Jul','Aug','Sep','Oct' , 'Nov','Dec']
timestamp= STRING(days(gm.wday),FORMAT="(A3)") + $
STRING(months(gm.mon),FORMAT="(X,A3)") + $
STRING(gm.mday,FORMAT="(X,I2.2)") + $
STRING(gm.hour,FORMAT="(X,I2.2,:)") + $
STRING(gm.min,FORMAT="(I2.2,:"))+ $
STRING(gm.sec,FORMAT="(I2.2)")+ $
STRING(gm.year+1900,FORMAT="(X,I4)" )
return,timestamp
ENDIF ELSE return,gm

```

END

---



---

Subject: Re: number of seconds since 1/1/1970  
 Posted by [chris](#) on Tue, 14 Mar 1995 03:03:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

K Knipp (knipp@ipi.uni-hannover.de) wrote:

.... to the number of seconds elapsed since Jan 1st, 1970.

Do you have JULDATE in your library? If not, mail me and I'll send it to you. Example:

secperday = 86400.d0

```
juldate,[1970,1,1,0,0.],before  
juldate,[1995,3,13,18,33.2],now ;18:33.2  
print,(now-before) * secperday
```

The times specified are Universal Times, (which differs from PST by 8 hours) but since you are taking differences, I don't think it should matter as long as both are specified the same.

-chris

---

---

---

Subject: Re: number of seconds since 1/1/1970  
Posted by [sterner](#) on Tue, 14 Mar 1995 15:17:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

knipp@ipi.uni-hannover.de (K Knipp) writes:

- > I'm sure it's in the libraries but I can't find it:
- > I need a function to convert any given date (not the actual one)
- > to the number of seconds elapsed since Jan 1st, 1970.

My IDL library has a routine called dt\_tm\_tojs (date and time to Julian Seconds) which converts a date and time to the number of seconds after 2000 Jan 1 0:00. A simple difference will give the value you need. Here is an example use:

```
js0 = dt_tm_tojs('1970 jan 1 0:00')  
sec = dt_tm_tojs('1990 mar 14 10:15')-js0  
print,sec  
6.3740970e+08
```

There is also the inverse, dt\_tm\_fromjs, which allows fairly flexible formatting of the result. Many other time related routines are available in this library. These are documented in the following web page:

<ftp://fermi.jhuapl.edu/www/s1r/idl/s1rlib/time/time.html>  
Information on obtaining the library is also on that page.

If you don't have web access (a very unfortunate circumstance) you can get the library as follows:

```
ftp fermi.jhuapl.edu  
login: anonymous  
password: enter your email address  
cd pub/idl  
get README  
bye
```

Follow the instructions in the README (~6.6k bytes) file to get the actual library. You may also want to get the one line description file cat.one (~30kb).

Ray Sterner                    sternер@tesla.jhuapl.edu  
The Johns Hopkins University    North latitude 39.16 degrees.  
Applied Physics Laboratory      West longitude 76.90 degrees.  
Laurel, MD 20723-6099  
WWW Home page: <ftp://fermi.jhuapl.edu/www/s1r/people/res/res.html>

---