
Subject: from 6.4 to 7.0

Posted by skymaxwell@gmail.com on Mon, 28 Jan 2008 22:01:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

hello, guys

i have widget application, written at idl 6.4. Now i want to port it to 7.0.

it's ok ...except string values of my buttons, menus etc in 7.0.

When i run my application in 7.0 i've got bad symbols like hieroglyphs :((

So what happened with strings in 7.0 ?

Subject: Re: from 6.4 to 7.0

Posted by chris_torrence@NOSPAM on Wed, 30 Jan 2008 19:39:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Jan 28, 3:01 pm, "skymaxw...@gmail.com" <skymaxw...@gmail.com> wrote:

> hello, guys

>

> i have widget application, written at idl 6.4. Now i want to port it

> to 7.0.

> it's ok ...except string values of my buttons, menus etc in 7.0.

> When i run my application in 7.0 i've got bad symbols like

> hieroglyphs :((

>

> So what happened with strings in 7.0 ?

Nothing changed for strings or widget programs between IDL6.4 and 7.0.

The only difference is the encoding used by the text editor. By default the IDL Workbench is set to use UTF-8 encoding for all text files. This works fine for most character sets, especially East Asian languages. However, it can cause problems for characters in some languages such as German.

To change the default encoding in the IDL Workbench, go under Window-> Preferences. Start typing in the word "encoding" in the filter box at the top of the dialog. It should filter the page list so you only see the General->Workspace preference page. Select this preference page. Then in the "Text file encoding", instead of UTF-8, try choosing ISO-8859-1.

You can also change this encoding for a specific file by right-clicking on the file in the Project Explorer, and choosing "Properties". But it's easier to change it for all files.

Hope this helps.
-Chris

Subject: Re: from 6.4 to 7.0
Posted by [R.Bauer](#) on Fri, 08 Feb 2008 09:36:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

Chris Torrence schrieb:

> On Jan 28, 3:01 pm, "skymaxw...@gmail.com" <skymaxw...@gmail.com>
> wrote:
>> hello, guys
>>
>> i have widget application, written at idl 6.4. Now i want to port it
>> to 7.0.
>> it's ok ...except string values of my buttons, menus etc in 7.0.
>> When i run my application in 7.0 i've got bad symbols like
>> hieroglyphs :((
>>
>> So what happened with strings in 7.0 ?
>
> Nothing changed for strings or widget programs between IDL6.4 and 7.0.
> The only difference is the encoding used by the text editor. By
> default the IDL Workbench is set to use UTF-8 encoding for all text
> files. This works fine for most character sets, especially East Asian
> languages. However, it can cause problems for characters in some
> languages such as German.

Well utf-8 is pretty fine with German too. Unfortunately older code before 7.0 was always written using iso-8859-1 *- and idl is not using utf-8 encoding.

It would be nice idl can support utf-8 too. A unicode string type on default would be great. I do like using signs like

independent from ö ä ü too

Btw. it is quite easy to add a line similiar to this to all of our scripts. It would be nice the workbench checks such a line and did set the right encoding then.

;-*- coding: iso-8859-1 *-

For the idl shell or the prompt I don't found a switch to set a different encoding.

cheers
Reimar

Subject: Re: from 6.4 to 7.0
Posted by [Paul Van Delst\[1\]](#) on Fri, 08 Feb 2008 13:52:23 GMT
[View Forum Message](#) <> [Reply to Message](#)
