Subject: Re: IDL7 content-assist - I want lower case Posted by David Fanning on Tue, 26 Feb 2008 15:51:52 GMT

View Forum Message <> Reply to Message

## Vince Hradil writes:

- > I like to have all lower case in my code (that's another debate). I
- > also like to use the "content-assist" (ctrl+space) to autocomplete my
- > keywords. However, if I use that, the keywords are upcased. I've
- > tried the setting all the "Window->Preferences->IDL->Editor-
- >> Formatting for content assist and code formatter" to lowercase for
- > all, but that doesn't do it. Any other ideas.

For all the \$@&%\$ choices you're given, I have noticed the Workbench chooses to ignore a surprising number of them. If someone would just show me how to get four spaces when I hit the TAB key, I would be happy. :-(

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: IDL7 content-assist - I want lower case Posted by Paul Van Delst[1] on Tue, 26 Feb 2008 17:09:06 GMT View Forum Message <> Reply to Message

David Fanning wrote:

> Vince Hradil writes:

>

- >> I like to have all lower case in my code (that's another debate). I
- >> also like to use the "content-assist" (ctrl+space) to autocomplete my
- >> keywords. However, if I use that, the keywords are upcased. I've
- >> tried the setting all the "Window->Preferences->IDL->Editor-
- >>> Formatting for content assist and code formatter" to lowercase for
- >> all, but that doesn't do it. Any other ideas.

>

- > For all the \$@&%\$ choices you're given, I have noticed
- > the Workbench chooses to ignore a surprising number of them.
- > If someone would just show me how to get four spaces when
- > I hit the TAB key, I would be happy. :-(

Maybe, for historical reasons[\*], all these Workbench Options are coded as "hints" that can then be ignored?

:o)

(ducking as the IDL v5.4 paper manuals are thrown...)

cheers,

paulv

[\*] widget sizing keywords, anyone? Like the documentation states: "This keyword is only a 'hint' to the toolkit and may be ignored in some situations."

Subject: Re: IDL7 content-assist - I want lower case Posted by Michael Galloy on Tue, 26 Feb 2008 18:59:26 GMT View Forum Message <> Reply to Message

On Feb 26, 8:38 am, Vince Hradil <a href="mailto:rad">hrad</a>...@yahoo.com> wrote:

- > I like to have all lower case in my code (that's another debate). I
- > also like to use the "content-assist" (ctrl+space) to autocomplete my
- > keywords. However, if I use that, the keywords are upcased. I've
- > tried the setting all the "Window->Preferences->IDL->Editor-

>

>> Formatting for content assist and code formatter" to lowercase for

>

> all, but that doesn't do it. Any other ideas.

I like lowercase as well. But that preference works for me.

IDL> print, !version { i386 darwin unix Mac OS X 7.0 Oct 25 2007 32 64}

Mike

--

www.michaelgalloy.com Tech-X Corporation Software Developer II

Subject: Re: IDL7 content-assist - I want lower case Posted by chris\_torrence@NOSPAM on Thu, 28 Feb 2008 17:48:30 GMT View Forum Message <> Reply to Message

I think Vince is talking about inserting keywords to functions/

procedures. Currently, these do not have a preference to control the case. But they should.

I'll add this to the list for the next Workbench update.

-Chris **ITTVIS**