Subject: Re: Simple question: promptusertext method Posted by David Fanning on Wed, 27 Feb 2008 21:52:12 GMT

View Forum Message <> Reply to Message

Selim.Ta@gmail.com writes:

```
> I'm a novice in IDL, so please bear with me. I want a procedure to
> display a prompt with a text field. From what I understand,
> promptusertext is the method I should use. This said, I can't get it
> to work properly. The prompt never displays and just registers the
> user's entry as 0. Here's my code:
> PRO ...
>
>
>
> obj = Obj_New("IDLitIMessaging")
> result = obj->promptusertext('...', answer, title='...')
>
>
 ...
>
> END
> What am I doing wrong?
If you are a novice IDL user, I seriously doubt you
```

are programming iTools. So I don't think IDLitIMessaging is what you want. :-)

Why don't you try something a great deal simpler. Here is a simple pop-up dialog that does what you want:

http://www.dfanning.com/programs/textbox.pro

You use it like this:

```
answer = TextBox(Label='What is your favorite color?', $
  Title='Type your favorite color', Cancel=cancelled)
IF cancelled THEN RETURN
```

You can read more about how it is created here:

http://www.dfanning.com/widget_tips/popup.html

Cheers,

David

David Fanning, Ph.D. Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming (www.dfanning.com)

Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: Simple question: promptusertext method Posted by Selim. Ta on Thu, 28 Feb 2008 17:58:15 GMT View Forum Message <> Reply to Message

```
On Feb 27, 2:52 pm, David Fanning <n...@dfanning.com> wrote:
> Selim...@gmail.com writes:
>> I'm a novice in IDL, so please bear with me. I want a procedure to
>> display a prompt with a text field. From what I understand,
>> promptusertext is the method I should use. This said, I can't get it
>> to work properly. The prompt never displays and just registers the
>> user's entry as 0. Here's my code:
>> PRO ...
>
>> ...
>> obj = Obj New("IDLitIMessaging")
>> result = obj->promptusertext('...', answer, title='...')
>
>> ...
>> END
>> What am I doing wrong?
>
> If you are a novice IDL user, I seriously doubt you
> are programming iTools. So I don't think IDLitIMessaging
  is what you want. :-)
>
> Why don't you try something a great deal simpler. Here
  is a simple pop-up dialog that does what you want:
>
>
    http://www.dfanning.com/programs/textbox.pro
>
  You use it like this:
    answer = TextBox(Label='What is your favorite color?', $
>
       Title='Type your favorite color', Cancel=cancelled)
>
```

IF cancelled THEN RETURN

```
>
  You can read more about how it is created here:
    http://www.dfanning.com/widget_tips/popup.html
>
>
  Cheers,
>
  David
> David Fanning, Ph.D.
> Fanning Software Consulting, Inc.
> Coyote's Guide to IDL Programming (www.dfanning.com)
> Sepore ma de ni thui. ("Perhaps thou speakest truth.")
Thank you very much, Mr. Fanning. I've been able to complete my
code :-).
Best,
Selim
```

Subject: Re: Simple question: promptusertext method Posted by Wasit.Weather on Fri, 29 Feb 2008 20:02:43 GMT View Forum Message <> Reply to Message

```
On Feb 27, 3:52 pm, David Fanning <n...@dfanning.com> wrote:

> Selim...@gmail.com writes:

>> I'm a novice in IDL, so please bear with me. I want a procedure to

>> display a prompt with a text field. From what I understand,

>> promptusertext is the method I should use. This said, I can't get it

>> to work properly. The prompt never displays and just registers the

>> user's entry as 0. Here's my code:

>> PRO ...

>> ...

>> obj = Obj_New("IDLitIMessaging")

>> result = obj->promptusertext('...', answer, title='...')

>> ...

>> END

>> What am I doing wrong?
```

> If you are a novice IDL user, I seriously doubt you > are programming iTools. So I don't think IDLitIMessaging > is what you want. :-) > Why don't you try something a great deal simpler. Here is a simple pop-up dialog that does what you want: > http://www.dfanning.com/programs/textbox.pro > > You use it like this: > answer = TextBox(Label='What is your favorite color?', \$ > Title='Type your favorite color', Cancel=cancelled) > IF cancelled THEN RETURN > > You can read more about how it is created here: Hi David, I tried that program TextBox. I can compile it but can no trun. Following is the error message. Attempt to call undefined procedure/function: 'TEXTBOX'. Execution halted at: \$MAIN\$ Did I miss something? Thanks! http://www.dfanning.com/widget_tips/popup.html > > Cheers, > David > > David Fanning, Ph.D. > Fanning Software Consulting, Inc. > Coyote's Guide to IDL Programming (www.dfanning.com) > Sepore ma de ni thui. ("Perhaps thou speakest truth.")- Hide quoted text -

Subject: Re: Simple question: promptusertext method Posted by Wasit. Weather on Fri, 29 Feb 2008 20:04:33 GMT View Forum Message <> Reply to Message

On Feb 27, 3:52 pm, David Fanning <n...@dfanning.com> wrote: > Selim...@gmail.com writes:

> - Show quoted text -

```
>> I'm a novice in IDL, so please bear with me. I want a procedure to
>> display a prompt with a text field. From what I understand,
>> promptusertext is the method I should use. This said, I can't get it
>> to work properly. The prompt never displays and just registers the
>> user's entry as 0. Here's my code:
>> PRO ...
>
>> ...
>
>> obj = Obj_New("IDLitIMessaging")
>> result = obj->promptusertext('...', answer, title='...')
>
>> ...
>
>> END
>> What am I doing wrong?
>
> If you are a novice IDL user, I seriously doubt you
> are programming iTools. So I don't think IDLitIMessaging
> is what you want. :-)
>
  Why don't you try something a great deal simpler. Here
  is a simple pop-up dialog that does what you want:
>
   http://www.dfanning.com/programs/textbox.pro
>
>
  You use it like this:
>
    answer = TextBox(Label='What is your favorite color?', $
>
       Title='Type your favorite color', Cancel=cancelled)
>
    IF cancelled THEN RETURN
  You can read more about how it is created here:
>
   http://www.dfanning.com/widget_tips/popup.html
>
>
 Cheers,
>
>
 David
> --
> David Fanning, Ph.D.
> Fanning Software Consulting, Inc.
> Coyote's Guide to IDL Programming (www.dfanning.com)
> Sepore ma de ni thui. ("Perhaps thou speakest truth.")- Hide quoted text -
```

> - Show quoted text -

Hi David,

When I run the TextBox program, I stopped saying

Attempt to call undefined procedure/function: 'TEXTBOX'.

Execution halted at: \$MAIN\$

Did I miss something?

Thanks!