
Subject: Re: Modification of Linestyle (dots, dashes too far apart)
Posted by [David Fanning](#) on Tue, 13 May 2008 22:42:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

catwiththat writes:

> I'm trying to plot contours where negative values are dotted or dashes
> lines. On my plots the dashes/dots are too far apart. Is there a way
> to customize the linestyle to have a denser pattern? IDL 6.3 (linux)

No, no way to do this in either direct or object graphics,
I don't believe.

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: Modification of Linestyle (dots, dashes too far apart)
Posted by [Michael Galloy](#) on Tue, 13 May 2008 23:03:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

On May 13, 4:28 pm, catwiththat <axel98...@yahoo.com> wrote:

> I'm trying to plot contours where negative values are dotted or dashes
> lines. On my plots the dashes/dots are too far apart. Is there a way
> to customize the linestyle to have a denser pattern? IDL 6.3 (linux)

This is possible in object graphics (check out C_LINestyle property in
IDLgrContour), but not in direct graphics. Warning: I've found using
IDLgrContour to be a bit of a pain. Check out David's article:

http://www.dfanning.com/oographics_tips/contour_obj5.html

By the way, the article should probably be updated: IDLgrContour does
allow contour lines to be labeled now (not sure what version that came
in).

Mike

--

www.michaelgalloy.com

Tech-X Corporation

Software Developer II

Subject: Re: Modification of Linestyle (dots, dashes too far apart)
Posted by [David Fanning](#) on Tue, 13 May 2008 23:26:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

mgalloy@gmail.com writes:

> This is possible in object graphics (check out C_LINestyle property in
> IDLgrContour), but not in direct graphics.

Oh, right. I didn't read that closely enough. :-(

> Warning: I've found using
> IDLgrContour to be a bit of a pain. Check out David's article:
>
> http://www.dfanning.com/ographics_tips/contour_obj5.html
>
> By the way, the article should probably be updated: IDLgrContour does
> allow contour lines to be labeled now (not sure what version that came
> in).

Yeah, that was written for IDL 5.0, I believe. It's probably
time for an upgrade. But so few people actually use object
graphics for contouring that I haven't been highly motivated.

Cheers,

David

--

David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: Modification of Linestyle (dots, dashes too far apart)
Posted by [catwithhat](#) on Tue, 13 May 2008 23:57:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks.... ... not sure if I'm going to venture into this... maybe
I'll try the iContour thingy. That seems to allow modification of the
bit pattern too.

axel

On May 13, 4:26 pm, David Fanning <n...@dfanning.com> wrote:
> mgal...@gmail.com writes:
>> This is possible in object graphics (check out C_LINestyle property in
>> IDLgrContour), but not in direct graphics.

>
> Oh, right. I didn't read that closely enough. :-(
>
>> Warning: I've found using
>> IDLgrContour to be a bit of a pain. Check out David's article:
>
>> http://www.dfanning.com/ographics_tips/contour_obj5.html
>
>> By the way, the article should probably be updated: IDLgrContour does
>> allow contour lines to be labeled now (not sure what version that came
>> in).
>
> Yeah, that was written for IDL 5.0, I believe. It's probably
> time for an upgrade. But so few people actually use object
> graphics for contouring that I haven't been highly motivated.
>
> Cheers,
>
> David
> --
> David Fanning, Ph.D.
> Fanning Software Consulting, Inc.
> Coyote's Guide to IDL Programming:<http://www.dfanning.com/>
> Sepore ma de ni thui. ("Perhaps thou speakest truth.")
