Subject: Re: polyfill with transparent colors Posted by David Fanning on Fri, 13 Jun 2008 19:18:02 GMT View Forum Message <> Reply to Message

cgoethel@igpp.ucla.edu writes:

- > I have a linear plot that I would like to draw a polygon on top of,
- > but still be able to see the underlying plot. Currently, the polygon
- > is drawn on top of the existing plot, but the color is not transparent
- > so you cannot see the data that is below the polygon. I cannot draw
- > the polygon first and then redraw the plot using oplot (the routine to
- > draw the plot is not mine, complex, so can't be modified to use oplot
- > rather than plot). Any suggestions?

Roll your own alpha channel image. Here is an example of how you can do it. You will need a couple of Coyote Library programs to run the code:

http://www.dfanning.com/programs/coyoteprograms.zip

```
Cheers.
David
PRO Transparent_Polygon
 ; Create some data.
 signal = LoadData(1)
 time = Findgen(N_Elements(signal)) * 6.0 / N_Elements(signal)
 ; Create some windows.
 Window, Title='Data Window', XSIZE=400, YSIZE=400, /FREE
 dataWin = !D.Window
 Window, XSIZE=400, YSIZE=400, /FREE, /PIXMAP
 pixmapWin = !D.Window
 ; Draw plot in data window.
 WSet, dataWin
 Plot, time, signal, BACKGROUND=FSC Color('ivory'), $
   COLOR=FSC Color('navy'), $
   /NODATA, XTitle='Time', YTitle='Signal Strength'
 OPLOT, time, signal, THICK=2, COLOR=FSC Color('cornflower blue')
 OPLOT, time, signal, PSYM=2, COLOR=FSC_Color('olive')
 ; Take a snapshot.
 win1 = TVREAD(TRUE=3)
```

; Copy data window and draw a polygon in the pixmap window. WSet. pixmapWin DEVICE, COPY=[0,0,400, 400, 0, 0, dataWin] POLYFILL, [0.3, 0.65, 0.5, 0.25, 0.30], \$ [0.27, 0.32, 0.75, 0.62, 0.27], /NORMAL, \$ COLOR=FSC_COLOR('deep pink') ; Take a snapshot of this window, then delete it. win2 = TVREAD(TRUE=3)WDelete, pixmapWin ; Use a half-transparent alpha. alpha = 0.5Window, Title='Transparent Window', XSIZE=400, YSIZE=400, /FREE TV, (win2 * alpha) + (1 - alpha) * win1, TRUE=3 **END** David Fanning, Ph.D. Fanning Software Consulting, Inc. Coyote's Guide to IDL Programming: http://www.dfanning.com/ Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: polyfill with transparent colors
Posted by David Fanning on Fri, 13 Jun 2008 20:43:51 GMT
View Forum Message <> Reply to Message

cgoethel@igpp.ucla.edu writes:

- > I have a linear plot that I would like to draw a polygon on top of,
- > but still be able to see the underlying plot. Currently, the polygon
- > is drawn on top of the existing plot, but the color is not transparent
- > so you cannot see the data that is below the polygon. I cannot draw
- > the polygon first and then redraw the plot using oplot (the routine to
- > draw the plot is not mine, complex, so can't be modified to use oplot
- > rather than plot). Any suggestions?

Here is an article that describes the technique:

http://www.dfanning.com/code_tips/transpoly.html

Cheers,

David

--

David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: http://www.dfanning.com/
Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: polyfill with transparent colors Posted by Mike[2] on Fri, 20 Jun 2008 15:42:53 GMT View Forum Message <> Reply to Message

On Jun 13, 3:18 pm, David Fanning <n...@dfanning.com> wrote:

> Roll your own alpha channel image.

Here's a similar thing I wrote a while back to add color washes to ROIs drawn on images. As with all codes that don't reinvent too many wheels, it relies on the Coyote Library too :-)

http://mypage.iu.edu/~mmiller3/IDL/polywash.html

Mike

Subject: Re: polyfill with transparent colors Posted by Richard French on Fri, 27 Jun 2008 03:12:17 GMT View Forum Message <> Reply to Message

On 6/20/08 11:42 AM, in article 0dad533c-5574-4ad8-8ad1-e34c442ae17a@c65g2000hsa.googlegroups.com, "Mike" <Michael.Miller5@gmail.com> wrote:

- > On Jun 13, 3:18 pm, David Fanning <n...@dfanning.com> wrote:
- >> Roll your own alpha channel image.
- > Here's a similar thing I wrote a while back to add color washes to
- > ROIs drawn on images. As with all codes that don't reinvent too many
- > wheels, it relies on the Coyote Library too :-)
- > http://mypage.iu.edu/~mmiller3/IDL/polywash.html
- > Mike

>

>

Mike - your posted version of polywash.pro does not have the BACKGROUND keyword present in the definition line for the procedure.

Page 4 of 4 ---- Generated from comp.lang.idl-pvwave archive