
Subject: Re: appending to column

Posted by [Michael Galloy](#) on Wed, 16 Jul 2008 16:17:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Jul 16, 10:02 am, d.po...@gmail.com wrote:

> Folks

> I have a float array that first column is the integer part and second
> column is the decimal part of that number. How I can append this to
> column to get one column of that float number. For example:

>

> [123,456]-----> 123.456

>

> Thanks

> Cheers

Like this?

```
IDL> d = long(1000 * randomu(seed, 2, 10))
```

```
IDL> print, d
```

```
895      528
```

```
34       183
```

```
877      169
```

```
614      604
```

```
205      789
```

```
537      526
```

```
413      360
```

```
643      687
```

```
360      881
```

```
512      874
```

```
IDL> print, d[0, *] + d[1, *] / (10. ^ (long(alog10(d[1, *])) + 1))
```

```
895.528
```

```
34.1830
```

```
877.169
```

```
614.604
```

```
205.789
```

```
537.526
```

```
413.360
```

```
643.687
```

```
360.881
```

```
512.874
```

Mike

--

www.michaelgalloy.cm

Tech-X Corporation

Software Developer II

Subject: Re: appending to column
Posted by [Spon](#) on Wed, 16 Jul 2008 16:18:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Jul 16, 5:02 pm, d.po...@gmail.com wrote:

> Folks
> I have a float array that first column is the integer part and second
> column is the decimal part of that number. How I can append this to
> column to get one column of that float number. For example:
>
> [123,456]-----> 123.456
>
> Thanks
> Cheers

Well, assuming you have the same number of significant figures in each element:

Values = Array[0,*] + Array[1,*]/1000.0

Regards,
Chris

Subject: Re: appending to column
Posted by [R.G. Stockwell](#) on Wed, 16 Jul 2008 16:20:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

<d.poreh@gmail.com> wrote in message
news:c09c9b8a-35a7-41d7-9088-7bce01762053@x35g2000hsb.google groups.com...

Folks

I have a float array that first column is the integer part and second column is the decimal part of that number. How I can append this to column to get one column of that float number. For example:

[123,456]-----> 123.456

Thanks
Cheers

Here is an example:

```
IDL> print,a
  0   1
  2   3
  4  311
```

```
IDL> print,a[0,*] +
float(a[1,*])/10^strlen(strcompress(string(a[1,*]),/rem))
0.100000
2.30000
4.31100
```

Cheers,
bob

Subject: Re: appending to column
Posted by [David Fanning](#) on Wed, 16 Jul 2008 16:30:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

R.G. Stockwell writes:

```
> <d.poreh@gmail.com> wrote in message
> news:c09c9b8a-35a7-41d7-9088-7bce01762053@x35g2000hsb.google groups.com...
> Folks
> I have a float array that first column is the integer part and second
> column is the decimal part of that number. How I can append this to
> column to get one column of that float number. For example:
>
> [123,456]-----> 123.456
```

```
> Thanks
> Cheers
>
>
> Here is an example:
```

```
>
> IDL> print,a
>    0    1
>    2    3
>    4   311
> IDL> print,a[0,*] +
> float(a[1,*])/10^strlen(strcompress(string(a[1,*]),/rem))
>    0.100000
>    2.30000
>    4.31100
```

Alright, these explanations don't exactly leap to mind for me.
Which math class was I suppose to learn this in? :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: appending to column

Posted by [d.poreh](#) on Wed, 16 Jul 2008 16:43:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Jul 16, 6:30 pm, David Fanning <n...@dfanning.com> wrote:

> R.G. Stockwell writes:

>> <d.po...@gmail.com> wrote in message

>> news:c09c9b8a-35a7-41d7-9088-7bce01762053@x35g2000hsb.google groups.com...

>> Folks

>> I have a float array that first column is the integer part and second

>> column is the decimal part of that number. How I can append this to

>> column to get one column of that float number. For example:

>

>> [123,456]-----> 123.456

>>

>> Thanks

>> Cheers

>

>> Here is an example:

>

>> IDL> print,a

>> 0 1

>> 2 3

>> 4 311

>> IDL> print,a[0,*] +

>> float(a[1,*])/10^strlen(strcompress(string(a[1,*]),/rem))

>> 0.100000

>> 2.30000

>> 4.31100

>

> Alright, these explanations don't exactly leap to mind for me.

> Which math class was I suppose to learn this in? :-(

>

> Cheers,

>

> David

> --

> David Fanning, Ph.D.

> Fanning Software Consulting, Inc.

> Coyote's Guide to IDL Programming:<http://www.dfanning.com/>

> Sepore ma de ni thui. ("Perhaps thou speakest truth.")

yes

thanks. I should also go more math class!:-)

Cheers

Dave

Subject: Re: appending to column

Posted by [David Fanning](#) on Wed, 16 Jul 2008 17:06:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

mgalloy@gmail.com writes:

> print, d[0, *] + d[1, *] / (10. ^ (long(alog10(d[1, *])) + 1))

Duh! Ok, nice. I've put this in my power user's toolkit now.

Could come in handy some day for a couple of other things. :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: appending to column

Posted by [Jean H.](#) on Wed, 16 Jul 2008 17:20:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
>> IDL> print,a
```

```
>>    0    1
```

```
>>    2    3
```

```
>>    4   311
```

```
>> IDL> print,a[0,*] +
```

```
>> float(a[1,*])/10^strlen(strcompress(string(a[1,*]),/rem))
```

```
>>    0.100000
```

```
>>    2.300000
```

```
>>    4.311000
```

```
>
```

> Alright, these explanations don't exactly leap to mind for me.

> Which math class was I suppose to learn this in? :-)

```
>
```

> Cheers,
> David

division by 10, by 100 by 1000... hum.... too far back in time to remember when we learn it! :)

- 1) get the number of digits for the decimal part
- 2) divide the decimals by 10 power to the number of digits(-> 10,100,1000 etc) so that $0 \leq \text{result} < 1.0$
- 3) add it to the integer part

Jean

Subject: Re: appending to column
Posted by [Jean H.](#) on Wed, 16 Jul 2008 17:27:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
> IDL> print,a
>   0   1
>   2   3
>   4  311
> IDL> print,a[0,*] +
> float(a[1,*])/10^strlen(strcompress(string(a[1,*]),/rem))
>   0.100000
>   2.30000
>   4.31100
>
>
> Cheers,
> bob
```

While using strings, we can make it more efficiently. There is no need to do any division, get the length or anything:

```
IDL> help, 1 + float('0.'+strtrim(234,2))
<Expression>  FLOAT = 1.23400
```

Jean

Subject: Re: appending to column
Posted by [R.G. Stockwell](#) on Wed, 16 Jul 2008 23:17:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

"David Fanning" <news@dfanning.com> wrote in message
news:MPG.22e7d00f5c02361998a3f0@news.frii.com...

```
...
>> IDL> print,a
>>    0    1
>>    2    3
>>    4   311
>> IDL> print,a[0,*] +
>> float(a[1,*])/10^strlen(strcompress(string(a[1,*]),/rem))
>>    0.100000
>>    2.30000
>>    4.31100
>
> Alright, these explanations don't exactly leap to mind for me.
> Which math class was I suppose to learn this in? :-)
```

lol, sorry. I replied with a quick answer, then at the last second changed the post to handle an arbitrary length of digits. For some reason, counting the number digits jumped into my mind first, and apparently I have found the least best algorithm for solving this particular problem. Is there a prize for most obfuscated solution?

Cheers,
bob

PS changing a post at the last second is always a bad idea.
PPS 'least best' sounds better than 'worst', imho.
