
Subject: Re: envi_get_roi_data

Posted by [jeffnettles4870](#) on Sat, 30 Aug 2008 20:46:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Aug 30, 3:06 am, "skymaxw...@gmail.com" <skymaxw...@gmail.com> wrote:

> Good day

>

> i did exercise from ENVI Programming documentation with ROI. from

> ENVI i create 4 different ROIs.

> then i use ENVI_GET_ROI_DATA function i get values of my ROI pixels, i

> printed it

> for check i use ENVI and use cursor/location option....

>

> why values are different ? does ENVI_GET_ROI_DATA use some

> interpolation algorithm?

Did you check to make sure you were handling your indices the right way? ENVI routines like ENVI_GET_ROI_DATA will use zero-based indices, while in the ENVI GUI (ie, the cursor location/value tool) one-based indices are used.

Subject: Re: envi_get_roi_data

Posted by [skymaxwell@gmail.com](#) on Sun, 31 Aug 2008 13:05:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Aug 31, 12:46 am, "Jeff N." <jeffnettles4...@gmail.com> wrote:

> On Aug 30, 3:06 am, "skymaxw...@gmail.com" <skymaxw...@gmail.com>

> wrote:

>

>> Good day

>

>> i did exercise from ENVI Programming documentation with ROI. from

>> ENVI i create 4 different ROIs.

>> then i use ENVI_GET_ROI_DATA function i get values of my ROI pixels, i

>> printed it

>> for check i use ENVI and use cursor/location option....

>

>> why values are different ? does ENVI_GET_ROI_DATA use some

>> interpolation algorithm?

>

> Did you check to make sure you were handling your indices the right

> way? ENVI routines like ENVI_GET_ROI_DATA will use zero-based

> indices, while in the ENVI GUI (ie, the cursor location/value tool)

> one-based indices are used.

yes, i know about it.

now, i faced with problem.

i use following syntax:

```
roi_ids=ENVI_GET_ROI_IDS(NS=ns,NL=nl,ROI_NAMES=roi_names,/SHORT_NAME)
```

in first runtime i have size of roi_names = 4, the same for roi_ids

second runtime size of roi_names = 8, the same with roi_ids.

why data is appended to roi_names and roi_ids ????

Subject: Re: envi_get_roi_data

Posted by [devin.white](#) on Sun, 31 Aug 2008 15:18:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Aug 31, 9:05 am, "skymaxw...@gmail.com" <skymaxw...@gmail.com> wrote:

> On Aug 31, 12:46 am, "Jeff N." <jeffnettles4...@gmail.com> wrote:

>

>

>

>

>

>> On Aug 30, 3:06 am, "skymaxw...@gmail.com" <skymaxw...@gmail.com>

>> wrote:

>

>>> Good day

>

>>> i did exercise from ENVI Programming documentation with ROI. from

>>> ENVI i create 4 different ROIs.

>>> then i use ENVI_GET_ROI_DATA function i get values of my ROI pixels, i

>>> printed it

>>> for check i use ENVI and use cursor/location option....

>

>>> why values are different ? does ENVI_GET_ROI_DATA use some

>>> interpolation algorithm?

>

>> Did you check to make sure you were handling your indices the right

>> way? ENVI routines like ENVI_GET_ROI_DATA will use zero-based

>> indices, while in the ENVI GUI (ie, the cursor location/value tool)

>> one-based indices are used.

>

> yes, i know about it.

>

> now, i faced with problem.

>

```

> i use following syntax:
>
> roi_ids=ENVI_GET_ROI_IDS(NS=ns,NL=nl,ROI_NAMES=roi_names,/SHORT_NAME)
>
> in first runtime i have size of roi_names = 4, the same for roi_ids
> second runtime size of roi_names = 8, the same with roi_ids.
>
> why data is appended to roi_names and roi_ids ????- Hide quoted text -
>
> - Show quoted text -

```

If your program includes a step where you are defining ROIs, then you most likely ran the program twice in the same ENVI session without cleaning up the ROIs created during the first run. You can check this by loading the image you are working with to a display, then open the ROI tool for that display. You'll likely see the same set of ROIs listed twice. To get around this, one approach would be to make sure that no ROIs are associated with your image prior to creating new ones. You can put these lines at the beginning of your program, right after you obtain the FID for the image you are working with:

```

roi_ids = envi_get_roi_ids(fid=fid)
envi_delete_rois, roi_ids

```

Any ROIs associated with the image will be deleted, so you can start with a clean slate. As for the differences in retrieved data values, keep in mind that data are returned in an array that has an array of 1D image coordinate addresses associated with it (returned through the ADDR keyword to ENVI_GET_ROI_DATA). You should convert these 1D coordinates to 2D if you want to check to make sure that the correct data are being returned. To do this:

```

roi_ids = envi_get_roi_ids(fid=fid)
;as an example, retrieve data from first ROI in the list
roi_data = envi_get_roi_data(roi_ids[0], fid=fid, addr=addr)
;get number of samples in the image
envi_file_query, fid, ns=ns
;calculate 1-based coordinates for interactive evaluation in Cursor
Location/Value tool
roi_x_coords = (addr mod ns) + 1
roi_y_coords = (addr/ns) + 1

```

And no, ENVI_GET_ROI_DATA does not do any kind of interpolation. The only data retrieval routine that does that is ENVI_GET_DATA--and only when you specify X/Y scale factors that are not 1.0.