Subject: Re: [Q] Using a macintosh as a X terminal for IDL Posted by lan E. Sprod on Fri, 28 Apr 1995 07:00:00 GMT

View Forum Message <> Reply to Message

carton@jhunix.hcf.jhu.edu (John C Carton) wrote:

>

> Is anyone using a macintosh computer as a X terminal for IDL?

Yes I use MacX version 1.1.7 (don't use 1.2 or IDL will cause MacX to hang).

> What software do you use, and what settings do you use on the UNIX side?

I use IDL on the UNIX side with the DISPLAY environment variable set to be the IP address of the Mac with window number 0.2 (not 0.0 as you might expect).

- > (ie. do you have to set IDL_DEVICE to the X terminal address or do any
- > settings regarding the color tables)

Color is 8-bit only. No other problems except gross flashing of screen colors as the Mac switches from the system color table to the X device color table.

>

> Thanks in advance,

>

> John Carton

>

>

Ian E. Sprod

Subject: Re: [Q] Using a macintosh as a X terminal for IDL Posted by rivers on Sat, 29 Apr 1995 07:00:00 GMT

View Forum Message <> Reply to Message

In article <3nrchb\$drr@jhunix.hcf.jhu.edu>, carton@jhunix.hcf.jhu.edu (John C Carton) writes:

- > Is anyone using a macintosh computer as a X terminal for IDL?
- > What software do you use, and what settings do you use on the UNIX side?
- > (ie. do you have to set IDL_DEVICE to the X terminal address or do any
- > settings regarding the color tables)

>

We use eXodus on the Mac. We don't use any special settings in IDL. There are a variety of settings which need to be set inside eXodus, but most are "personal"

preferences" and not critical.

Mark Rivers (312) 702-2279 (office)
CARS (312) 702-9951 (secretary)
Univ. of Chicago (312) 702-5454 (FAX)
5640 S. Ellis Ave. (708) 922-0499 (home)

Chicago, IL 60637 rivers@cars3.uchicago.edu (Internet)