Subject: question relating to FFT

Posted by Hu on Mon, 02 Mar 2009 18:26:59 GMT

View Forum Message <> Reply to Message

Hi, there

I try to use FFT function to smooth a curve (an array), and the code is like this:

FUNCTION FOURIER, ARRAY ;*****FAST FOURIER FLITER FILTER=1.0/(1.0+DIST(152)/4.0)^2 newARRAY=FFT(FFT(ARRAY,-1)*FILTER,1) RETURN, newARRAY END

when I got an array X (has 152 elements) and use this function like:

Y = FOURIER(X)

I got an result Y with 152 elements, but all the elements are complex number, but How can I got an array filled with regular number, not complex number?

I mean, I want to use the result to calculate regression relationship with other array.

Subject: Re: question relating to FFT Posted by R.G. Stockwell on Wed, 04 Mar 2009 21:12:59 GMT View Forum Message <> Reply to Message

"Hu" <jhaohu@gmail.com> wrote in message
news:65755654-c680-4de8-b611-6b75ace9fa75@n20g2000vba.google groups.com...
> Hi, there
> I try to use FFT function to smooth a curve (an array), and the code
> is like this:
>
> FUNCTION FOURIER,ARRAY;*****FAST FOURIER FLITER
> FILTER=1.0/(1.0+DIST(152)/4.0)^2
> newARRAY=FFT(FFT(ARRAY,-1)*FILTER,1)
> RETURN,newARRAY
> END
> when I got an array X (has 152 elements) and use this function like:
> Y = FOURIER(X)

- > I got an result Y with 152 elements, but all the elements are complex
- > number, but How can I got an array filled with regular number, not
- > complex number?

>

- > I mean, I want to use the result to calculate regression relationship
- > with other array.

There are many issues here.

Filter is 2D (152 by 152), array is 1D (152) and the function could have a better name:)

First of all, FFTs are complex.

To filter a real valued signal in the fourier domain, you need to ensure you filter is symmetric (and conjugate) about the origin. (where positive frequencies come first, followed by the negative frequencies) It seems that the above code approximates that, although I don't know if that is by design or by luck.

Then your result will be a complex variable, with all zeros (approx) in your imaginary component.

You should check for that and flag an error if that is not true.

Lasly, DIST is a terrible filter. Even with the unusual use of IDL matrix multiplication rules.

Check out the digitil_filter routines in IDL.

Cheers, bob