## Subject: Re: faster then where possible? Posted by Jean H. on Thu, 07 May 2009 16:42:28 GMT

View Forum Message <> Reply to Message

```
rogass@googlemail.com wrote:
> Hi,
> i'm searching for some alternative approaches to compute the following
> "much" faster:
> -> matrix1 has m columns and n rows, matrix2 has 2 columns and n rows
> -> the values in matrix2 are NOT in matrix1, but within the min-max-
> range of matrix1
>
> szm1=size(matrix1,/dimensions)
> szm2=size(matrix2,/dimensions)
> index={ind:ptr_new()}
> indices=replicate(index,szm2[1])
>
> for j=0ull,szm1[1] do begin
    helpindex= where(matrix1[*,j] ge matrix2[0,j] and matrix1[*,j] le
> matrix2[1,j],c)
    if c at 0 then begin
>
        indices[i] = ptr_new(uintarr(c))
>
        (*indices)[i]=helpindex
>
    endif else continue
>
 endfor
>
> It seems to be a typical Nearest-Neighbor-Problem, but all alternative
> approaches I tried were always slower. Maybe someone here has a good
> idea?
> Thank you and best regards
 Christian
>
Hi,
if you have enough memory, you could do something like this (not tested):
minArray = rebin(matrix2[0,*], n_elements(matrix1[*,0],
n elements(matrix1[0,*]))
maxArray = rebin(matrix2[1,*], n_elements(matrix1[*,0],
n_elements(matrix1[0,*]))
goodldx = where (matrix2 lt minArray and matrix2 gt minarray)
then you just have to transform the index so they match each row
```

Subject: Re: faster then where possible?

Posted by rogass on Fri, 08 May 2009 09:12:02 GMT

View Forum Message <> Reply to Message

Dear Jean,

good idea, but unfortunately it is much slower (20 times) in my specific case (spectral resampling routine). But thank you!

Any other ideas? Maybe some triangulation magic for getting nearest neighbor? :)

Best regards

Christian