
Subject: Problems on the Savitzky-Golay smoothing filter

Posted by [mengran](#) on Wed, 20 May 2009 10:59:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,everybody,

I have got a annoying problem about the implementing the Savitzky-Golay filter to smooth the time series RS data in the IDL. Actually, I know the function of the Savitzky-Golay filter in IDL is SAVGOL. But the question is the result I got is either a horizon line or the same as the original line(In other words, the filter seems not to work at all), when I changed the parameters of the SAVGOL function. (when the DEGREE = NL + NR(PARA OF THE SAVGOL FUNCTION), THE RESULT IS THE SAME AS THE ORIGINAL, OTHERWISE, THE RUSULT IS A HORISON LINE)

My pro is as follows. The class1 to class9 from txt files are the samples of the time series RS data.

Is there sth wrong with my code ? Or the RS data that I used is not appropriate for the Savitzky-Golay filter, and I take a wrong method to smooth data ? I need your suggestions, thanks a lot !

PRO Savgol_example

```
;RESTORE, 'C:\WorkSpace\Default\myPlotTemplate.sav'
rootPath = 'C:\WorkSpace\Default\class'

n = 1 & filename = strarr(9)
for i = 0, 8 do begin

    filename[i] = strjoin([rootPath, strtrim(n, 2), '.txt'])
    n++

endfor
for i = 0,8 do begin

    plotTemplate = ASCII_TEMPLATE(filename[1])
    y1 = READ_ASCII(filename[1], TEMPLATE = plotTemplate, COUNT =
$          count,NUM_RECORDS = 46 )
    x = indgen(46)
    iPlot,x,y1.FIELD1, NAME = 'Original Curve', $
    COLOR=[255, 0, 0], SYM_INDEX = 4, yrange = [0,+8000], VIEW_TITLE =
strmid(filename[1], 21, 6)
    void = ITGETCURRENT(Tool=oTool)
    void = oTool->DoAction('Operations/Insert/Legend')

; savgol
savgolFilter = SAVGOL(2, 2, 0,4)
iPlot,x,CONVOL(y1.FIELD1, savgolFilter), /OVERPLOT, $
COLOR=[0, 0, 255], THICK=2, $
```

```
NAME='Savitzky-Golay'  
void = oTool->DoAction('Operations/Insert/LegendItem')  
;SAVE, plotTemplate, FILENAME='C:\WorkSpace\Default  
\myPlotTemplate.sav'
```

```
endfor
```

```
END
```

Subject: Re: Problems on the Savitzky-Golay smoothing filter

Posted by [jhongs1988](#) on Fri, 04 Mar 2016 21:35:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

El miércoles, 20 de mayo de 2009, 5:59:10 (UTC-5), mengran escribió:

```
> Hi,everybody,  
> I have got a annoying problem about the implementing the  
> Savitzky-Golay filter to smooth the time series RS data in the IDL.  
> Actually, I know the function of the Savitzky-Golay filter in IDL is  
> SAVGOL.But the question is the result I got is either a horizon line  
> or the same as the original line(In other words, the filter seems not  
> to work at all), when I changed the parameters of the SAVGOL function.  
> (when the DEGREE = NL + NR(PARA OF THE SAVGOL FUNCTION), THE RESULT  
> IS THE SAME AS THE ORIGINAL, OTHERWISE, THE RUSULT IS A HORISON LINE)  
> My pro is as follows. The class1 to class9 from txt files are  
> the samples of the time series RS data.  
> Is there sth wrong with my code ? Or the RS data that I used  
> is not appropriate for the Savitzky-Golay filter, and I take a wrong  
> method to smooth data ? I need your suggestions, thanks a lot !  
>  
> PRO Savgol_example  
>  
> ;RESTORE, 'C:\WorkSpace\Default\myPlotTemplate.sav'  
> rootPath = 'C:\WorkSpace\Default\class'  
>  
> n = 1 & filename = strarr(9)  
> for i = 0, 8 do begin  
>  
> filename[i] = strjoin([rootPath, strtrim(n, 2),'.txt'])  
> n++  
>  
> endfor  
> for i = 0,8 do begin  
>  
> plotTemplate = ASCII_TEMPLATE(filename[1])  
> y1 = READ_ASCII(filename[1], TEMPLATE = plotTemplate, COUNT =  
> $ count,NUM_RECORDS = 46 )  
> x = indgen(46)
```

```
> iPlot,x,y1.FIELD1, NAME = 'Original Curve', $
> COLOR=[255, 0, 0], SYM_INDEX = 4, yrange = [0,+8000], VIEW_TITLE =
> strmid(filename[1], 21, 6)
> void = ITGETCURRENT(TOOL=oTool)
> void = oTool->DoAction('Operations/Insert/Legend')
>
>
> ; savgol
> savgolFilter = SAVGOL(2, 2, 0,4)
> iPlot,x,CONVOL(y1.FIELD1, savgolFilter), /OVERPLOT, $
> COLOR=[0, 0, 255], THICK=2, $
> NAME='Savitzky-Golay'
> void = oTool->DoAction('Operations/Insert/LegendItem')
> ;SAVE, plotTemplate, FILENAME='C:\WorkSpace\Default
> \myPlotTemplate.sav'
>
> endfor
>
> END
```
