Subject: Re: How to obtain the process ID of the current IDL process in a platform-independent way?

Posted by Maarten[1] on Fri, 04 Sep 2009 08:20:41 GMT

View Forum Message <> Reply to Message

On Sep 4, 4:08 am, tcburt <tcb...@rochester.rr.com> wrote:

> IDLUnix> pid = call\_external(!dlm\_path+'/libidl.so', 'getpid', /cdecl)

FWIW: this one works on Linux.

Maarten

Subject: Re: How to obtain the process ID of the current IDL process in a platform-independent way?

Posted by tcburt on Fri, 04 Sep 2009 10:54:51 GMT

View Forum Message <> Reply to Message

On Sep 4, 4:20 am, Maarten <maarten.sn...@knmi.nl> wrote:

- > On Sep 4, 4:08 am, tcburt <tcb...@rochester.rr.com> wrote:
- >
- >> IDLUnix> pid = call\_external(!dlm\_path+'/libidl.so', 'getpid', /cdecl)
- > FWIW: this one works on Linux.
- > > Maarten

That is good data and a welcome result. Thank you for testing.

Tim

Subject: Re: How to obtain the process ID of the current IDL process in a platform-independent way?

Posted by tcburt on Fri. 04 Sep 2009 11:13:12 GMT

View Forum Message <> Reply to Message

On Sep 4, 2:25 am, Michael Galloy <mgal...@gmail.com> wrote:

- > tcburt wrote:
- >> \*\*\* Question
- >> Is there a platform-independent "IDL way" to obtain the process ID of
- >> the current IDL process?
- >> \*\*\* Background
- >> I need the process ID (PID) of the current IDL process. Currently I
- >> have a working solution for a specific platform (Solaris 9 and 10),

```
>> specifically
     IDLUnix> pid = CALL_EXTERNAL("/lib/sparcv9/libc.so", 'getpid')
>> The reliance on a library from the operating system library limits the
>> applicability to that particular platform and installation, so I
>> consider it only a provisional solution.
>
>> A recent discovery is the Unix libidl.so library that is in the IDL
>> (v6.4 and v7.0) installation directory. Dumping the contents with
     shellUnix> elfdump -s libidl.so | less
   revealed the existence of a 'getpid' function that returns the PID via
     IDLUnix> pid = call_external(!dlm_path+'/libidl.so', 'getpid', /
>>
>> cdecl)
>> This is one step towards platform independence since the library is
>> from IDL rather than the operating system and its location is stored
>> in an IDL system variable. I have not yet tested on anything but the
>> Solaris 10 systems, so this may not work on other Unix systems
>> (e.g. linux).
>> I then turned to a Windows installation of IDL (v 6.2) and did not
>> find a library called libidl.dll in the !dlm_path, but did find
>> idl32.dll. I guessed[*] that this library would have 'getpid' as the
>> entry symbol, so I tried
     IDLWindows> pid = call_external(!dlm_path+'\idl32.dll', 'getpid', /
>> cdecl)
>> The resulting error
     % CALL_EXTERNAL: Error loading sharable executable.
>> indicates that the problems go deeper than just whether the symbol is
>> in the library. Even if the call external() had worked under Windows,
>> the method could have potential problems with internal changes to IDL
>> (e.g. library name change from idl32.dll to idl.dll).
>> I seek the "IDL way" to obtain the PID. Searches in idlhelp,
>> comp.lang.idl-pvwave, and Google have not revealed the way. It is a
>> testament to the usefulness of this newsgroup over the past few years
>> that other questions I had were already answered in the archives. I
>> ask for your insight about the existence of robust solutions and
>> pointers to more fruitful paths (such as writing specific external
>> functions to determine the PID rather than using the libraries
>> delivered with IDL).
>> In appreciation for benefits already obtained,
>> Tim
>> [*] I guessed because I do not know how to dump the contents of a
      Windows DLL. Local gurus will likely be able to help me remove
>>
      this layer of ignorance.
>>
>> [^] % CALL_EXTERNAL: Error loading sharable executable.
>
```

- > I don't know of an easy way of doing this. There is a C routine
- > IDL\_GetUserInfo(IDL\_USER\_INFO \*user\_info) where \*user\_info has a field
- > pid. I have a simple DLM that does this, but you would have to build it
- > on all the platforms you need it on. I was going to make the project
- > this is part of available sooner or later; I can try to get it ready
- > earlier if that would be useful.

It would certainly be useful. Since the routine is documented by IDL, confidence is higher that it might be a stable solution.

Thank you for the suggestion and hope, Tim

- >
- > Mike
- > --www.michaelgalloy.com
- > Associate Research Scientist
- > Tech-X Corporation