
Subject: strange error posixio.c:248: px_pgin:...
Posted by [R.Bauer](#) on Tue, 22 Sep 2009 11:22:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

-----BEGIN PGP SIGNED MESSAGE-----

Hash: SHA1

Hi

sometimes we get a very strange error by accessing data files.

IDL> .continue

idl: posixio.c:248: px_pgin: Assertion `*posp == ((off_t)(-1)) || *posp == lseek(nciop->fd, 0, 1)' failed.

Any ideas what that means or how to workaround it?

cheers

Reimar

-----BEGIN PGP SIGNATURE-----

Version: GnuPG v1.4.9 (GNU/Linux)

Comment: Using GnuPG with Mozilla - <http://enigmail.mozdev.org>

iEYEARECAAYFAkq4s2oACgkQ5aOc3Q9hk/IVmACgwyWullyV/CHXhtoAkq YFK9
fU8AoMKcSC/iJ229/c2RNJEbHOP+t8UO

=FXMD

-----END PGP SIGNATURE-----

Subject: Re: strange error posixio.c:248: px_pgin:...
Posted by [R.Bauer](#) on Mon, 05 Oct 2009 16:47:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Reimar Bauer schrieb:

> Hi

>

> sometimes we get a very strange error by accessing data files.

>

>

> IDL> .continue

> idl: posixio.c:248: px_pgin: Assertion `*posp == ((off_t)(-1)) || *posp

> == lseek(nciop->fd, 0, 1)' failed.

>

> Any ideas what that means or how to workaround it?

>

> cheers

> Reimar

Not much we know currently about this bug.

We can only get it together with X. But that makes it a serious problem.

cheers
Reimar

Subject: Re: strange error posixio.c:248: px_pgin:...
Posted by [R.Bauer](#) on Thu, 17 Dec 2009 08:12:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

> Hi

> sometimes we get a very strange error by accessing data files.

> IDL> .continue
> idl: posixio.c:248: px_pgin: Assertion `*posp == ((off_t)(-1)) || *posp
> == lseek(nciop->fd, 0, 1)' failed.

> Any ideas what that means or how to workaround it?

> cheers
> Reimar

besides I don't use windows it may be related to netCDF itself
so we will request an update and wait again mayn years. ;)

<http://www.unidata.ucar.edu/support/help/MailArchives/netcdf/msg04855.html>

cheers
Reimar
